CATA
LOG
PLA
LAU IM



SIR HANS SLOANE, Bart., P.R.S.
1660—1753

From an oil painting in the Board Room
BRITISH MUSEUM (NATURAL HISTORY)

H 21

Printed by Waterlow & Sons Limited

CATALOGUS PLANTARUM

QUÆ IN

INSULA JAMAICA

Sponte proveniunt, vel vulgò coluntur, cum earundem Synonymis & locis natalibus; adjectis aliis quibusdam

QUÆ IN

Insulis Maderæ, Barbados, Nieves, & Sancti Christophori nascuntur.

Seu Prodromi

Historiæ Naturalis Jamaicæ

Pars Prima.

Autore *HANS SLOANE*, M. D. Coll. Reg. Med. Lond. nec non Soc. Reg. Lond. Soc.

LONDINI:
Impensis *D. Brown*, ad Insigne Cygni & Bibliorum extra Portam vulgò dictam *Temple-Bar*.
MDCXCVI.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

Illuſtriſſimis Doctiſſimiſque Viris

Præſidi, Concilio, & Sociis

Clariſſimæ Societatis Regiæ Londinenſis ad promovendam Scientiam Naturalem inſtitutæ,

NEC NON

Præſidi, Electoribus, Cenſoribus

ET

Sociis Celeberrimi Coll. Reg. Med. Lond.

Quorum auſpiciis Hiſtoria Naturalis & Medica quotidiè augetur, hunc qualemcunque Tractatulum in Obſervantiæ & Gratitudinis Teſtimonium

Dedicat

AUTOR.

A PRÆ-

PRÆFATIO.

NONUS jam agitur annus ex quo navem conſcendi in comitatu Illuſtriſſimi Principis Ducis Albemarliæ Supremi Inſulæ Jamaicæ Gubernatoris, Medicinam facturus eidem Principi. Inter Navigandum, in Maderæ, Barbados, Nieves, Sancti Chriſtophori & Jamaicæ Inſulis, dum illic commorabar, horis ſubceſivis & à praxi medica vacantibus (cui aliàs primo loco ex officii ratione incumbendum erat) res naturales, quantum in me erat & adverſa valetudo ſinebat, obſervavi; obſervatas plerumque chartæ, aliquando tamen propter loci incommoditates, memoriæ commiſi. Brevi temporis ſpatio in hiſce regionibus novis & magno intervallo ab Europa noſtra diſſitis, vegetabilia, mineralia, & animalia nonnulla inveni prorſus eadem quæ in Europa ſæpiſſime videram & tractâram. Citò etiam deprehendi ex quamplurimis à me notatis & novis creditis, in itinerariis at-

que Hiſtoriæ Naturalis Scriptoribus, quædam optime, nonnulla aliqualiter deſcripta fuiſſe; alia propter hanc vel illam virtutem medicam, hunc vel illum mirum effectum iamdudum memorata. Animadverti pariter quoſdam ex Scriptoribus hiſce (quibus multum tamen debemus) res naturales Indicas & Exoticas minus accuratè & exquiſitè cum Europæis contuliſſe & comparaſſe: Ita ut de Vegetabilibus, exempli gratiâ, agentes, quum ſolummodo unius vel alterius arboris Europeæ paſſim obviæ (ſcil. vel Juglandis vel ficus vel pyri) ideam ſe retinere crederent, plantam illam raram & novam hic Viator Juglandi, ille ficui, vel pyro ſimilem eſſe retulerunt; Unde Naturalis Hiſtoriæ Collectores & Excerptores, qui accuratioribus deſcriptionibus aſſueti erant, & earum rerum nullam aliam cognitionem habebant, præter eam quam ab iis hauſerant, rem unam & ſpecie prorſus eandem in variis regionibus à diverſis Obſervatoribus repertam & diſſimiliter deſcriptam, aliquando bis, ter, quater, (imò reperiuntur Autores magni nominis qui novies) repetivere vel poſuere, hoc eſt, Recenſent, uti credunt, novem ſpecie diſcrepantes Plantas;

tas; cum tamen re vera sit una & eadem Planta in regionibus longè ab invicem sejunctis nominata vel commemorata. Hinc Plantarum investigatio tanquam res ardua, maximo medicinæ & bonarum artium damno à plerisque relinquitur. Unde libellum hunc editurus necessarium duxi, ne jam descriptas pro novis & non descriptis Plantis exhiberem, Synonyma earum ex Navigantibus & res naturales commemorantibus ab initio colligere, ut confusio aliàs necessaria oritura tolleretur, & ut Lector quantum dictum sit, apud hujus generis Autores, quos mihi evolvere contigit, videat: In quibus tradendis si descriptio, figura, titulus, vel solummodo nomen (unde de locis herbarum natalibus nobis constat) Autoris à me citati, cum Planta à me observatâ exactè quadret, nullus dubito quin sit una & eadem specie planta; si vero in pauciſſimis differat, ut suspicari fas sit, talem differentiam potius varietatem esse ejusdem Plantæ, ratione cœli, soli, culturæ, ætatis, speciminis, stirpis benè aut secus siccatæ, aut partium ejusdem defectum seu situm mutatum, vel denique si meæ observationes sint minus accuratæ, re ita

se

se habente, talia synonyma nota interrogationis sequitur, ut sciat Lector me dubium esse, an una & eadem sit hæc cum illâ à me observatâ, an verò potius ejusdem varietas, vel naturæ lusus. Autores hujusmodi materiam tractantes rogatos velim, ut non iniquè ferant talem hæsitantiam, cum ipse (quamvis oculatus ut plurimum testis & speciminibus à memet ipso in locis ubi sponte nascuntur, collectis, nec non descriptiunculis instructus) de multis Plantis recensitis in hoc opusculo tanquam specie discrepantibus, incertus hæream; Neque dubito quin plures omnis generis errores in hac, brevi licèt, opellâ reperiantur, pro quibus argumenti utilitas, obscuritas, confusio, (sed potissimùm mea tenuitas, & tot ac tantis difficultatibus enodandis imparitas) Lectoris veniam impetrent. Complures hîc traditas conjecturas, non sine causa aut gratis dictas, videbit benevolus Lector quando (Deo mihi vitam largiente) conspiciet descriptiones in locis natalibus exaratas, & figuras ad naturalem magnitudinem delineatas, æri partim jam incisas, partim adhuc incidendas; nec non virtutes &

usus

uſus Vegetabilium hîc commemoratorum: Quæ quidem omnia (ut & ſecundam prodromi hujus partem) & Hiſtoriam Animalium & Mineralium in iiſdem locis obſervatorum certiſſimè in lucem edere decrevi.

CATA-

CATALOGUS PLANTARUM Insulæ Jamaicæ, &c.

Plantæ Submarinæ.

COrallium asperum candicans adulterinum. J. B. lib. 39 cap. 33. Raij. hist. p. 62. Gypsum quod coralloides cognominari potest. Gesn. lap. fig. cap. 10. Corallium asperum candicans an Gesneri gypsum coralloides. Chabr. p. 573. Copiose provenit in fundo maris & vadis circa insulas Jamaicam & Hispaniolam

Corallium album pumilum nostras. Raij. hist. p. 62. Corallium album Ger. p 1576. quoad descr. An Corallium album minus. Park. p. 1300 ? cum priori.

Corallium album porosum maximum muricatum. Frutex coralloideus. Worm. mus. p. 232. An poro grande Imperat. lib. 27. cap. 3? Porus corallo affinis 1. sive magnus. C. B. pin. p. 367? Porus magnus. J. B. histor. plant. lib 39. cap. 34? Raij. hist. p. 63? An poro ramoso. Imperat. lib. 27 cap. 3? Porus corallo affinis 2. ramosus. C. B pin. p. 367? Porus ramosus. J. B. lib. 39. cap. 34? Raij. hist. p 63? An corallij albi varietas aspera & striata. C. B. pin. 366? Corallium candidum Laet. lib. 15. c. 13. p. 575? Pezzi di Corallo attacate alle punte delle ancore Fernan. Colon vita di Cristofor fol. 97? *White Coral of* Davis. Purchas. lib. 3 cap. 1. sect. 5. p. 135? *of* Payton. ib. lib. 4. cap. 15. sect. 2. p. 533? *Counter-*

feit

ſeit Coral of Lancaſter. ib. lib. 3. cap. 3. ſect. 2. p. 151? *Coral of* Hawkins. ib. lib. 3. cap. 7. ſect 3. p 215? *of* Hatch. ib. lib. 5. cap. 4 p. 621? *of* Knivet. ib lib 6. cap. 7. ſect. 5. p. 1240? *Aquiry Coral blanc des Maldives. de* Pyrard. cap. 10. p 72? *Coral blanc du* Tertre p. 194. *White Coral of* Hughes. p. 2 Fundo maris circa Jamaicam, Hiſpaniolam, Caribeas ſive Antilles dictas Inſulas, locis vadoſis copioſiſſime innaſcitur.

Corallium poroſum, album, minus, muricatum Planta ſaxea Ἀϛροϛοιδὲς. Cluſ. Exotic. lib. 6. cap. 7. Abrotano ſimilis ſaxea C B. pin. 365. Abrotonoides planta ſaxea. J. B. lib 39. p. 808. Chabr. 574. Abrotonoides ſaxea ſive abrotoni fœminæ ſimilis planta ſaxea. Park. p. 1302. *An White Coral of an Anonymus Portugal.* Purchas. lib 7. cap. 1. p. 1316? Arbuſcula coralloides. Piſ. p. 265. An Rochers. du Tertre. p. 194? An Corallo ſtellato Imper. lib 27 cap. 4? Corallium 8. album ſtellatum. C. B. pin p 366? Corallium ſtellatum minus album. J. B. lib 39. cap. 33? Park. 1300? Raij. hiſt 62? Chabr. 573? An Corallium in cinereo albeſcens. Calceol. muſ. 7. cum priori, unde frequenter cum aliis maris purgamentis in littus ejicitur.

Corallium, poroſum, album, latiſſimum, muricatum. In maris fundo copioſe provenit juxta Pelican point prope *Port-Royal.*

Corallium minimum capillaceum. In littora maris ejiciebatur prope locum dictum *the Paliſadoes*, non procul ab urbe *Port-Royal* dicta.

Lapidis aſtroitidis ſive ſtellaris tertium genus. Boet. de Boodt. lib. 2. cap. 146. fig. B. La pierre aſtroites undulatus Molinet. p. 224. *Brain ſtones.* in mari circa Jamaicam, Hiſpaniolam, & Caribeas dictas Inſulas, locis vadoſis copioſiſſime magnitudine & figura variantes lapides aſtroitides inveniuntur.

Lapidis aſtroitidis ſive ſtellaris primum genus. Boet. de Boodt. lib. 2. cap. 146. Une pierre étoilée. Molinet. p. 221. Aſtroites Worm. muſ. p. 68. *Star Stones.* cum priori.

Lapidis aſtroitidis ſive ſtellaris ſecundum genus. Boet. de Boodt. lib. 2. cap. 146. *Sea Roſe.* ibid. cum priori.

Fungus lapideus major undulatus. Une morille. Molinet. p. 220. cum præcedentibus.

Fungus lapideus minor. C. B. pin. 375. Fungus ſaxeus minor. Cluſ. lib. 6. cap. 10. J. B. lib. 39. cap. 60. Raij. hiſt. p. 66. ibidem cum præcedentibus.

Frutex

Frutex marinus Elegantissimus Clusij. Exot. lib. 6. cap. 2. Worm. mus. 234. Planta marina retiformis Clus. ib. cap. 3. Corallina cortice reticulato maculoso purpurascente. C. B. pin. p. 366. Raij. histor. p. 67. Corallina reticulato cortice altera. Ejusdem. ib. Raij. histor. p. 67. Frutex marinus reticulatus. Ger. emac. p. 1616. Frutex marinus elegantissimus albus corallium nautis. J. B. lib. 39. cap. 45. planta marina retiformis. ejusd. ib. cap. 46. Frutex marinus elegantissimus; palma marina Theophrasti quibusdam Chabr. p. 576. planta marina retiformis ejusd. ibid. Pennaches marines. du Tertre. p. 193. *Sea feather of* Smith *of Summer Isles.* p. 171. *Sea Fann or Sea Feather of* Hughes. p. 8. Corallina reticulata plana purpurascens. Park. p. 1297. Planta retiformis Calceolar. p. 16. Messicana coralloide. mus. sept. p. 43. La plante arbor coralloides. Molinet. p. 207. Frutex marinus elegantissimus; planta saxea. Contant. p. 5. *Sea Fann.* Frutex marinus maximus seu flabellum marinum maximum. *Of Dr.* Grew in mus. p. 245. In profundo maris Jamaicensis scopulis & rebus solidioribus innascitur copiose, unde frequenter in vicinum littus ejicitur.

Corallina fruticosa humilior & crassior ramis quaquaversum expansis superficie tuberculata. An corallina rugosa. Park. p. 1297? An corallina fruticosa recta alba punctata lutea vel purpurea. C.B.pin. p. 366. Raij.p. 68? An Lithophyton marinum. Gesn. de fig. lap. cap. 11? Corallina rubens & alba antipathis facie, an Quercus marina folio myricæ Theoph. Lob. obs. p.650? Icon. p. 252. tom. 2? Corallina alba lutea & rubra. Tab.p. 839. & 840? Coralliis similes frutices corallinæ vocatæ. Cæsalp. lib. 16. cap. 34? Corallium album & rubrum. Lob. Lugd. p. 1375? Mosco marino fruticoso. Castor. Durant. p. 286? vel corallina cordiale. Giunco petroso Anguillar. p. 194? Coralloides fruticosa planta marina rectior. J. B. lib. 39. cap. 43? Coralloides albicans & rubens. Ger. emac. p. 1576, & 1577? Corallina fruticans alba vel rubra. Park. p. 1296. An Coralloides granulosa alba. J. B. lib. 39. cap. 49? In littoribus omnibus insulæ Jamaicæ inter alia maris purgamenta frequentissime invenitur.

Corallina fruticosa elatior ramis quaquaversum expansis teretibus. *Sea Feather.* Scopulis in profundo maris innascitur unde frequenter à fluctibus in littora insularum Jamaicæ & Hispaniolæ ejicitur.

Corallina fruticosa ramulis & cauliculis compressis quaquaversum expansis purpureis elegantissimis. Hanc corallinam elegantissimam in littus arenosum, insulæ parvæ Hispanis Cayos dictæ prope *Port-Royal* ejectam inveni.

Corallina opuntiodes, ramulis densioribus, & foliis magis sinuatis atque corrugatis. In omnibus hujus insulæ littoribus, ejectam hanc corallinam, copiosissime collegi.

Corallina major, nervo crassiori fuciformi, internodia breviora nectente. Ejiciebatur in littus maris prope locum dictum *Palisadoes* non procul ab urbe *Port-Royal*.

Corallina nervo tenuiori, fragiliorique internodia longiora nectente. Corallina fistulosa fragilis posterior. J. B. tom. 3. lib. 39. p. 811. Chabr. p. 578. Corallina fistulosa fragilis, internodiis prælongis, levibus, albis farciminum modo catenatis. Plukenet. tab. 26. fig. 2. cum priori.

Corallina minima capillacea. In maris Jamaicensis omnibus littoribus sæpissime ejectum collegimus.

Fucus marinus vesiculas habens membranis extantibus alatas. Rupibus fere omnibus maris Jamaicensis innascentem observavi.

Lenticula marina serratis foliis. Lob. obs. p. 653. Icon tom. 2. p. 256. Hist. Lugd p. 1397. Tab. 2. 217. Ger. p. 1615. Park p. 1281. Fucus folliculaceus decimus sive serratis foliis. C. B. pin. p. 365. Fucus folliculaceus undecimus sive maritimus bacciferus. ejusd. ib. Herba tra verde & Gialla che sopra la superficie dell'acqua si vedeva. Fernan. Colon. p 30. Herbe rendant la mer trouble & herbue de Lery. chap. 21. Herbes presque semblables à nos genevres couvrans la mer de Thevet. fol. 146. Cosmogr. 1001. Salgazo. Ovied. Sargasso Linschot. Christ. Acost. Lugd. 1918. Pison. p. 266. du Tertre. p. 93. Yerva que parecia prado de Lopes de Gomara. fol. 20 Sargasso *of* Mandelslo. p. 219. Rockweed *of* Welsh Hakluyt. p. 2. p. 128. *Weeds in the sea of* Cliffe *in Winters Voyage*. ibid. p. 3. p. 753. *Of* Fenton ib. p. 767. *Grass or Herbs of the water of a pale green colour*. Purchas. lib. 2. cap. 5. *Weeds of* Tatton. ib. lib. 3. cap. 15. p. 332. *Of* Payton. ib. lib. 4. cap. 15. sect. 3. p. 535. Goymon que les Portugais appellent Sargasso de Pyrard. p. 2. p. 214. In omnibus fere rupibus aqua marina opertis circa insulam Jamaicensem copiose crescit; unde à fluctibus in littora vicina non solum ejicitur, sed etiam currentium impetu abrupta & per fretum

Floridanum vecta magnam partem maris Americani borealis implet.

Lenticula marina foliis latis brevibus serratis. In littora marina ejectam hanc plantam frequenter inveni.

Lenticula marina foliis latis breviſſimisque ibid. cum priori.

Fucus fæniculaceus seu coralloides lenta fæniculacea cauliculis longioribus, gracilioribus & densioribus. Supra scopulos aqua marina opertos prope *Passage Fort* copiose crescentem inveni.

Fucus fæniculaceus seu coralloides lenta fæniculacea minor. Rupibus aquâ marinâ opertis innascebatur, unde in littora hujus insulæ crebro ejiciebatur.

Fucus fæniculaceus minimus. Inter alia maris recrementa frequenter ejectum collegi.

Fucus minimus denticulatus triangularis. cum priori.

Fucus marinus coralloides minor fungosus albidus teres segmentis in summitate planis. In littora maris à fluctibus marinis frequenter ejiciebatur.

Alga anguſtifolia vitrariorum. C. B. pin. p. 364. J. B. tom. 3. lib. 38. p. 794. Raij. hist. p 75. Alga Cæsalp. p. 604. Imperat. p 651. Alga marina Lob. Icon. tom. 2. p 248. Fucus sive alga marina graminea hist. Lugd. p 1373. Fucus sive alga marina graminea ejusd. ib Alga. Ger. emac. p. 1569. Alga Veneta. C. B. Not. in Math. p. 796. Fucus marinus sive alga marina graminea. Park. p. 1291. Ulva. J. B. tom. 3. lib. 39. p. 796. Alga & Ulva Chabr. p. 569. Alga marina. Lacun. p. 440. In vadis limosis circa *Pelican* point prope *Port Royal* copiose crescentem inveni.

Alga marina graminea anguſtiſſimo folio. A fluctibus in littora nonnunquam expellitur.

Alga Juncea sive juncus marinus radice alba geniculata. *Manati grasse*. Copiose fluctuantem circa promontorium *Point Pedro* dictum observavi & collegi.

Fucus maritimus gallo pavonis pennas referens. C. B. prod. p. 155. Raij. p. 75. Park 1294. Alga maritima gallo pavonis plumas referens. C. B. pin. 364. Crescit supra scopulos in fundo maris aqua marina opertos, unde in littora hujus insulæ frequenter ejicitur.

Alga latifolia prima sive muscus marinus lactucæ folio. C. B. pin. p. 364. Bryon thalassion, *Slank of* Turner. Bryon Theophrasti Cæsalp. p. 606. Lichen marinus. Ger. emac. p.

1566. Raij. hiſt. p. 77. Lactuca marina. C. B. Not. in Math. p. 795. Muſcus marinus alter vel Plinij. Math. ib. Lichen marinus. Tab. p. 2. p. 518. Muſcus marinus latifolius. Dod. lat. fol. p. 477. Groen zee Moſch, met breed bladeren. ejuſ. Belg. p. 788. Muſcus marinus Plinij Math. Lugd. p. 1368. Moſco marino ſecondo. Durant. p. 302. Bryon lactucæ foliis Plin. Lob. Icon. tom. 2. p. 247. Bryon lactucæ foliis Plin. Muſcus intybaceus criſpus marinus. Fuci prima ſpecies Dioſc. Lactuca marina Herbariorum. Lob. obſ. p. 617. Lactuca marina ſive intybacea. J. B. tom. 3. lib. 39. p. 801. Lactuca marina Bryon Theophraſti Dioſcoridis & Plinij. Chabr. p. 572. Fucus marinus lactuca marina dictus. Park. p. 1294. Therapidio da Crateva. di Anguillara. p. 171. Lactuca marina. Imper. p. 646. *Oyſter green.* Cum aliis maris purgamentis in littus copioſe & ubique ejicitur.

Muſcus marinus plumiformis ramulis & foliis denſiſſimis capillaceis. In inſulæ Maderæ littus, ejectam hanc plantam prope locum Funchall dictum inveni.

Pila marina ſubrotunda, compreſſa, mollis. In littora ejectam à maris fluctibus reperi.

Spongia globoſa di Imperat. p. 365. C. B. pin. p. 368. J. B. tom. 3. lib. 39. p. 816. A maris fluctibus in littus ejectam inveni.

Spongia dura ſeu ſpuria major, alba, fiſtuloſa, fibris craſſioribus cum priori.

Spongia dura ſeu ſpuria maxima ramoſa fiſtuloſa. Alcyonium monſtroſum Cluſ. de Exot. lib. 6. cap. 12. p. 126. Alcyonium cheirothecæ facie ejuſd. ib. Alcyonium 9 cervi cornua cum cranii parte referens. C. B. pin. p. 368. Alcyonium cheirothecæ facie ejuſd. ib. Alcyonium peregrinum Nieremb. p. 293. Drackenæ radici affinis contrayerva radix Chabr. p. 245. quoad fig. An ſpongie velari. Imper. p. 636. An ſpongiæ velares? C. B. pin. p. 368? J. B. tom. 3. lib. 39. p. 816? Raij. hiſt. p. 81? vel an Alcyonio mole, alcyonio quarto. di Dioſcoride. Imper. p. 640? Alcyonium molle, vel 4. Dioſcor. Imper. p. 368? Alcyonium molle Imper. J. B. tom. 3. lib. 39. p. 817? Raij. hiſt. p. 82? Chabr. 579? Arbuſcula ſpongioſa. Piſ. p. 265. In vadis limoſis juxta *Pelican* point prope *Port Royal* copioſe provenit inter coralia, unde particulæ à fluctibus abruptæ frequenter in littus vicinum ejiciuntur.

Spongia

Spongia dura seu spuria ramosa altissima. cum præcedenti.

Spongia dura seu spuria, superficie apicibus acutis extantibus aspera, intus cavernosa. An spongie Hircine. Imper. hist. Nat. p. 636? Spongia quarta seu Hircina. Imper. C. B. pin. p. 368? J. B. tom. 3. lib. 39. p. 814? Raij. hist. p. 81? Spongia marina fistulosa maxima muricata an spongia ramosa fistulosa. C. B. pin. Pluken. tab. 112. fig. 4? Cum aliis recrementis marinis in littus frequenter ejicitur.

Spongia minor & mollior medullæ panis similis fibris tenuissimis. An Alcionio foraminoso, Alcyonio quarto di Dioscoride, Imper. p. 641? Alcyonium quintum seu foraminosum vel quintum Dioscoridis Imp. C B pin 368? An Fuchsis marina nostra similis medullæ panis Donati. Spongia ramosa fistulosa Veneta. Park. p 1305? Nonnunquam sed raro à fluctibus in littus ejiciebatur.

Pila marina velut ex ampullis constans ad Spumæ similitudinem. C. B. pin. 368. Spuma maris Cæs. p. 608. Vesicaria marina non ramosa J. B. tom. 3. lib. 39. p 818. Chabr. 580. *Sea-blobber of* Grew, Mus. p. 250. Ultra locum *Palisadoes.* dictum prope *Port royal* in ripam maris frequenter ejiciebatur.

Vesicaria marina non ramosa, ex ampullis majoribus pancioribus sinuatis auriculæ instar constans, cujus superficies favi instar notantur. Cum priori.

Vesicaria marina non ramosa è vesiculis infundibuli forma membrana undulata extante coronatis constans. Mense Decembri à fluctibus in littus prope Palisadoes ejectam reperi.

Fungi lichenes muſci.

FUngi Math. p. 776. Lugd. p. 1587. Lac. p. 429. Dod. p. 481. Caſt. Durant. 177. fungorum ſecunda ſpecies. Lon f 53. Fungus campeſtris albus ſuperne, inferne rubens, J. B. tom. 3. lib. 40. p. 824. Chabr. p. 581. Raij p. 87. Hiſt. Fungus Eſculentus 12. Park. p. 1317. Fungus candicans. Steerbeck p. 47. tab. 2. lit. E. Amanitæ vel boleti vulgares fungi qui vulgo coqui ſolent. Trag. p. 939. Fungi vulgatiſſimi eſculenti. icon. Lob. p. 271. Ger. Emac. p. 1579. Fungus eſculentus 13. ſive pileolo lato & rotundo livido. C. B. pin. 370. Fungi communi di Imper. p. 634. Fungi prateoli Cæſalp. p. 618. In pratis Savannas dictis copioſe poſt pluvias proveniunt.

Fungi albi venenati viſcidi, J. B. tom. 3. lib. 40. p. 826. Chabr. p. 582. Raij Hiſt. p. 94. Steerbeck p. 206. tab. 20. lit. K. An Carapucu ſive fungi. Piſ. p. 309? cum priori.

Fungus noxius primus vel membranaceus auriculam referens ſive Sambucinus C.B. pin. p. 372. An Orecchivola fungo, di Imper. p. 634? Primum genus pernicioſorum fungorum. Cluſ. de fung. p. 276. Fungi Sambucini Schwenckf. p. 80. Fungus ad Sambucum, Trag. p. 941. Fungus Sambucinus ſive auricula Judæ, Ger. emac. p. 1481. Sambuci fungus, J. B. tom. 1. p. 549. Fungus auriculæ Judæ, coloris ex cineraceo nigricantis, pernicioſus in Sambuci caudice naſcens, Ej. tom. 3. lib. 40. p. 840. Fungus eſculentus 32. ſive fungus Sambucinus Park. p. 1320. Fungus auriculæ Judæ coloris ex cineraceo nigricantis pernicioſus Chabr. p. 588. Fungus Sambuci, Steerbeck p. 256. fig. 26. lit. H. In ſylvis caudicibus arborum innaſcentem obſervavi.

Fungus ramoſus minor corrugatus ex albido luteus è radicibus arborum proveniens. An fungus ramoſus niger compreſſus parvus apicibus albidis, Raij Hiſt. p. 104? An fungus digitatus niger velut cornua exprimens, J. B. tom. 3. lib. 40. p. 838? Poſt pluvias in umbroſa ſylva è radicibus arborum pullulare obſervavi, in cujuſdam torrentis Gully dicti ripis, non procul ab urbe St. Jago de la Vega.

Muſcus

Muscus arboreus ramosus, J. B. tom. 3. lib. 37. p. 764. Raij hist. 115. Foglio diramato, mosco arboreo. Imper. p. 649. Muscus alter lævis latifolius coralloides ἄφυλλον. Col. min. cogn. p. 335. Muscus arboreus v. vel coralloides. C. B. pin. p. 361. Muscus arboreus 4. sive alter quernus latifolius coralloides, Park. p. 1311. Corticibus omnium fere arborum aridarum aut senio confectarum ubique innascitur.

Muscus arboreus 3. seu cum orbiculis, C. B. pin. p. 361. Raij Hist. 115. Muscus fœniculaceus, Lugd. p. 1325. Muscus quernus fruticosus τρυκόφυλλος, atque σκιαδικοτύληδος δασυακτινοειδης, Col. min. cogn. stirp. p. 333. Muscus ramosus floridus, Tab. tom. 2. p. 514. Ger. emac. p. 1560. Schwenckf. p. 141. Muscus quercinus fœniculaceus, Park. p. 1311. Ciottolara mosco arboreo, Imper. p. 649. Muscus arboreus peltatus & scutellaris, J. B. tom. 3. lib. 38. p. 764. An muscus ramosus, Tab. tom. 2. p. 513. Ramis & ramulis arborum seniorum frequenter innascitur, præsertim in partibus hujus insulæ septentrionalibus.

Muscus tenuis & capillaceus cinerei coloris è ramis ilicis dependens, Clus. rar. plant. hist. p. 23. Dod p. 829. Muscus arboreus secundus seu capillaceus longissimus, C. B. pin. p. 361. Muscus arboreus primus seu usnea officinarum, Ejusd. ibid. Raij hist. p. 114. Mosco arboreo, Cast. Dur. p. 300. Ilicum excrescentia tertia, sive muscus iligneus, Park. p. 1396. Mosco degli alberi, Anguill. p. 38. Muscus arboreus, Math. ed. Bauh. p. 65. Lugd, p. 1323. Dod. p. 471. Trag p. 946. Thal. p. 77. Muscus in arboribus nascens quam officinæ usneam vocant. Lon. p. 55. Muscus arborum Tabern. p. 513. Muscus Quernus. Lob. obs. p. 583, & 643. icon. p. 242. Tom. 2. Ger. emacul. p. 1558. Illud musci genus quod privatim Splachnon vocant. Casalp. p. 603. Muscus Cord. in Dioscor. p. 7. Muscus arborum. Lac. p. 28. Schwenckf. p. 139. Muscus arboreus 1. seu vulgaris & quercinus Park. p. 1311. Muscus arboreus villosus. J. B. Tom. 3. Lib. 37. p. 763. Muscus usnea bryon. Chabr. p. 559. Muscus quercuum & aliarum arborum. J. B. tom. 1. lib. 6. p. 88. Chabr. p. 56. An Laricus muscus. J. B. tom. 1. lib. 9. p. 273? Muscus arboreus quercinus. Bod. à Stapel in Theoph. p. 156. Quercus excrementum 4. sive villosum. Johnst. Dendrolog. p. 195. Dendrobryon geniculatum Col. min. cogn. stirp. part. alter. p. 84. Muscus arboreus sextus seu nodosus. C. B. p. 361. Muscus arboreus 5. sive nodosus geni-

geniculatus. Park. p. 1311. Barbuto moſcho arboreo. Imper. p. 652. Muſcus arboreus barbatus. J. B tom. 3. lib. 38. p. 764. Il muſco arboreo detto da Geci bryon. di Pona de monte Baldi p. 336. Muſcus arboreus à Græcis Bryon. Pon. Bald. Cluſ. 345. In tractibus Jamaicæ inſulæ ſeptentrionalibus muſcum hunc è ramis arborum dependentem collegi.

Muſcus arboreus ſeptimus ſive pulmonarius, C. B. pin. p. 361. Raij hiſt. p. 116. Pulmonaria, Fuchſ. p. 637. Dorſtein. f. 240. Lon. fol. 219. Trag. p. 524. Dod. p. 474. Cæſalp. p. 602. Matth. p. 733. Lac. p. 40. Tab. tom. 2. p. 273. icon. Roeſſlin. f. 23. Bot. Francof p. 97. Pulmonaria inter muſci genera arboribus adhærens. Geſn. hort. Germ. f. 274. Lichen arborum, Tab. p. 517. tom. 2. Ger. p. 1566. Muſcus pulmonarius ſive pulmonaria officinarum, Lob. obſ. p. 647. Icon. tom. 2. p. 248 Schwenckf. p. 140. Pulmonaria prima Caſt. Durant. p. 370. Pulmonaria fungoſa, Lugd. p. 1327. Pulmonaria vulgaris, Thal. p. 89. Muſcus pulmonarius ſive Lichen arborum, Park. p. 1311. Lichen arboreus ſive pulmonaria arborea, J. B. tom 3. lib. 37. p. 759. Pulmonaria, lichen arboreus Chabr. p. 558. Pulmonaria moſco di Imper. p. 649. Pulmonaria lichenis quoddam genus, Cæſalp. p. 602. In caudicibus arborum grandiorum frequenter reperitur.

Muſcus cruſtæ aut lichenis modo arboribus adnaſcens cinereus, Raij hiſt. p. 116. Muſcus cruſtæ modo arboribus adnaſcens colore cinereo, C. B. pin. p. 361. Lichen Dioſcoridis & Plinij ſecundus colore cinereo. Col. minus cogn. ſtirp. p. 330. An muſcus lapideus Schwenckf. p 142? an muſcus tegularum Ej. ib? Caudicibus & ramulis arborum aridiorum ubique innaſcitur.

Muſcus cruſtæ modo arboribus adnaſcens flavus, Raij hiſt. p. 116. Muſcus cruſtæ modo arboribus adnaſcens colore flaveſcente, C. B. pin. p. 361. Lichen Dioſcoridis & Plinij ſecundus colore flaveſcente, Col. min. cognit. ſtirp. p. 330. Ibidem cum priori.

Muſcus arboreus minor cavus corniculatus albidus. Muſcus corniculatus. Tab. 2. t. 2. p. 515. J. B. tom. 3. lib. 38. p. 767. Chabr. p. 561. Park. p. 1308. Ger. quoad deſcript. p. 1562. Ex arbore proſtrata & aridâ enatum inter locum dictum *Mountaine river & Coll. Copes Plantation* collegi.

Lenticula paluſtris, Trag. p. 689. Cæſalp p. 612. Tab. t. 2. p 218. Schwenckf. p. 121. Lens paluſtris, Ger. emac. p. 829.

Lon.

Lon. f. 175. Matth. ed. Bauh. p. 783. Lugd. p. 1014. Lacun. p. 433. Lob. obs. p. 643. Icon. p. 249. Bot. Francof. p. 249. Turner, p. 2. f. 33. Cord. in Dioscor. fol. 68. Bod. à Stapel. Not. in Theoph. p. 460. J. B. tom. 3. lib. 38. p. 784. Chabr. p. 566. Ambros. h. p. 37. Raij, hist. p. 117. Lenticula adv. p. 129. Lenticula aquæ Brunfels. tom. 3 p. 118. Lens lacustris, Dod. p. 587. Lente palustre di Ang. p. 275. Cast. Durant. p. 25[illegible]. Lenticula aquatica, Thal. p. 73. Lens palustris sive aquatica vulgaris, Park. p. 1262. Lenticula prima sive palustris vulgaris, C. B. pin. p. 362. Omnibus fere aquis stagnantibus innatat.

Lenticula palustris quarta sive quadrifolia, C. B. pin. p. 362. Raij hist. 118. Lens palustris altera Matth. p. 783. Lugd. p. 1015. Lemma Theophr. Ej. p. 1014. Lenticula palustris secunda Tab. tom. 2. p. 218. Lente palustre Cast. Durant. in fig. Lenticulæ palustris alterum genus Cæsalp. p. 612. Lens palustris quadrifolia, J. B. tom. 3. lib. 38. p. 785. Chabr. p. 566. Park. 1262. In omnibus aquis stagnantibus atque cœnosis pigris ubique reperitur.

Lenticula palustris sexta vel Ægyptiaca sive stratiotes aquatica foliis sedo majore latioribus, C. B. pin. p. 362. Stratiotes, Hai alem maovi. Alp. de plant. Ægypt. p. 106. Stratiotes Ægyptia Dioscoridis. Vesling. Not. in Alpin. p. 44. Stratiotes Ægyptia, J. B. tom. 3. lib. 38. p. 787. Stratiotes Ægyptia, Stratiotes Antiquorum, Chabr. p. 567. Stratiotes aquatica vera Dioscordis & Ægyptiaca, Park. p. 1249. Aquis stagnantibus insularum Barbados vel Maderæ innatantem inveni.

Fucus sive alga Capillaceo folio 1 vel alga viridis Capillaceo folio, C. B. pin. p. 364. Raij hist. p. 118. Conferva di Anguill. p. 193. An Tomento moscho O Conferva di Imper. p. 650? Lino aquatico Ej. ib. Conferva Plinij Lob. obs. p. 654. Icon. t. 2. p. 257. Lugd. 1023. Conferva Lon. t. 2. f. 57. Conferva Plin. Math. p. 795. descript. Conferva, Geremac. p. 1570. Alga aquatilis capillacea sive Conferva Plinij aliis linum aquaticum, Park. p. 1261. Conferva Plinij repens Ambrosiu. h. p. 21. Conferva trichodes, Conferva Plinij & Lobelij Chabr. p. 570. An fucus sive alga capillaceo folio quarta vel alga in tubulis aquam fontanam ducentibus, C. B. Pin. p. 364. In omnibus aquis stagnantibus vel fluviis pigrioribus.

Muscus

Muſcus terreſtris repens quartus ſive Muſcus filicinus major, C. B. pin. p. 360. Muſcus filicinus Ger. emac. p. 1561, Tab. tom. 2. p. 514. Schwenckf. p. 142. J. B. tom. 3. lib. 38. p. 764. Park. 1309. Chabr. 559. *Fern Moſs.* In ſylvis umbroſis ad radices arborum frequenter invenitur.

Muſcus terreſtris repens ſeptimus ſive muſcus denticulatus major. C. B. pin. p. 360. Muſcus terreſtris denticulatus Lob. obſ. p. 644. Icon. tom. 2. p. 243. Lugd. p. 1325. Muſco terreſtre denticolato del Lobellio Pon. Monte Baldo. p. 336. Muſcus terreſtris denticulatus prior. Lobellij Ej. Cluſ. p. 345. Muſcus ſecundus Tab. tom. 2. p. 515. Muſcus denticulatus. Ger. emac p. 1561. Muſcus terreſtris minor. Dod. p. 472. Schwenckf. p. 141. Muſcus denticulatus major. Park. p. 1307. Muſcus pulcher parvus repens J. B. tom. 3. lib. 38. p. 765. Chabr. p. 559. Muſcus terreſtris dentatus Munt. pl cult. p. 533. Planta muſcoſa & plumoſa Guayanenſis perelegans minor. Breyn. cent. 1. p. 194 Muſcus repens ſquammoſus. Plum. p. 36 fig 24 b. Collibus propè ripas fluvii Rio Cobre dicti copioſè creſcit.

Muſcus terreſtris latioribus foliis major ſeu vulgaris. Raij. hiſt. p. 122. Muſcus terreſtris & hortenſis J. B. tom. 3. lib. 38. p. 764. Chabr. p. 559 *The moſt common earth moſs.* Ad arborum radices in ſylvis mediterraneis montis Diablo dicti aliquando reperitur.

Muſcus terreſtris repens minor, ramulis circa extremitates conglomeratis foliis capillaceis. Ad radices arborum in ſylvis umbroſis mediterraneis.

Muſcus terreſtris repens major, ramulis circa extremitates conglomeratis foliolis multis & minimis capillaceis caulem occultantibus. cum præcedentibus.

Muſcus terreſtris minor repens, cujus ramuli foliis multis & minimis ſeriatim quadrato ordine diſpoſitis cinguntur. cum præcedentibus.

Adiantum ſeu polytrichum aureum medium, capitulo proprio pediculo inſidente. In ſylvis mediterraneis umbroſis.

Polytrichum aureum tertium ſeu minus. C. B. pin. p. 356. Raij. hiſt. p. 124. Polytrichum aureum minus. Lugd. p. 1212. Park. 1052. Bryon quoddam in parietibus ac tegulis naſcens. Cæſalp. p. 602. Polytrichon minus. Schwenckf. p. 164. Callitrichon. Bot. Francof. p. 219. Muſcus minimus terreſtris. Park. p. 1309. An Puempeda. H. Mal. part. 12. p. 71.

p. 71. tab. 37? Muſci capillaris altera ſpecies omnino minor & humilior. Dod. p. 475. Adiantum ἄφυλλον. minus Thal. p. 5. Polytrichum tertium minus. Trag. p. 528. Minus Polytrichum Apuleij. Fuchſ. p. 629. Lon. f. 222. Polytrichum Apuleij minus quorundam J. B. tom. 3. lib. 37. p. 760. Chabr. p. 558. Polytrichum aureum minus Herbariorum. Pon. apud Cluſium. p. 345. Muſcus capilluſve aureus minor. Lob. obſ. p. 646. Muſcus capillaris ſive Adiantum aureum minus. Ger. emac. p. 1559. Adiantum aureum minus. Tab. p. 505. Adiantum aureum, polytrichum aureum. Munt. p. 225. In locis umbroſis humidis, ut hortorum ambulacris, &c. ſatis frequenter occurrit.

Muſcus ſaxatilis vel lichen 1. petræus latifolius ſive Hepatica fontana. C. B. pin. p. 362. Raij. hiſt. p. 124. Hepatica prima. Tab. 2. p. 518. Lichen ſive hepatica vulgaris. Park. p. 1314. Hepatica Icon. Roeſl. p. 25. Lichen. Caſt. Dur. p. 240. Anguill. p. 264. Hepatica. Dorſt f. 145. Lichen. Lon. f. 219. Fuchſ. annot. ap. Brunf. tom. 2. p. 151. Dod. p. 473. Math. p. 732. Lugd. p. 1084. Lac. p. 40. Bot. Francof. f. 97. Turn. p. 2. f. 36. Jecoraria ſeu Hepatica fontana. Trag. p. 523. Lichen, hepatica officinarum. Thal. p. 73. Lichen vulgo fegatella quaſi hepatica Cæſalp. p. 601. Lichen herba Cord. Not. in Dioſc. fol. 65. Hepatica moſco, O Lichena di Imp. p. 649. Hepatica terreſtris Ger. emac. p. 1565. Hepatica fontana. Schwenckf. p. 104. Lichen majus. Munt. pl. cult. p. 486. Lichen tertius Hepatica. Lob. obſ. p. 646. icon. 246. Lichen ſive Hepatica Ambroſ. h. p. 39. Lichen ſive Hepatica fontana. J. B. tom. 3. lib. 37. p. 758. Lichen ſive Hepatica Chabr. p. 557. In umbroſis rivulorum ripis ſatis frequenter.

Equiſetum 13. ſive fœtidum ſub aqua repens. C. B. pin. p. 16. prod. p. 25. Theatr. bot. p. 250. Raij. hiſt. p. 130. Park. 1201. Ger. emaculat. p. 1115. J. B. tom. 3. lib. 36. p. 731. Chabr. p. 551. Equiſeti quintum genus minimum. hiſt. Lugd p 1070. Equiſetum olidum. C. B. Not. in Math. p. 798. Equiſetum ſub aqua repens. Ambroſ. h. p. 26. in fluviis ubique fere.

Plantæ Capillares.

LUnaria elatior Adianti albi folio duplici ſpica. Adiantum ſaxoſum floridum. Plum. p. 29. fig. 43. Infra urbem St. Jago de la Vega dictam ad ripam fluminis Rio Cobre nuncupati ſupra rupem creſcentem obſervavi.

Lunaria elatior matricariæ folio ſpica duplici. Ibidem cum priori.

Phyllitis non ſinuata minor apice folii radices agente. In ſylva admodum alta, umbroſa, opaca, & ſpiſſa ad radicem montis Diablo dicti, ultra pratum Magotty Savanna nuncupatum creſcentem inveni.

Phyllitis arboribus innaſcens folio non ſinuato tenuiori rotundis pulverulentis maculis averſa parte punctato. Charantl. Hernandez. Polypodium foliis linguæ cervinæ majus. Plum. p. 26. fig. 38. An polypodium Indicum Scolopendriæ facie primum Breyn. cent. 1. p. 190. Truncis arborum veterum & ſenio confectarum inſtar viſci præcipue innaſcitur. Tali modo creſcentem inveni viâ quâ locum 16 *mile walk* vocatum itur, & in collibus umbroſis prope *Hope River* in Liguanee.

Phyllitis non ſinuata foliorum limbis *leviter* ſerratis. Lingua cervina longo lato ſerratoque folio. Plumier. p. 27. fig. 39. In ſylvis magnis mediterraneis & umbroſis.

Hemionitis peregrina Cluſ. rar. plant. hiſt. lib. 6. p. 214. Park. p. 1048. Ger. emac. p 1139. Dod. p. 467. hiſt. Lugd. p. 1218. Raij. hiſt. p. 135. Hemionite di Caſt. Dur. p. 211. Hemionitidis varietas altera. Lob. obſ. p. 469. Hemionitis ſecunda ſive minus vulgaris. C. B. pin. p. 354. E Jamaica inſula delatam & ſibi dono datam mihi communicavit Ingenioſiſſimus Botanicus D. Gulielmus Sherard.

Hemionitis aſari folio. Hanc elegantiſſimam hemionitidis ſpeciem ex inſula Madera, ab Hortulano Arthuri Rawdon Bar. delatam mihi dedit Botanicus eximius Dominus Guilielmus Sherard.

Hemionitis folio hirſuto & magis diſſecto ſeu ranunculi folio. Hemionitis aurea hirſuta. Plumier. p. 23. fig. 33. In ripis umbroſis torrentis cujuſdam ſylvæ inter locum dictum

dictum 2 *mile wood, and the Town* Savanna inveni.

Hemionitis foliis atrovirentibus maxime dissectis seu filix Geranii Robertiani folio. Hemionitis profunde laciniata, ad oras pulverulenta. Plumier. p. 24. fig. 34. cum præcedente.

Hemionitis peregrina foliorum segmentis sinuatis longioribus, & magis acuminatis seu hederæ folio anguloso. E Jamaica insula delatam communicavit D. Sherardus.

Phyllitis minor scandens foliis angustis. Phyllitis scandens cauliculis squammosis. Plum. p. 29. fig. 42. Truncis arborum in sylvis mediterraneis innascebatur.

Phyllitis scandens minima muscifacie foliis membranaceis subrotundis. Adiantum muscosum lichenis petræi facie. Plumier. p. 34. fig. 50. Supra arborum truncos humidiores in sylvis mediterraneis umbrosis prope ripas fluminum, Rio doro & *Orange River* dictorum inter 16 *mile walk* & *St. Maries* crescentem collegi.

Phyllitidi scandenti affinis major folio crasso subrotundo Truncis arborum altiorum, vel rupibus humidioribus mediterraneis ubique fere innascitur.

Phyllitidi scandenti affinis minor folio crasso oblongiori. Truncis arborum in Monte Diablo, *Archers ridge*, ripis fluminis *Orange River* dicti, & aliis sylvis mediterraneis insulæ Jamaicæ innascitur.

Phyllitidi scandenti affinis minima folio crasso oblongiori, cum priori.

Phyllitidi scandenti affinis minor, foliis subrotundis acuminatis ex adverso sitis. Truncis arborum innascebatur prope ripas fluminis Rio d'oro dicti.

Phyllitidi scandenti affinis minor graminifolia folio oblongo acuminato, foliorum pediculis alis extantibus auctis. cum priori.

Phyllitidi scandenti affinis major graminifolia folio oblongo acuminato foliorum pediculis alis extantibus auctis. cum præcedentibus.

Polypodium altissimum. Filix Africana maxima Polydii facie Herman. P. B. p. Pluck. phyt. tab. 179. fig. 1. p. 335. Polypodium majus aureum. Plumier. p. 25. fig. 35. In mediterraneis montibus Jamaicæ insulæ hanc Polypodii speciem collegi.

Lonchitis palustris maxima. Phyllitidis species Bont. p. 122. Filicis exoticæ nona species seu filix non ramosa foliis

integris

integris non ſerratis maxima Indiæ orientalis. Breyn. cent. 1. p. 189. La Scolopendre. Du Tertre. p. 89. Rochefort. p. 130. Filix paluſtris aurea, foliis linguæ cervinæ. Plumier. p. 5. fig. 7. In paluſtribus inſulæ Jamaicæ copioſe creſcit, viz prope *Black River Bridge*, viâ quâ *Old Harbour* itur,& fluvium ſalitum prope *Paſſage Fort*.

Lonchitis Aſplenii facie pinnulis variis, viz. ſubrotundis, & ex utroque latere auriculatis. Filix non ramoſa ſcolopendrioides. Plumier. p. 7. fig 11. Ex inſula Jamaica adduxit Jacobus Harlow Hortulanus Arthuri Rawdon Batonetti, qui mihi per Doctorem Sherard communicavit.

Lonchitis altiſſima, pinnulis utrinque, ſeu ex utroque latere auriculatis. Cum præcedente accepi ab eodem

Lonchitis altiſſima, pinnulis raris non laciniatis. In monte Diablo dicto provenientem collegi.

Lonchitis major, pinnis latioribus, leviter denticulatis, ſuperiore latere auriculatis. Lonchitis glabra major, Plumier. p. 18. fig 27. In Jamaicæ Inſulæ mediterraneis montibus provenit

Lonchitis minor pinnis latioribus leviter denticulatis, ſuperiore latere auriculatis. E rupium commiſſuris exibat ad ripas fluvij Rio d'oro dicti prope 16 *mile walk*.

Lonchitis major pinnis anguſtioribus leviter denticulatis ſuperiore latere auriculatis Cum aliis hujus generis plantis in ſylvis mediterraneis umbroſis & ſaxoſis creſcentem collegi.

Lonchitis major pinnis longis anguſtiſſimiſque. In rupium commiſſuris, via umbroſa, quâ locum 16 *mile walk* dictum, itur, provenientem collegi.

Polypodium minus pinnulis raris ſubtus cinereis Filicifolia ſeu polypodium tenuifolium minus Virginianum, Plukenet. tab. 89 fig. 9. Polypodium radice tenui & repente, Plum. p. 25. fig. 36. Rupibus innaſcitur in ſylva montana prope *Mr.* Elletſon's *Plantation in* Liguanee.

Lonchitis minor pinnulis anguſtis crebris tenuibus atrovirentibus. Polypodium nigrum tenuius ſectum, Plum. p. 26. fig. 37. Cum priori.

Lonchitidi affinis arbor anomala folio alato è pinnarum crenis fructifero. Phyllanthos Americana planta flores è ſingulis foliorum crenis proferens, P. B. prodr. Herm. p. 365. Hemionitidi affinis Americana epiphyllanthos, folio ſimpliciter pinnato, Hippogloſſi æmulo, radice reptatrice lignoſa

ad

ad foliorum crenas florida. Pluckenet, tab. 36. fig 7. In collibus sylvaticis saxosis prope *Mr.* Batchelour's *house*, copiosè provenit.

Trichomanes majus pinnis sinuatis subtus niveis. Inter rupes in colle sylvatico, prope *Mr.* Elletson's *Plantation in* Liguanee,

Trichomanes majus totum album pinnis aculeatis Trapezij figura. è rupium aridiorum commissuris exibat, via qua 16 *mile walk* itur.

Trichomanes majus nigrum pinnis leviter dentatis Trapezij figura. In ripis Rio d' oro è rupium commissuris exibat, necnon in sylvis meditetraneis saxosis reperiebatur.

Trichomanes majus nigrum, pinnis Trapezij figura latissimis tenuibus. E Jamaica Insula attulit Hortulanus Arthuri Rawdon Baronetti; mihi hanc plantam communicavit Botanicus callentissimus Dominus Sherard.

Trichomanes foliolis longioribus eleganter superna præsertim parte laciniatis. Ad ripas Rio d'oro, Prope *Mr.* Philpot's *Plantation in* 16 *mile walk*, e rupium commissuris exibat.

Trichomanes, foliolis dentatis, superiore latere auriculatis. Polytrichum saxatile dentatum, Plumier. p 35. fig. 50 C. Adiantum maritimum segmentis angustioribus, Pluckenet. Phytogr. tab. 124. fig. 5. In rupibus udis ad ripas Rio d'oro versus Jamaicæ Insulæ partem septentrionalem inveni. E Barbadoes & Bermuda Insulis sibi delatam ostendit Botanicus egregius Dominus Jacobus Pettiver.

Filix maxima in pinnas tantum divisa oblongas latasque non crenatas. In lateribus montis Diablo crescentem collegi.

Filix major in pinnas tantum divisa oblongas latasque non crenatas à basi rotundiore ad apicem se sensim angustantes. An filix latifolia non ramosa nigris tuberculis pulverulenta, Plum. p 6. fig. 9? E Jamaica Insula adferebatur ab Hortulano Arthuri Rawdon Baronetti, mihique eam communicavit Dominus Sherard.

Filix major scandens in pinnas tantum divisa oblongas latasque non crenatas. Truncos arborum grandiores in latere montis Diablo meridionali scandit, ad 20 aut 30 pedum altitudinem. Reperitur etiam ibidem foliis crenatis. Filix

ſcandens latifolia ſerrata. Plumier. p. 8. fig. 12. Panna valli. Hort. Malab. part. 12. p. 69. tab. 35.

Filix major ſcandens in pinnas tantum diviſa, oblongas latiſſimas non crenatas. E Jamaica Inſula ab Hortulano Arthuri Rawdon Baronetti advehebatur & à Domino Sherard mihi communicata.

Filix major in pinnas tantum diviſa, oblongas anguſtaſque non crenatas. In ripis Rio d'oro prope *Archers ridge* inter 16 *mile walk*, & St. *Maries* copiosè provenit.

Filix minor plerumque trifida, pinnis oblongis latiſque non crenatis. An Polypodium Indicum ſcolopendriæ facie ſecundum Breyn. cent. 1. p. 191? In ſylvis umbroſis meridionalis lateris montis Diablo dicti collegi.

Hemionitidi affinis Filix major Trifida auriculata pinnis latiſſimis ſinuatis. An Caticaa ſive Polypodium Piſon. p. 233? An Hemionitis maxima trifolia. Plumier. p. 22. fig. 22? In umbroſo & nemoroſo colle prope *the Orange-walk*, ad ripas Rio Cobre, *in the Creſcent Plantation* provenire obſervavi.

Filix major in pinnas tantum diviſa, raras, latiores, oblongas, ſtriatas, ex adverſo ſitas, & non crenatas. In lateribus montis mediterranei Diablo dicti collegi.

Filix major in pinnas tantum diviſa, raras, oblongas lataſque crenatas. Filix an Polypodium Marcgr. p. 2. Filix non ramoſa foliis integris ſerratis Braſiliana. Breyn. cent. 1. p. 188. Filix latifolia non ramoſa rotundius crenata. Plumier. p. 7. fig. 10. Ad ripas Rio d'oro prope 16 *mile walk* provenientem obſervavi.

Filix minor in pinnas tantum diviſa, crebras plerumque ex adverſo ſitas oblongas lataſque crenatas. In monte Diablo *Archers ridge*, nec non aliis ſylvis mediterraneis Jamaicæ Inſulæ reperitur.

Filix minor in pinnas tantum diviſa, raras, oblongas lataſque crenatas. Cum priori.

Filix minor, in pinnas tantum diviſa, crebras non crenatas inferiore latere auriculatas & rotundis pulverulentis areolis averſa parte notatas. In montis Diablo dicti lateribus reperitur.

Filix minor, in pinnas tantum diviſa, crebras non crenatas auriculatas & lineis pulverulentis averſa parte notatas. Lonchitis juxta nervum pulverulenta. Plumier. p. 20. fig. 29. b, Cum priori.

Filix

Filix minor ruffa lanugine tota obducta in pinnas tantum divisa, raras non crenatas subrotundas. Communicata mihi fuit hæc planta perelegans à D Sherard, qui eam ab Hortulano Arthuri Rawdon Baronetti accepit.

Filix minor, in pinnas tantum divisa, ex adverso sitas oblongas, latasque non crenatas, infimis ad basin auriculatis. In sylvis mediterraneis montanis Insulæ Jamaicæ invenitur.

Phyllitis ramosa trifida. In Insulæ Jamaicæ sylvis mediterraneis.

Phyllitidi multifidæ affinis filix scandens, in pinnas tantum divisa, oblongas, angustas non crenatas. An filicis alia species in Insula Tamaraca. Marcgr. p. 2? Ad 12 vel 15 pedum altitudinem, truncos arborum montis Diablo, *Archers ridge*, *Mountain River Plantations*, nec non sylvarum aliarum montanarum mediterranearum Insulæ Jamaicæ, scandit.

Phyllitidi multifidæ affinis filix scandens in pinnas tantum divisa, oblongas, angustas laciniatas. Filicis an species. Marcgr. p. 2. Filix scandens perpulchra Brasiliana. Breyn. cent. 1. p. 185. Filix scandens exotica anomala. Raij hist. p. 153. An Isieru-valli-panna vel Warapoli. H. M. part. 12. p. 65. tab. 34? An Valli-panna H. M. part. 12. p. 63. tab. 32? An Isieru-valli-panna altera. H. M. part. 12. p. 67. tab. 33? Truncos arborum sylvæ prope *Captain* Heywood's *Plantation in St. Maries* in Insulæ Jamaicæ parte septentrionali scandentem observavi.

Filix non ramosa maxima, furculis raris, pinnis variis inferioribus scil. oblongis acutis, superioribus verò asplenij subrotundis. Circa montem Diablo dictum copiosè crescit.

Filix non ramosa major, furculis raris, pinnulis crebris latis, minimis, brevibus aculeatis. Ad ripas Rio Cobre via qua ab urbe St. Jago de la Vega locum 16 *mile walk* dictum itur, copiosè provenit.

Filix non ramosa major, furculis raris, pinnulis longis angustis rarissimis. In ripis Rio d'oro inter 16 *mile walk* & St. *Maries* collegi.

Filix non ramosa major, furculis crebris, pinnulis longis angustis. Filix non ramosa latius dentata. Plumier. p. 11. fig. 17. Ad ripas fluviorum mediterraneorum nemorosorum hujus Insulæ Jamaicæ oriebantur multæ hujus filicis varietates.

Filix non ramosa major, furculis raris brevioribus, pinnulis crebris latis brevibus non aculeatis. A Jamaica Insula sibi delatam communicavit Dr. Sherardus.

Filix non ramosa major, furculis crebris, pinnulis brevioribus angustis. An Filicis exoticæ secunda species seu filix non ramosa Brasiliana foliis asplenii acutioribus Breyn. cent. 1. p. 187? Ad ripas saxeas fluviorum *Orange River*, & Rio d'oro dictorum inter 16 *mile walk* & St. *Maries* invenitur.

Filix non ramosa minor, furculis crebris, pinnulis longis latisque. Cum priori.

Filix non ramosa minor, furculis crebris, pinnulis brevissimis angustis. Infra urbem St Jago de la Vega ad ripas fluvii Cobre dicti collegi.

Filix non ramosa minima, furculis crebris, pinnulis brevissimis angustis. Cum priori.

Filicula non ramosa minima, furculis crebris, pinnulis angustissimis raris. Ad rivulos mediterraneos umbrosos.

Filix non ramosa scandens, pinnulis latis, longis, crebris, obtusis & dentatis Para-panna-Maravaca. H. Mal. part. 11. p. 31. tab. 15. Arbores grandiores, laterum montium mediterraneorum Diablo & *Archers Ridge* dictorum circumvolvebat.

Filix non ramosa minor, caule nigro, furculis raris, pinnulis angustis dentatis raris brevibus acutis subtus niveis, Adiantum nigrum Americanum pulvere candidissimo aspersum. Breyn. cent. 1. p. 190. Adiantum Calomelanos Americanum seu Adiantum nigrum foliis prona parte candidissimis. Pluckenet. tab. 124. fig. 3. Adiantum nigro simile albissimo pulvere consperſum. Plum. p. 30. fig. 44. Avenca minor. Marcgr. p. 23. Conambai miri sive adianti species. 2. Pis. p. 234. In rupibus umbrosis mediterraneis Insularum Jamaicæ & Barbados invenitur.

Filix non ramosa minima, caule nigro, furculis raris, pinnulis angustis raris brevibus acutis subtus niveis. Cum priori.

Filix non ramosa major, caule nigro, furculis raris, pinnulis angustis raris longis dentatis. In rupibus ad ripas *Orange River*, & Rio d'oro prope Mr. *Philpott's Plantation* in Insulæ Jamaicæ parte septentrionali.

Filix

Filix non ramosa minor, caule nigro, furculis raris, pinnulis latis dentatis subtus niveis. In Insulis Barbados vel Nieves reperi.

Rutæ murariæ accedens Filicula non ramosa minima, pinnulis subrotundis profunde sciſſis. E rupium commissuris ad ripas Rio d'oro inter 16 *mile walk*, & St. *Maries* exibat.

Rutæ murariæ accedens Filix minor non ramosa, pinnulis subrotundis profunde sciſſis. Filix pinnulis cristatis Plumier. p. 16. fig. 25. A cum priori.

Ruta muraria major foliis variis, scil. oblongis integris & subrotundis serratis. Exibat è rupium fissuris ad ripas fluviorum *Orange River*, & Rio d'oro in Jamaica Insula.

Ruta muraria maxima foliis oblongis crenatis. Cum priori.

Filix non ramosa minor, pinnulis crebris, obtusis, crenatis. Cum præcedentibus.

Adiantum nigrum maximum non ramosum pinnis crebris, majoribus crassis & Trapezii in modum figuratis. Avenca *of an Anonymus Portugal.* Purchas. lib. 7. cap. 1. p. 1312. Conambai-miri sive Adianti species prior vel Avenca Lusitanis. Pison. p. 234. In ripis torrentis ultra *Troopers Quarters* prope urbem St. Jago de la Vega & in sylvis mediterraneis Insulæ Jamaicæ frequenter.

Adiantum nigrum majus non ramosum, pinnulis & furculis rarioribus, crassis & Trapezii in modum figuratis.

Adiantum nigrum ramosum pulverulentum & falcatum. Plum. p. 32. fig. 47. In sylvis mediterraneis passim.

Adiantum nigrum minus non ramosum, pinnulis majoribus crassis Trapezii in modum figuratis. Adiantum Barbadense auriculatum ramosum segmentis crassioribus minutissime denticulatum. Pluckenet. phytogr. tab. 125. fig. 2. Ad semitas in monte *Archers Ridge* dicto & aliis Insulæ Jamaicæ sylvis mediterraneis.

Adiantum nigrum non ramosum, majus pinnulis majoribus tenuibus Trapezii in modum figuratis. Cum priori.

Adiantum nigrum non ramosum majus, furculis raris pinnulis densis crassis minimis cristatis & Trapezii in modum figuratis. Filicis exoticæ prima species seu filix non ramosa Brasiliana pinnulis cristatis Breyn. cent. 1. p. 187. Adiantum ramosum foliis Trapeziis dentatis. Plumier. p. 31. fig. 46. In sylvis montanis prope *Mr.* Elletson's *Plantation* in Liguanée *Archers Ridge*, &c.

Adiantum

Adiantum nigrum majus non ramoſum, ſurculis è pediculi communis ſummitate tanquam centro prodeuntibus & ſtellæ in modum radiatis. Polytric du Tertre. p. 88. Adiantum ramoſum radiatum. Plum. p. 33. fig. 49. In ſylvis non procul à *Captain* Drax's *Plantation*, & prope urbem olim Sevilla dictam in Inſulæ Jamaicæ parte ſeptentrionali.

Filix arborea ramoſa ſpinoſa caudice non diviſo, pinnulis latis denſis brevibus tenuibus minutim dentatis. An Filices haſta craſſiores. Petr. Martyr. decad? Arboles del Helecho d'eſtas partes y yſla Eſpanola de Oviedo Coronica. lib. 9. cap. 14? Sorte de Fougere tout a fait admirable de du Tertre. p. 89? In monte Diablo dicto & in torrentis ripis locis montanis inter Guanaboa & St. *Faiths* copioſiſſimè creſcit.

Filix arborea ramoſa, caudice non diviſo, pinnulis anguſtis raris obtuſis integris. Admirandam hanc filicis ſpeciem verſus ſummitatem montis, qui Nieves Inſulæ maxima pars eſt, collegi in torrentis præcipitis ripis ubi copiosè creſcebat.

Adiantum nigrum ramoſum maximum, foliis ſeu pinnulis obtuſis varie ſed pulcherrime ſinuatis & dentatis. Adiantum nigrum ramoſum & bacciferum. Plum. p. 31. fig. 45. In lateribus montis Diablo dicti copiosè & paſſim.

Adiantum nigrum ramoſum maximum, foliis ſeu pinnulis obtuſis tenuibus, regulariter minutiſſime & pulcherrime ſectis. An filix exotica prælongis & anguſtis ramulis denticulata. Pluck. phyt. tab. 181. fig. 3? Cum priori & ad ripas Rio d'oro & *Orange River* verſus St. *Maries* in parte Jamaicæ ſeptentrionali.

Adiantum ramoſum ſcandens, pinnulis ſeu foliis oblongis profunde laciniatis pellucidis. Truncos arborum grandiores in montibus mediterraneis Diablo & *Archers Ridge* dictis ſcandit. E terra del Fuego in Freto Magellanico idem advexit mihique dono dedit Dominus Georgius Handiſyd.

Adiantum ramoſum majus, foliis ſeu pinnulis tenuibus longis profunde laciniatis obtuſis. In Inſula Madera ultra urbem *Funchall* via qua montem itur collegi.

Adiantum nigrum ramoſum maximum, foliis ſeu pinnulis tenuibus longis acutis ſpinoſis. In monte Diablo copioſiſſimè creſcit.

Adian-

Adiantum nigrum ramosum majus, foliis seu pinnulis tenuibus longis acutis spinosis. Cum priori.

Adiantum nigrum ramosum minus, pinnulis minoribus tenuibus obtusis crenatis. Cum præcedentibus.

Adiantum nigrum ramosum minus, ramulis furculis & pinnulis raris minimis subrotundis. Inter saxa infra urbem St. Jago de la Vega dictam prope fluvium ex hac parte reperitur.

Adiantum sive capillus Veneris. J. B. Raij hist. p. 147. E Jamaica Insula sibi delatam communicavit Dominus Sherardus.

Adiantum nigrum majus ramosum coriandri folio. Adiantum fruticosum Bermudense summis ramulis erectis & in metæ formam fastigiatis. Pluckenet. tab. 124. fig. 1. Ad ripas torrentis umbrosi sylvatici ultra *Troopers Quarters* prope urbem St. Jago de la Vega & in aliis sylvis Insulæ Jamaicæ observavi. E Bermuda Insula sibi delatam ostendit D. Jac. Pettiver.

Adiantum nigrum ramosum maximum, foliis majoribus Trapezii in modum figuratis. In sylvis majoribus mediterraneis pulcherrimam hanc Adianti speciem provenire observavi.

Filix ramosa maxima scandens, ramulis raris, pinnulis crebris, latis, brevibus, obtusis. In sylvis mediterraneis via qua Guanaboa itur versus *Colonel* Bourden's *Plantation*, in lateribus montium Diablo & *Archers Ridge*, arbores scandentem hanc filicem passim observavi.

Filix ramosa major caule spinoso, foliis seu pinnulis rotundis profunde laciniatis, seu cerefolii foliis. In campis prope Rio d'oro non procul à *Mr.* Philpott's *Plantation* provenientem collegi.

Filix ramosa major, pinnulis crebris brevibus latis obtusis subrotundis. An Tancapaz Hernandez? In Insulæ Jamaicæ sylvis mediterraneis ubique.

Filix ramosa major, pinnulis longis, acutis, raris, falcatis. Filix pinnulis lonclutidis obtusis, non dentatis ad oras pulverulentis. Plumier. p. 10. fig. 14. An Filix Brasiliana Marcgr. p. 2? An Conambaia sive filix. Pis. p. 233? In Insulæ Jamaicæ mediterraneis collegi.

Filix ramosa major hirsuta, ramulis raris, pinnulis asplenii, scil. crebris, latis brevibus subrotundis non dentatis.

filix

filix ramosa villosa major crenis rotundis dentata. Plumier. p. 15. fig. 23 Ad ripas Rio d'oro prope *Mr.* Philpott's *Plantation* inter 16 *mile walk* & St. *Maries.*

Filix ramosa minor hirsuta, ramulis raris brevibus, pinnulis subrotundis, folii apice radices agente. Ab Hortulano Domini Arthuri Rawdon Baronetti è Jamaica Insula delatam mihi communicavit Dr. Sherardus.

Filix ramosa major, ramulis raris, ex adverso sitis, pinnulis asplenij, scil. crebris, latis brevibus subrotundis non dentatis. In mediterraneis sylvis reperi.

Filix fœmina seu ramosa major, pinnulis angustis obtusis non dentatis impari surculum terminante longissima. Filix ramosa pinnulis longiusculis partim auriculatis. Plumier. p. 14. fig. 22. An Feugiere de Lery. p. 207? In pratis mediterraneis Insulæ Jamaicæ.

Filix fœmina seu ramosa major, pinnulis angustissimis rarissimisque. Cum priori.

Filix fœmina seu ramosa major, dichotoma pinnulis lonchitidis, scil. longis angustis non dentatis. Filix furcata pinnulis longiusculis non dentatis. Plumier. p. 13. fig. 20. In prato Moneque Savanna dicto & via qua illuc tenditur è monte Diablo descendendo copiosè reperitur.

Plantæ Graminifoliæ.

ORyza Raij hist. 1246. C. B. theat. bot. p. 479. icon. Lob. p. 38. obs. p. 23. Cam. hort. p. 111. J. B. tom. 2. lib. 18. p. 451. Park 1135. Chabr. 174. Tab. p. 676. Ger. p. 79. Bod. à Stap. p. 362. Cord. in Dioscor. fol. 42. Math. ed. Bauh. p. 326. adv. Lob. & Pen. p. 12. Dod. p. 509. Lugd. p. 407. Lacun. p. 185. Turner. p. 2. f. 72. Munt. pl. c. 551. Ind. Or. part. 6. p. 29, & 36. Ang. p. 98. Brunf. tom. 2. app. p. 15. Lonic. p. 255. Oryza prima seu Italica. C. B. pin. p. 24. Riso. Durant. p. 393. Oryza Peregrina Trag. p. 644. Ris de Joseph Acosta. lib. 4. cap. 17. Cauche. 167. Albert. 71. Pyrard. p. 10, 11, 46, 68, 86, 235, 284. part. 2. p. 17, 103, 152, 158, 203. de Duval ibid. p. 99, 110, 114, 119, 122, & 126. de Linschot. cap. 4. descr. de Guinée. De Loubere

tom.

tom. 1. p. 48, 51, 55, 56, 102, 292. De Raveneau de Lussan. p. 142. Risi di Cadamosto ap. Ramnus. 117. *Rice of Sir* John Hawkins apud Hakl. p. 3, & 504. *Of Sir* Francis Drake ibid. p. 740, 741, 742. *Of* Ward ibid. p. 758. & 572. *Of* Sarcacol ibid. p. 770. *Of* Hernan Lopes de Castaneda cap. 9. *Of* William de Rubriquis apud Purchas lib. 1. p. 25. *Of* Marco Polo ibid. p. 87, 94, 98. *Of* Purchas. lib. 1. p. 284, 285, 294, 295. *Of* Pigafetta apud Purchas lib. 2. cap. 2. p. 42, 44, 154. *Of* Keeling. ibid. 189, 199, 304, 372, 392. *Of* Payton lib. 4. cap. 8. sect. 1. p. 467, 529, 530. *Of* Spurway lib. 5. cap. 3. p. 608. *Of* Hatch. ibid. cap. 4. p. 619 *Of* Pring. ib. cap. 7. p. 637, & 639. *Of* Saris ibid. lib. 4. cap. 1. sect. 1. p. 336, 339, 368, 372. *Of* Finch. apud Purchas lib. 4. cap. 4. sect. 1. p. 415. *Of* Davis ibid. cap. 6. sect. 2. p. 448. *Of* Copland lib. 4. cap. 8. sect. 1. p. 467. *Of* Courthop. ib. lib. 5. cap. 9. sect. 1. p. 664. sect. 3. p. 675. *Of the Author of the second* Dutch *Voyage*. ib. lib. 5. cap. 15. p. 708. *Of Sir* Thomas Roe apud Purchas lib. 4. cap. 16. sect. 1. p. 539. *Of* Newberrie ibid. lib. 9. cap. 3. p. 1414. *Of* Cartwright ibid. lib. 9. sect. 1. p. 4, & 1426. *Of* Purchas lib. 4. p. 801. & lib. 10. cap. 5. p. 1725. & lib. 9. cap. 9. p. 1499. *Of* Duarte de Menesses ib. lib. 9. cap. 10. sect. 1. p. 1507. *Of* Jo. dos Sanctos ibid. cap. 12. sect. 1. p. 1536, 1555. *Of* Layfield ibid. lib. 4. p. 1173. *Of* Lord. p. 49. *Of* Terry p. 53, & 359. *Of* Jobson p. 33, 37, 40, 43. *Of* Mandelslo p. 156, 166, 206, 219. Oryza. part. 3. Ind. Or. cap. 39. p. 124. In agris Nigritarum aliquando seritur, sed propter difficilem grani à gluma separationem, multum negligitur.

Milium Indicum arundinaceo caule granis flavescentibus Herm. Cat. p. 425. Milium arundinaceum sive Indicum semine subrotundo C. B. Theat. p. 511. pin. 26. Raij hist. 1252. An Masembala *of Battel*. Purchas lib. 7. cap. 3. sect. 7. p. 985? Milium Indicum Plin. lib. 8. cap. 7. Cord. hist. p. 142. Lon. fol. 255. Math. ed. Bauh. p. 330. Melica sive Sorgum. Dod. p. 508. Park 1136. Sorgi. bot. Franc. p. 28. Fuchs. p. 771. Sorgum. Tab. p. 685. Ger. emac. p. 83. Sorgo melica Italorum. Icon. Lob. p. 41. Sorgho. Lob. obs. p. 24. Schwenckf. p. 340. Milium Indicum Plinij nigrum, album, rubrum, luteum Camer. p. 101. Panici Ame-

ricani ſpecies prima & quarta Park p. 1140. Panicum Trag p. 659. Melica Cæſalp. p. 181. Milium Indicum ſive melica Math. Lugd. p. 410. Milium Indicum ſive melica Dod ejuſd. ib. Sorgum vulgo dictum Geſn. hort. p. 282. Milium arundinaceum ſive melica Ambroſh. p. 42. Miglio Indico Anguill. p. 99. Sorghi album. Milium Indicum Dora. J. B tom. 2. lib. 18. p. 449. Chabr. p. 176. Petit mil de Raveneau de Luſſan. p. 14. An milium Indicum Ind. Or. part. 6. p. 36, & 68? Milio frumentum in Guinea parvum. Cluſ. cur. poſter. in excerpt. ex navigatione Steph. vand. hayen. p. 65. Milium tertium ſive Sabæum C. B. pin. p. 26. Theatr. p. 509. An Semen quoddam lucum, milium album, mazza di Congo. Pigafett Ind. Or. p. 1, & 29? Linſchot. deſcr. Guin. cap. 5? Mandelſlo. p. 216? An mil appelle empembe de Cauche p. 169? An mil de Moreau apud Roulox Baro & de Moriſot. ibid. p. 268? Pyrard. cap. 1. p. 11. An mil quils nomment oura ejuſdem. cap. 6. p. 46. cap. 10. p. 84. cap. 24. p. 232. & part. 2. p. 17. 88, & 203. An mylyo. *of* Hernan Lopez de Caſtagenda cap. 4? An mill *of Sir* John Hawkins. Hakl. p 3, & 505? An Meglio di Cadamoſto. Ramnus. p. 113? An frumentum Indicum quod milium Indicum vocant. C. B. Theat. Bot. p. 487? part. ſexta. Ind. Or. cap. 30. fig. 14? Ubique in arvis feritur poſt pluvias ubi maxime luxuriat.

Panicum Indicum ſpica longiſſima. C. B. Theat. Bot. p. 523. pin. p. 27. Panici Americani ſeſquipedalis ſpica. J. B. tom. 2 lib. 17. p. 441. Chabr. 179. Panicum Americanum ſpica longiſſima. Ger. emac. p. 84. Panicum Americanum ſeſquipedali ſpica. Cluſ. rar. plant. hiſt. p. 216. Panicum Æthiopicum ejuſd. append. alt. ad lib. vj. rar. pl. Panici Indiani prima ſpecies quoad fig. & tertia ſpecies quoad deſcr. Park p. 1140. An Maſanga *of Battel* apud Purchas. lib. 7. cap. 3. ſect. 7. p. 985? In hortis Nigritarum ſatum aliquando ſed non frequenter occurrit.

Frumentum Indicum Mays dictum. C. B. Theat. Bot. p. 490. pin. p. 25. Frumentum Indicum Mays dictum alterum ejuſd. Theat. p. 498. pin. p. 26. Avaty gros mil noir & blanc de Thevet. fol. 46, 153, & 916. Coſmogr. fol. 948, 1005. Mahiz. ejuſd. fol. 980. Zaburro ejuſdem p. 90. Avan des Sauvages gros mil blanc & rouge qu'on appelle en France bled Sarracin de Lery p. 127. Bled de May qu'ils

appel-

appellent Avatty Abbeville p. 207. Mays que l'on appelle en Castille ble d'Inde & en Italie grain de Turquie. Joseph Acost. lib. 4. cap 16. Duret. p. 177. Panici genus quod Hispaniola Maisium Uraba Hobbam appellant. Martyr. Maiz. de que hazen pan de Lopez de Gomara fol. 22. & cap. 216. Maiz. de Roulox baro & de Morisot. nott. in Roul. p. 264. An Mil. ejusd. 267? Milij quoddam genus Mais vocatum. Exped. in Floridam cap. 3. Maiz. Benz. cap. 3. & 27. lib. 1. Linschot. descr. de l'Amerique cap. 11. *Of* Hawks apud Hakl. part. 3. p. 467. *Of* Phillips ib. p. 476. *Of* Baptista Antonio ibid. p. 553. *Of* Hawkins ibid. p. 516. & 518. *Of* Martin Fernandez de Enciſa ibid. p. 699. *Of* Nunno da Silva ibid. p. 744. *Of* Hughes p. 158, & 58. Ind. Or. part. 6. p. 22, & 69. *Of* Hudson ap. Purchas lib. 3. p. 592. *Of* Alvaro Nunnez ibid. lib. octav. cap. 1. p. 1501. Ramnus 311. *Of* Leigh apud Purchas lib. 6. cap. 11. p. 1250. *Of Anonymus Portugal of* Elvas p. 28. Purchas 1532. Di Nunno di Gusman apud Ramnus vol. 3. p. 332. apud Purchas 1577. Di Vasques di Coronado Ramnus part. 3. p. 354, & 361. Hakl. p. 363. Di Marco da Nizza. Ramnus part. 3. p. 356. Hakl. 366. Di Juan Gonzales de Mendosa Hakl. part. 3. p. 384 Di Fernando Alarchon Ramnus p 366. Hakl. p. 432. *Of Sir* Walter Rawleigh. Hakl. part. 3. p. 632. *Of* Chilton part. 3. p 456. *Of* Lane ibid. p. 254. *Of* Steven de Tresio ibid. p. 563. *Of* Jo. dos Sanctos. Purchas lib. 9. cap. 12. sect. 1. p. 1536. 1537, & 1554. *Of* Galvanos ibid. lib. 10. cap. 1. p. 1694. De Pyrard part. 2. p. 203. de Raveneau de Lussan p. 14. *Of* Ligon p. 24. *Of* Davie Hakl. part. 3. p. 579. *Of* Hakl. ibid. 586. Mahiz. de Oviedo Coron. lib. 7. cap. 1. Maix *of* Rob. Harcourt. Purchas lib. 6. cap. 16. p. 1264. Mais de Abbeville p. 52. Maiz. Fernan. Colon. f. 219. De Rochefort p. 132. Mais *the greater sort of* Layfield. Purchas lib. 4. p. 1173. Indian Mayz *of* Champlain. Purchas p. 1643. Maizium *whereof Bread is made.* Oviedo Summary. Eden. p. 193. Mazza Manprito c'est à dire bled du Portugal. De Linschot. descr. de Guinée cap. 5. Mil de Laudonniere p. 34, 9, 37, & 39. Hakl. p. 322, 308, 321, & 322. *Of Sir* John Hawkins. Hakl. p. 3, & 504. Millet, *of which make Bread and Wine of Anonymus Portugal of* Brasile, Purchas lib.

7. cap. 1. p. 1310. Miel nomme avati. Duret. 214. Miglio groſſo come Peſelli. Cartier. Ramnus part. 3. p. 439. Hakl. p. 209. *Great Mill of Mr.* Robervall. Hakl. p. 242. *Guiney Wheat of* Maſham. Hakl. part. 3. p. 695, & 697. *Of* Pretty. ibid p. 808. *Of* Battell apud Purchas. lib. 7. cap. 3. ſect. 4. p. 979, & 985. *Of* Candiſh. lib. 6. cap. 6. p 1194. *Of* Knivet ibid. p. 1205. *Of* Sparrey ibid. cap. 11. p. 1248. *Guiney Corn of Sir* Anthony Shirley. Hakl. part. 3. p. 600. *Turkiſh Grain of* Schnirdel. Purchas. lib. 7. cap. 1. p. 1351, 1350, 1356, & 1357. Abruin, *or Turkiſh Wheat of* Mandelſlo. p. 219. *Sarracen Wheat, Turkie Wheat, and Indian Wheat.* Irio & Eryſimon fruges *of* Columella & Plinie. Eſcarbot. Nova Francia. p. 274. Mahis *or* Mais. ejuſd. ib. p. 96, 206, 208, & 211. Bled du Turquie du Lonbere. tom. 1. p. 50. *Indian Wheat.* Champlain. Purchas. 616. *Corn of* Lopez vaz. Hakl. part. 3. p. 781. *Of* Smith *in* Virginia p. 28. & 140. *Of* Ligon p. 22. *Indian Corn of* Smith. *Obſervations.* p. 43, 54, & 56. Pagatowr *of* Hariot. Hakl p. 270. Mayzium Indicum Pagatowr. Laet. p. 88. Mayzium ejuſd. p 44, 49, 73, 259, 276, 280, 302, 316, & 320. Avattyu. ejuſd. p. 610. Maith de Nicolai p. 38. Altro grano, come paniccio da lor chiamato Mahiz. Fernan Colon vita di Criſtoſor. f. 59. Maiz. *of* Mexican Chronicle. Purchas 1080. *of* Davis ibid. lib. 3. cap. 1. ſect 5. p. 132. Maze *of* Count. Pagan cap. 11. p. 27. Triticum Indicum ſive Mays. Ind. Or. part. 6. cap. 31. p 69. Milie Abrayn, id eſt, ſiligo Turcica. Ind. Or. part. 3. cap. 40. p. 127. Frumentum Typhinum Jung. Milium Indicum Plinianum ſeu Mais Occidentalium Frumentum Turcicum vulgo. adv. p. 13. Icon. Lob. p. 39. Milium Indicum magnum aliud Icon. Lob. p. 40. Milium Indicum rubrum ejuſd. ibid. Triticum Bactrianum. Cord. hiſt. pl. fol. 112. Mais. Cæſalp. p. 181. Frumentum Turcicum rectius panicum peregrinum Geſn. hort. Germ. p. 259. Frumentum Turcicum ſive Maizium Dod. p. 509. Fuchſ. 825. Grano Turco. Ang. 97. Grano d India Caſt. Durant. p. 217. Miglio Indiano ejuſd. 292. Indicum frumentum. Lon. fol. 253. Math. ed. B. p. 319. Ambroſ. h. p. 28. Turcicum frumentum, typha magna Triticum magnum ſeu Aſiaticum Trag. p. 651. Triticum Indicum Fuchſio Turcicum Lugd. p. 382. Triticum Indicum Matheoli. ejuſd. ib. Milium Indicum. Lac. p. 186. Lob. obſ. p. 24.

Bot.

Bot. Francof. p. 32. Tlaolli seu Maizium Hernandez. p. 242. Mayz que los Indios Llaman Tlaolli. Xim. Tlaolli Mayzium-ve Nieremb. p. 322. Mayzum. Monard Frumentum Turcicum luteum, album, rubrum & purpureum Tab. part. 1. p. 639, & 640. Frumentum Indicum luteum, spadiceum, album, nigrum, violaceum, aureum, album spadiceum & cœruleum, rubrum & spadiceum, aureum & album, cœruleum luteum & album, & punctulis cœruleis pictum. ejusd. p. 641, 642, & 643. Frumentum Asiaticum. Ger. emac. p. 81. Frumentum Turcicum, Indicum luteum, rubrum, cœruleum. ejusd. ibid. & p. 82. Triticum Indicum aureum. Schwencf. p. 344. rubrum. ejusd. ibid. Maiz rubrum luteum & varium. Cam. hort. p. 94. Milium Indicum maiz dictum sive frumentum Indicum vel Turcicum. Park. p. 1138. Triticum Indicum J. B. tom. 2. lib. 17. p. 453. Triticum Peruvianum longum album ejusd. ib. 454. Mayz *or Indian Wheat of* Grew musc. p. 222. Triticum Turcicum vel Indianum Ger. Chabr. p. 174. Triticum Peruvianum, Frumentum Indicum, milium Indicum mays dictum ejusd. ibid. Frumentum Indicum semine albo, rubro, cœruleo & fructu variegato. munt. pl. cult, p. 426. Frumentum Indicum granis cœruleis & variegatis Hort. Reg. Paris. p. 73. Frumentum Indicum Mays dictum granis rubentibus, nigricantibus & variegatis. Tournefort. sch. bot. p. 261. An triticum Americanum ejusd. ib. p. 461? Maizium mexicanis Tlaolli vulgo frumentum Turcicum vel potius Indicum Pis. mantiss. aromat. p. 199. In agris ubique excultum provenit.

Gramen caninum maritimum spicatum quartum C. B. prodr. p. 2. undecimum pin. p. 2. theatr. bot. p. 16. J.B. tom. 2. lib. 18 p. 467. Pluckenet. tab. 33. fig. 3. Gramen caninum maritimum spicatum Monspelienſe. Park p. 1277. An Gramen caninum octavum seu maritimum spicatum C. B. pin. p. 1? theat. bot. p. 14? An Gramen geniculatum caninum marinum. Lob. icon. p. 21? Gramen caninum tertium Tabern p. 533? Gramen caninum marinum Ger. p. 24? Gramen caninum marinum secundum Schwenckf. p. 2? Gramen caninum geniculatum maritimum spicatum. Park p. 1276? Gramen repens marinum spica exigua. J. B. tom. 2. p. 478? Chabr. p. 186? Antirchinum ejusd. Chabr. quoad fig. Ubique ad littus marinum Insulæ Jamaicæ, locis arenosis, longe lateque serpit.

Gramen

Gramen ſpica brizæ ſingulari, locuſtis majoribus, villoſis, purpuraſcentibus. In pratis circa locum *Seven Plantations* dictum invenitur.

Gramen paniceum maximum, ſpica diviſa, ariſtis armatum. Gramen paniceum ſecundum ſpica ariſtis longis armatâ. C. B. pin. p. 8. Gramen paniceum ſive panicum ſylveſtre ariſtis armatum ejuſd. theat. p. 137. Panici effigie gramen ariſtis circumvallatum. Icon. Lob. p. 14. Gramen paniceum ſecundum Tab. p. 557. Gramen paniceum Ger. emac. p. 16. Panicum ſylveſtre ariſtis longis. Park p. 1155. Graminis genus quibuſdam Gallis dens caninus ſecundus ſive panicum ſylveſtre panicula divulſa J. B. tom. 2. lib. 17. p. 443. Chabr. p. 179. Circa locum dictum *Wague water & Agua alta* in Jamaica, & parte illa Inſulæ Barbados *Scotland* dicta ſponte in paluſtribus provenire audivi. Hujus Graminis culmi in terris humidioribus maximâ copiâ plantantur cannarum ſaccharifera rum more, ubi abunde germina ad internodia protrudunt,& pabulum pro equis,bobus, &c. ſuppeditant.

Gramen paniceum majus, ſpica ſimplici lævi, granis petiolis inſidentibus. In loco *Gaanaboa* dicto cum præcedenti inveni.

Gramen paniceum ſpica ſimplici lævi. Raij. hiſt. p. 1261. In pratis inter *Black River Bridge*, & urbem St. *Jago de la Vega* copioſè provenit.

Gramen paniceum minimum humi ſtratum, ſpicâ divisâ muticâ, foliis variegatis. An gramen Zeylanicum folio elegantermaculato. Herm. par. Bat. pr. p. 338? An gramen paniceum minus ſpica divulſa Inſulæ Barbadenſis. Pluck. phyt. tab. 189. fig. 5? In ſemitarum marginibus & pratis circa urbem St. *Jago de la Vega* creſcit.

Gramen echinatum maximum ſpica rubra vel alba. Gramen aculeatum Curaſſavicum. P. B. pr. p 338. Gramen Americanum ſpica echinata majoribus locuſtis. Schol. Bot. p. 258. Pluckenet. tab. 92. fig. 3. An Gramen geniculatum foliis brevibus aculeos mentientibus Maderaſpatanum ejuſd. ib. tab. 189 fig. 3? Poſt pluvias in agris Inſularum Caribearum & Jamaicæ copioſè & ubique provenit.

Gramen maritimum echinatum procumbens culmo longiori & ſpicis ſtrigoſioribus. In Inſula parva arenoſa *Guncayos* dicta non procul ab urbe *Port-Royal* collegi.

Arundo

Arundo saccharifera. C. B. pin. p. 18. theat. p. 293. Bod. à Stapel nott. in Theophr. p. 483. Park p. 1209. Canne di Zucchero. Fernan. Colon. fol. 106. Cannes de sucre de Thevet. Sing. p. 9. de Lery. p. 196. Cauche. 172. Abbeville. p. 209. Joseph Acosta lib. 4. cap. 32. de Loubere tom. 2. p. 70. de Denis tom. 2. p. 17. Bernier p. 33. du Tertre p. 122. Rochef. 122. de Pyrard cap. 1. p. 11. & cap. 24. p. 236. part 2. p. 88. Duval nott in Pyrard p. 132. de Raveneau de Lussan. p. 14, 70, 78, & 94. Roseaux de sucre. Linschot. Cannæ dulces ex quibus extorquetur saccharum. Martyr. Sacchari Canna. Laet. p. 7. & 644. Cannes à miel. Abert. p. 81. Arundo sacchari. Pigafett. p. 4. Canne-mele di Cada mosto. Ramnus. f. 105. las Cannas dulces de que se haze el asucar. de Ovied. lib. 8. cap. 1. mel arundinis seu calamus Indicus. Ind. Or. part. 6. p. 36, & 75. *Sugar Canes, and Sugar of Cates.* Hakl. p. 3, 537, & 541. *of* King ib. 570. *of* Whithall. ib. 701, & 708. Hakl. part. 3. p. 302, & 528. *of* Lopez Vaz. ib. 783, 787, & 798. & Purchas lib. 7. cap. 11. p. 1447. *of Sir* Francis Drake. Hakl. part. 3. p. 740. Oviedo Summary. p. 222. *of Mr.* Cæsar Frederick & Fitch. Hakl. p. 239, & 260. *of* Hawks. part. 3. Hakl. p. 464, 466. *of* Philips ib. p. 486. *of Sir* John Hawkins ib. p. 500, & 502. *of* Hernan Lopes de Castagueda cap. 9, & 25. *of* Rawolfe p. 1. cap. 4. *of* Lopes de Gomara cap. 35. *of* Polo Purchas lib. 1. p. 94, & 101. *of* Gaspar da Cruz. ib. p. 180. *of* Purchas lib. 2. p. 284, & 365. *of* Pigafetta ib. lib. 2. cap. 2. p. 34, 37, & 44. *of* Downton ib. lib. 3 cap. 12. sect. 4. p. 298. *of* Saris ib. lib. 4. cap. 1. sect. 1. p. 336. & cap. 2. p. 390. & 394. *of* Payton ib. lib. 4. cap. 9. p. 490. & cap. 15. sect. 1. p. 529. & sect. 2. p. 530. *of* Steele ib. cap. 13. p. 520. *of* Hatch. ib. lib. 5. cap. 4. p. 619. *of the second Voyage of the* Dutch. lib. 5. cap. 15. & p. 711. *of Sir* Thomas Roe lib. 4. cap. 16. sect 3. p. 549, 570, & 581. *of* Purchas lib. 6. cap. 3. p. 873. *of* Galvanos ib. lib. 10. cap. 1. p. 1673. *of* Wilkins ib. cap. 17. p. 1859. *of* Battell. ib lib. 7. cap. 3. sect. 2. p. 973. *of* Jo. dos Sanctos ib. lib. 9. cap. 12. sect. 1. p. 1530. *of* Purchas ib. lib 9. cap. 12. sect. 5. p. 1559. *of* Carder. ib. p. 1190. *of* Leigh ib. lib. 6 cap. 13. p. 1254. *of Earl of* Cumberland. ib. lib. 4. p. 1153, 1165, & 1171. *of* Wilson ib. p. 1264. *of* Rob. Harcourt ib. lib. 6. cap. 16. p. 1275. *of* Ferdinand. Giros. ib. lib. 7. cap. 10. p. 1424.

1424. *of* Purchas lib. 2. ſect. 2. *of* Hawkins ib. lib. 3. cap. 7. ſect. 4. p. 218. *of* Salbank ib. cap. 9. ſect. 4. p. 236. *of* Benjamin Tudelenſis ib. lib. 9. cap. 5. ſect. 2. p. 1444. *of* Purchas lib. 9. cap. 9. p. 1503. *of* Smith *of* Virginia p. 149, 171, 184, & 195. *in his Obſerv.* p. 51, & 55. *of* Twitt. Hakl. p. 3, & 568. *of* Fenton ib. p. 765. *of* Lopes Vaz. ib. p. 802. *of* Pretty ib. p. 821. *of* Terry p. 53, & 95. *of* Mandelſlo p. 166, & 211. *of* Ligon p. 18, 22, 32, 33, 55, 64, 84, 85, 86, 88, 89, 90, 91, 92, 93, 94, 95, 96, & 112. *of* Clappham. Boyle *of Air*, p. 178. *of* Hughes p. 27. Pagan cap. ult. p. 138. Canna mellea. Cæſalp p. 182. Sacchari arundo. Hernandez. Canna de aſucar. Xim. Lopez. de Gomara fol. 29. Zuccharo. Caſt. Dur. p. 490. Arundo Viba Braſilienſibus dicta. Piſ. (Ed. 1648.) p. 49. Vubæ & Tacomarée Braſilienſibus, Luſitanis Alfeloa da Zuquere aut Cana d'azuquere arundo ſaccharifera. Marcgr. p. 82. Tacomarée ſive arundo ſaccharifera. Piſ. (Ed. 1658.) p. 108. Cannæ ſacchari ejuſd. mantiſſ. aromat. p. 170. Saccharum (ſive ſacchari canna, id eſt, arundo.) Geſn. hort. Germ. fol. 278. Sacchari canna. Cord in Dioſc. fol. 36. & hiſt. pl. fol. 210. Harundo ſaccharina Indica. Adv. p. 19. Icon. Lob. p. 49. Arundo ſaccharina Tab. p. 599. Ger. emac. p. 38. J. B. tom. 2. lib. 18. p. 531. Chabr. 194. Worm. muſ. p. 142. Arundo in India vel Arabia felici in qua Zuccharum invenitur. Lon. fol. 333. Arundo ſaccharina ſive calamus ſaccharatus. munt. pl. cult. p. 284. In pratis pinguioribus & humidioribus Caribearum Inſularum & Jamaicæ ubique plantantur.

Arundo maxima folio dentato. Cannas de la yſla Eſpanola. Oviedo lib. 10. cap. 6. les Grands roſeaux qu'on appelle roſeaux d'Eſpagne. Du Tertre p. 125. gros roſeaux. Rochef. p. 123. An *Reeds or Canes.* Oviedo Summary Eden. p. 208? *of* Baptiſta Antonio Hakl. part. 3. p. 548? *of ane Anonymus Portugal of* Braſile. Purchas lib. 7. cap. 1. p. 1312? *of* Martin Fernandez de Enciſa. Hakl. part. 3. p. 700? *of* Davies Purchas lib. 6. cap. 18. p. 1287? An roſeaux dont les ſauvages arment le bout de leur fleſches de Lery p. 197? An roſeaux ſauvages de Linſchot. deſcript. Braſil? An Arundines quædam concinnæ in ripis fluminum enatæ. Benz. lib. 1. cap. 3? Ad ripas fluvii *Rio Cobre* ubique & in paluſtribus.

Arundo

Arundo alta gracilis, foliis è viridi cœruleis, locustis minoribus. An Carrizos de Oviedo lib. 10. cap. 6? *The Trumpet Reed.* Copiosè crescit ad ripas lacunæ non procul à *Passage Fort.*

Gramen dactylon bicorne tomentosum maximum, spicis numerosissimis. Graminis decima species Capûpuba Brasilianis gramen plumeum Marcgr. p. 2. Capiipuba. Pis. (Ed. 1648.) p. 102. Capuupeba. ejusd. (Ed. 1658.) p. 238. In Insula Nieves & in Jamaica prope locum dictum *The Angels*, &c. copiosè proveniebat pulcherrima hæc graminis species.

Gramen dactylon bicorne tomentosum minus. In pratis *Palmetto Savanna* & *Limetree Savanna* dictis versus *the Seven Plantations* copiosè crescit. Reperitur etiam aliquando in pratis circa *Mr.* Batchelour's *Plantation* versus *BlackRiver Bridge.*

Gramen dactylon spicis brevibus crassis, plerumque quatuor cruciformiter dispositis. Gramen dactylon Ægyptiacum C. B. pin. p. 7. theat. bot. p. 110. Park p. 1179. Nejem elm salib. Alp. Gramen crucis sive Nejem elm salib. J. B. tom. 2. lib. 17. p. 460. Gramen crucis sive Nejem elm salib. Ægyptiorum Alpini. Chab. p. 180. Gramen cruciatum Bont. p. 148. Cavara-pullu. H. M. part. 12. p. 131. An Gramen stellatum Ægyptium Vesling? Ad semitas & in pratis ubique luxuriat.

Gramen dactylon elatius spicis plurimis tomentosis. An prima species Graminis Marcgr. p. 1? An Kouda-pullu H. M. part. 12. p. 95. tab. 51? In pratis circa 2 *mile wood*, &c. ubique abundat.

Gramen dactylon procumbens crassum & viridius culmo reclinato. Gramen dactylon Americanum cruciatum Barbadensibus nostratibus *Dutch Grass* dictum Pluk. phyt. tab. 189. fig. 7. An Gramen Ischæmon Bermudense speciosius, foliis brevibus obtusis. ejusd. tab. 245. fig. 1? *Dutch Grass.* In pratis Insularum Jamaicæ & Barbados ad semitas copiosè provenit.

Gramen dactylon spicis gracilioribus plerumque quatuor cruciformiter dispositis. In pratis ubique obvia & vulgatissima est hæc graminis species.

Gramen dactylon bicorne repens, foliis latis brevibus. Tereta-pullu. H. M. part. 12. p. 81. tab. 44. In pratis & pascuis humidioribus Insularum Caribearum & Jamaicæ.

Gramen dactylon bicorne ſpicis purpura ſcentibus majus. In locis ubi aquæ ſtagnarunt frequenter cernitur.

Gramen dactylon bicorne ſpicis purpuraſcentibus minus. An gramen parvum repens δυσαιώφορον Jamaicenſe ſpica longiori compreſſa. Plukenet. phyt. tab. 32. fig. 5? Cum priori.

Gramen dactylon bicorne minimum ariſtis longis armatum. In ſylvula prope ripas fluvii *Rio Cobre* infra urbem *St. Jago de la Vega* reperi.

Gramen dactylon ſiculum multiplici panicula ſpicis ab eodem exortu geminis. Raij hiſt. p. 1271. Plukenet. tab. 92. fig. 1. In Inſula Madera non procul ab urbe *Funchall* dicta inveni.

Gramen dactylon majus, pannicula longa, ſpicis plurimis nudis craſſis. In pratis prope *Mr.* Batchelour's *houſe* frequentiſſimum eſt.

Gramen dactylon, alopecuroidis facie, pannicula longiſſima è ſpicis plurimis tomentoſis conſtante. An Gramen alopecuroides Curaſſavicum ſpica longiſſima ſericea candida. P. B. prod. p. 338? In *Guanaboa* prope *Mrs.* Guy's *Plantain Walk* in agris obſervavi.

Gramen dactylon, pannicula longa, è ſpicis plurimis gracilioribus purpureis vel viridibus mollibus conſtante. In agris Dom. *Batthelour* non procul à collibus *Red Hills* dictis collegi.

Gramen dactylon, pannicula longa, ſpicis plurimis gracilioribus & longis. Ubique in pratis reperitur.

Gramini tremulo affine, panniculatum elegans majus, ſpicis minoribus & longioribus. In partibus Inſulæ Jamaicæ mediterraneis provenit.

Gramini tremulo affine, panniculatum elegans minimum. An Gramen amoris alterum panniculis ſtrigoſioribus magiſque ſparſis. Raij cat. pl. exter. Plukenet. tab. 92. fig. 2? An Tſiama-pullu. H. M. part. 12. p. 75. tab. 41? In prato prope urbem St. *Jago de la Vega* copioſè creſcit.

Gramen miliaceum ſylvaticum maximum ſemine albo. An Gramen miliaceum Americanum maximum & panicula minore. Plukenet. tab. 92. fig. 7? Ubique in ſylvis Inſularum Caribearum & Jamaicæ.

Gramen miliaceum majus, panicula minus ſparſa, locuſtis minimis. In Inſula Jamaica collegi.

Gramen miliaceum panicula viridi vel purpurea. In agris humidioribus naſcitur.

Gramen

Gramen miliaceum viride foliis latis brevibus, panicula capillacea, semine albo Gramen miliaceum Americanum medium panicula magis sparsa & speciosa. Plukenet. tab. 92 fig. 8. In sylvis aridioribus umbrosis proveniebat.

Gramen miliaceum angustifolium altum locustis minimis. An Gramen montanum panicula miliacea sparsa. C. B. prod. p. 7? pin. p. 8? theat. bot. p. 131? In Insulæ Maderæ sepibus non procul ab urbe Funchall inveni.

Gramen pratense paniculâ & foliis angustissimis, spicis brevibus muticis locustis minimis. In pratis ubique fere copiosum observavi.

Gramen avenaceum, panicula minus sparsa, glumis alba sericea lanugine obductis. Si bene memini in Insula Nieves dicta collegi.

Gramen avenaceum, panicula minus sparsa, cujus singula grana, tres aristas longissimas habent. Prope urbem Funchall in Insula Madera inveni.

Gramen avenaceum sylvaticum, foliis latissimis, locustis longis non aristatis, glumis spadiceis. In sylvis mediterraneis umbrosis ubique abundat.

Cyperus longus odoratus, panicula sparsa, spicis strigosioribus viridibus. An Capicatinga aliis Jacarecatinga acori species Pis. ed. 1658. p. 241? Ad fluviorum ripas in Caribeis Insulis & Jamaica reperitur.

Cyperus maximus panicula sparsa foliacea. In aquis stagnantibus prope *Bridgetown* in Insula Barbados provenientem collegi.

Cyperus maximus panicula minus sparsa ferruginea capitulis compactis crassioribus. Cum priori.

Cyperus rotundus, panicula sparsa, spicis strigosis ferrugineis. An Espece de Jonc semblable à ceux de nos rivieres qui facliite l'accouchement des sauvages. Du Tertre. p. 90? An Jonc de senteur. Rochef. p. 130? Provenit copiosè prope *Bridgetown* in *Barbados*, & locis palustribus prope *Rio Cobre* supra Trajectum, versus Lacunam.

Cyperus panicula maxime sparsa ferruginea compressa elegantissima. In paludosis maritimis prope *Mr. Delacrees in Liguanée* crescentem observavi.

Cyperus rotundus gramineus fere inodorus, panicula sparsa compressa viridi. In arenosis pratorum circa urbem St. *Jago de la Vega* nascitur.

Gramen cyperoides majus aquaticum, paniculis plurimis junceis ſparſis, ſpicis ex oblongo rotundis ſpadiceis. In aquæ dulcis fluvio prope *Caymanes* ſupra Trajectum verſus lacunam inveni.

Gramen cyperoides ſylvaticum maximum geniculatum aſperius. ſemine milij ſolis. In prato *Moneque Savanna* dicto inter arbores provenientem collegi.

Gramen cyperoides majus, ſpicis ex oblongo rotundis, compactis ferrugineis. In *Liguanée* locis paluſtribus maritimis prope *Mr. Delacrees* collegi.

Gramen cyperoides ſpica compacta alba, foliis ad ſpicam partim albis partim viridibus. In paſcuis, ubi aquæ ſtagnarunt ultra *the Angels* via qua *16 mile walk* itur, & in loco *Caymanes* dicto, *&c.* reperitur.

Gramen cyperoides panicula conglomerata è plurimis ſpicis cinereis conſtante. In Inſula *Barbados* collegi.

Gramen cyperoides minus, ſpica compacta ſubrotunda viridi, radice odorata. An Motta-pullu. H. M. part. 12. p. 72. tab. 38? In agris Domini *Nedham* loco *16 mile walk* dicto obſervavi.

Gramen cyperoides minus, ſpicis compactis ſubrotundis flavicantibus. In arenoſis torrentium ripis circa urbem St. *Jago de la Vega* oritur.

Gramen cyperoides minimum, ſpica ſimplici compacta radice tuberoſa odorata. Creſcit in paluſtribus maritimis loci *Liguanée* dicti prope *Mr. Delacrees*.

Gramen cyperoides minimum, ſpicis pluribus compactis ex oblongo rotundis. In Inſula Jamaica collegi.

Gramen cyperoides polyſtachion, ſpicis ad nodos ex utriculis ſeu foliorum alis echinatis prodeuntibus. Copioſè creſcit in prato *fern ſavanna* dicto & agris Dom. *Gny* in *Guanaboa*.

Juncus cyperoides creberrime geniculatus, medulla farctus, aquaticus, radice rubra tuberoſa odorata. An Apoyo matli ſeu phatziſiranda. Hernandez? Xim? In rivulis prati ultra *2 mile Wood* circa *Mr. Batchelours* invenitur.

Juncus cyperoides, culmo compreſſo ſtriato, radice odorata tuberoſa, capitulo rotundo compacto. In Americæ continente non procul ab urbe *Truxillo* locis arenoſis creſcit; unde à curioſo allata & mihi communicata fuit hæc planta.

Juncus aquaticus geniculatus, capitulis equiseti, major. In pratorum fossis ubi aquæ stagnarunt post pluvias invenitur.

Juncus aquaticus geniculatus, capitulis equiseti, minor. Cum priori.

Juncus lævis ὁλοχοινος secundus, vel juncus maximus sive scirpus major C. B. pin. p. 12. Mariscus. Plin. lib. 21. cap. 18. Juncus primus in aquis nascens crassitudine & magnitudine reliquos superans. Lon. fol. 174. Juncus palustris major. Trag. p. 685. Tab. p. 587. Juncus Holoschænos. Dod. p. 605. Holoschænos. Lugd. p. 987. Junci tertium genus magnum Cæsalp. p. 188. Juncus aquaticus maximus Ger. emac. p. 35. Adv. p. 44. Icon. Lob. p. 85. Raij hist. p. 1304. Juncus palustris maximus Schwenckf. p. 112. Juncus lævis maximus. Park p. 1191. Juncus maximus sive scirpus. Ambrosin. h. p. 35. Juncus lævis aquaticus maximus. Thal p. 60. Mariscus. Lacun. p. 406. Giunco Oloscheno. Ang. f. 264. Cast. Dur. p. 198. Juncus maximus Holoschænos. J. B. tom. 2. lib. 18. p. 522. Chabr. p. 197. *Bulrush of Sir Francis Drake of* Californiia. Hakl. p. 441, & 737. part. 3. *of Mexican Chronicle.* Purchas tom. 3. p. 1066, & 1102. Mandelslo p. 221. Ad ripas fluviorum & in lacuna magna prope Caymanes in Insula Jamaica invenitur

Gramen Junceum aquaticum geniculatum, culmo nudo & folio non articulato. In pratorum locis humidioribus post pluvias nascitur.

Typha palustris major. C. B. pin. p. 20. theat. bot. p. 337. J. B. tom. 2. lib. 18. p. 527. Typha. Ger. emac. p. 46. Adv. p. 40. Tab. 579. Obs. Lob. p. 42. bot. Francof. p. 14, & 53. Cast. Dur. p. 448. Turner part. 2. p. 159. Icon. Lob. p. 81. Cord. Nott. in Dioscor. fol. 58. Bod. à Stapel Nott. in Theophrast. p. 464. Fuchs. p. 823. Lon. f. 174. Math. p. 626. Lacun. p. 349. Raij hist. p. 1312. Typha palustris. Dod. p. 604. Schwenckf. p. 212. Typha aquatica Trag. p. 680. Lugd. p. 994. Typha palustris ulva à latinis dicta. Cæsalp. p. 194. Tipha, Typha, Typha palustris; Typha major. Chabr. p. 198. Typha maxima. Park p. 1203. Typha major. Munt. pl. cult. p. 643. Ad ripas fluvii *Black River* dicti prope *Mr.* Byndloss's *Plantation*, & in lacuna prope locum *Caymanes* vocatum oritur.

Herbæ

Herbæ flore minus perfecto seu apetalo.

URtica urens arborea foliis oblongis anguſtis. Ultra fluvium *Rio Cobre* inter arbores in ſylvis prope *the Angels* creſcentem collegi

Urtica racemoſa fruticoſa anguſtifolia fructu tricocco. An Pino Braſilienſibus Margr. p. 48? An Pino ſive urtica. Piſ. p. 235? In Caribearum Inſularum una hanc plantam inveni.

Urtica racemoſa ſcandens anguſtifolia fructu tricocco. An Valli-ſchorigenam. H. M. part. 2. p. 79? In frutetis pratorum circa urbem *St. Jago de la Vega* & alibi copiosè creſcit.

Urtica racemoſa humilior iners. Ad ripas fluvii *Cobre* dicti prope *Mr.* Fonſeca's *Plantation* reperi.

Urtica, caule lignoſo, foliis tenuioribus atrovirentibus. An urtica urens ramoſa Luſitanica. Comm. cat. Amſt. p. 369? In Inſula *Madera* prope urbem *Funchall* collegi.

Urtica iners racemoſa ſylvatica, folio nervoſo. In ſylvis umbroſis prope *Hope River* in *Liguanée* & in montibus umbroſis ſylvaticis non procul à *Colonel* Cope's *Plantation* in *Guanaboa* provenire obſervavi.

Urtica minor iners ſpicata, folio ſubrotundo ſerrato, fructu tricocco. Locis arenoſis pratorum circa urbem *St. Jago de la Vega* ubique oritur, præſertim verſus locum 2 *mile wood* dictum.

Urtica major racemoſa humilior, pungens ſed non urens. Ad ripas fluvii *Cobre* dicti ex altera parte ſupra urbem *St. Jago de la Vega* creſcentem collegi.

Ambroſia elatior foliis artemiſiæ atrovirentibus aſperis odoratis, non lanuginoſi Katu-Tſietti pu. Hort. Mal. part. 10. p 89. tab. 45. ſive Ambroſia Malabarica artemiſiæ folio odoratiſſimo floribus flavis. Comm. ib. An Ytzecuinpatli. Hernand. p. 446? Inter lapides prope fluvium *dry River* dictum creſcere obſervavi, nec non in aliis locis mediterraneis Inſulæ Jamaicæ.

Ricinus Americanus fructu racemoſo hiſpido. Jonſt. dendr. p. 217. Nhambu Guacu, ſive Figuero d'Inferno Piſ. (ed. 1648.) p. 91.

p. 91. Nhambu-Guacu, sive Ricinus Americana. ejusd. (ed. 1658.) p. 180. Nhambu-Guacu Brasilienſibus Marcgr. p. 77. Grew musæ. p. 217. Ricinus Ameriquain, palma Christi ou figuier d'enfer. Du Tertre p. 103. Ricinus ou palma Christi Rochefort p. 106. Ficus infernalis. Laet p. 283. Figuera del inferno. Fragoſ p. 47. Pandi-Avanacu. Hort. Mal. part. 2. p. 60. Ricinus major Americanus. Munt. pl. cult. p. 590. Ricinus Americanus Ambroſ. h. p. 54. Ricinus Africanus maximus caule geniculato rutilante. Hort. Reg. Pariſ. p. 56. Idem totus ruber Indicus Herm. p 525. Ambaigtinga *of Ané Anonymus Portugal.* Purchas lib. 7. cap. 1. p. 1308. Palma Christi Duval. Nott. in Pyrard. p. 102. Figuier d'au vient une huille propre à purger. de Joſ. Acoſta lib. 4. cap. 29. Ricinus Syriacus. Cam. h. p. 141. Ricinus major Africanus Syriacus vel Ægyptius Park p. 113. Ricinus quidam vulgari per omnia ſimilis triplo tamen majori ſemine. Cord var. obſ ſylv. fol. 222. An ricinus Ægyptius Aldin. p. 86. Jonſt. dendr. p. 216. Ricinus Indicus arboreſcens. Col. Nott. in Hernandez p. 868. An Stinco ou vero de Nicolai cap. 14? In locis arenoſis campeſtribus & ad fluviorum ripas in Jamaica & Inſulis Caribeis ubique frequens eſt.

Ricinus Americanus major caule vireſcente hort Reg. Par. p. 156. Ricinus Kerva *of* Rawolfe part. 1. c. 4. Lathyris major ſive cataputia major, Ricinus Ambroſ. h. p. 36. Bellon lib. 1. cap. 18. Mathiol. p. 862. Lugd. p. 1630. Lac. p. 477. Tab. tom. 2. p. 481. Turner part. 2. f. 116. Bod. à Stapel Nott. in Theophr. p. 1089. Adv Lob. & Pen. p. 306. Cord. Nott. in Dioſcorid. fol. 74. hiſt. pl. fol. 141. Fuchſ. p. 340. Trag. p. 288. Dod p. 367. Cæſalp. p. 380. Ger. emac. p. 496. Ricinus vulgaris C. B. pin. p. 432. Cam. h. p. 141. Jonſt. Dendr. p. 216. J. B. tom. 3. lib. 34. p. 643. Ricino. Caſt. Dur. p. 393. Ricinus palma Chriſti Chabr. p. 529. Ricinus Kerva. Icon. Roeſl. p. 3. Cici Lon. fol. 97. Palma Chriſti Dorſt. fol. 208, Ricinus ſive Cataputia major vulgatior. Park p. 182. Ricinus Gallis palma Chriſti. Lob. obſ. p. 397. Avanacoe ſive Citavanacu. Hort. Mal. part. 2. p 57. Cici, Ricinus, Croton, Cataputia major vulgo Wunderbaum. Geſn. hort. Germ. fol. 253. Ricinus major. Schwenckf. p. 331. Eyſtett. Ricinus, Cerva major, Cataputia major, Granum regium Meſ. Lob. Icon. p. 688. Cum priori, à quo an ſpecie differat dubito.

Ricinus,

Ricinus, ficus folio, flore penta-petalo viridi, fructu lævi pendulo. Quauhayohuatlis 3. seu semen arboris Cucurbitinæ nuclei pinus forma purgans. Hernandez. p. 87. Arbol. de los pinnones de purgar que llaman Quauhayohuatchtli. Xim. Quauhayohuatchtli. De Laet. p. 226. Quauhayohuachtli Pauhuatlanorum. Jonst. Dendr. p. 113. Pinus Indica occidentalis. ejusd. ib. p. 323. Ricinus Americanus major incolis Curcas. ejusd. ib p. 216. Munduy-Guacci seu Mundubi guaca Bras. ejusd. ib p. 109. Munduy-Guacu, Lusitanis Pinhones do Brasil. Pis. (ed. 1648.) p. 83. Mundubi Guacu Brasilienſibus, Pinhones Lusitanis. mihi nux cathartica. Marcgr. p. 96. Munduy guacu sive nux cathartica Americana. Pis. (ed. 1658) p. 179. Ricinus Americanus major semine nigro. C. B. pin. p. 432. Ricinus Americus Tab. tom. 2. p. 481. Lugd. p. 1790. Lob. Icon. p. 688. Ricinus Americanus Ger. emac p. 496. Ald. p. 86. Park p. 183. Ricinus Americanus curcas vocatus Clus. nott. in Monard. p. 299. Ricinus major Americanus curcas dictus & faba purgatrix Indiæ occiduæ. J. B. tom. 3. lib. 34. p. 643. An faba purgatrix. Mon. p. 335? Lugd. p. 1904? An Faue purgative. Cast. Dur. p. 182? An pignoli ejusd. p. 361? An pinei nuclei Indici Frag. fol. 83? An pignons de la punna. Jos Acost. lib. 4. cap. 29? Ricinus major Americanus curcas dictus. Chabr. p 529. Pignon d'Inde ou arbre aux noix de medecine. Du Tertre. p. 141. Nois de medecine Rochef. p. 97. An Kavas purgativas *of Sir Richard Hawkins Obser? A Fruit which we found at* Sierra Leona *on Trees like Nuts of Ward.* Hakl. part 3. p. 758. Higueras de Infierno, tartagos ô cataputia mayor. de Oviedo coron. lib. 10. cap. 6. *The American Physick Nut of Hughes.* p. 81. *Physick Nut of Ligon.* p. 66, & 67. In aggeribus & ad ripas fluviorum Jamaicæ & Caribearum Insularum ubique sponte crescit.

Ricinus Americanus tenuiter diviso folio Breyn. cent. 1. p. 116. Mancanillos de las avellanas para purgar. de Oviedo. Coronica de las Indias lib. 10. cap 4. Avellana purgatrix Ben magnum medicorum vulgo. Mon. p. 334. Laet. 260. Avellanæ purgatrices Divi Dominici, quæ alio nomine vocantur Ben, magnæ triangulares. Fragos. fol. 82. Avellana purgatrix Lugd. p. 1789. Park p. 1621. C. B. pin. p. 418. Avellana purgatrix novi orbis. J. B. tom. 1. p. 322. Chabr. p. 22. Nuces purgantes Tab. tom. 2, p. 650. Ger. emac. p. 1546.

p. 1546. Autre sorte de pignon des Indes ou arbrisseau coralline. Du Tertre. p. 142. Avellana purgativa Cæsalp. p. 79. An fructus vj. à Jac. Garet. accept. Clus. exotic. p. 41? seu Avellana quadrifida C. B. pin. p. 418? An Arbor fructu cholagogo Nicaraguæ Jonst. dendr. p. 120? seu fructus cholagogus Mon. ap. Clus. p. 334? Lugd. p. 1789? Castanea purgatrix C B. pin. p. 419? J. B. tom. 1. lib. 7. p. 129? Chabr. ap. p. 604? Castagne purgative Cast. Dur. p. 99? Castanea Americana cathartica Park. p. 1401? In horto D. *Drax* in Insula Barbados collegi.

Ricinus minor staphysagriæ folio, flore pentapetalo purpureo. Ricinus Americanus folio staphysagriæ C. B. pin. p. 432. ad pin. app. p. 518. Jonst. dendr. 217. Ricinus Brasilianus perennis flore purpureo folio staphidisagriæ nonnihil simili Herm. p. B. p. p. 369. An Ricinus Indicus pilosus, trifidus vel quinquifidus flosculis atropurpureis in umbella aggregatis. Plukenet. tab. 56. fig. 2? An Ricinus Maderaspatanus quinquifidis durioribus foliis in margine spinosis ej tab. 108. fig. 3? An Ricinus Maderaspatanus flore purpureo trilobato folio mitibus denticellis crenato ej tab. 226 fig. 4? An Hucipochotl Huaxacensis seu ricinus Novæ Hispaniæ Hernandez? Huitzpacotl de Guaxaca. Xim? Ricinus Americanus scandens 1. Hucipochotl. Jonst. dendr. p. 216? Huitzpacotl Guaxacana. ej. Jonst. dendr. p. 114? De Laet. p. 260? *Wild Cassada.* In Jamaica & Caribeis Insulis ubique in pratis observavi. In Americæ continente etiam reperiri à fide digno & oculato teste accepi.

Ricinus minor viticis obtuso folio, caule verrucoso flore pentapetalo albido ex cujus radice tuberosâ succo venenato turgidâ Americani panem conficiunt. L'arbre du quel la liqueur estant scarifié est venin comme reagal par deca; la racine est toutesfois bonne à manger. de Thevet. sing. fol. 121. Manihot racine de la quelle on fait la farine. Ejusd. p. 46. 49, 113. Cassade ejusd. p. 139. Colmogr. fol. 948, 916. Yuca ejusd. p. 980. Racine de la quelle on fait la farine de Lery. Maniot. ejusd. Yuca. Mon. Joseph. Acost. lib. 4. chap. 17. Fragos. fol. 79. Linschot. descript. de l'Amerique. Lopez de Gomara & Fumée. cap. 28, 71, & 216. Laet. p. 7. Jucca. Benz. lib. 1. cap. 27. Martyr. Oviedo Summary. Eden. p. 193, 194, 199, & 217. *of* Lopes Vaz. Makl. part. 3 p 783. di Fernando Alarchon. Ramnus p.

367. Hakl. p. 433. Jo. de Laet. lib. 1. cap. 15. p. 20. Caſſavi. *of Sir Walter Rawleigh* p. 3. Hakl. part. 3. p. 632. & 34. Hakl. 641. *of* Keymis ib. p. 677. *of* Cates ib. p. 539. *of* Maſham ib. p. 696, & 697. *of* White ib. p. 290. *of* Lane. ib. p. 261. *of* Rob. Tomſon ib. p. 448. Laet. p. 637, & 643. *of Sir* Richard Hawkins obſ. p. 61. de Duret p. 187. *of* Knivet. Purchas lib. 6. cap. 6. p. 1202. *of* Sparrey ibid. cap. 11. p. 1248. *of* Leigh ib. cap. 12. p. 1251. *of* Nicol. ib. cap. 13. p. 1255. *of Earl of* Cumberland's *Voyage* ib. vol. 4. p. 1146. *of* Turner ib. lib. 6. cap. 15. p. 1265. *of* Robert Harcourt ib. p. 1268, & 1274. *of Sir* Antony Shirley. Hakl. part. 3. p. 601. *of* Jane. ib. p. 842, & 851. *of* Layfield. Purchas lib. 4. p. 1173. *of* Ligon p. 22, 29, 30, 31, 32, & 68. Caſſava *of* Smith *of* Virginia p. 148. Caſſado ejuſd. ib. p. 171. *in his Obſ.* p. 51, 54, & 56. Caſſada de Villarmont de la Riviere des Amazons Caſſana de Laudonniere p. 66. Hakl. p. 335. Caſſain *of* Layfield. Purchas lib. 4. p. 1159. Mandioca. Delaet. lib. 15. cap. 10. *of* Knivet. Purchas lib. 6. cap. 6. p. 1206, & 1214. Duran. p. 85, & 89. Arbre appellée Mandoc de Pyrard. part. 2. p. 203, & 204. Mandioche Duval Nott. in Pyrard. p. 133. Mandioque de Roulox Baro. p. 215. & Moriſot. Nott. in eundem p. 251. Suaſu tranſplantée appellée mandioque ejuſd. p. 268. Mandioca, Mandijba & Manijba ejuſd. p. 280. Maniot. Abbeville p. 207. Laet. p. 610. Linſchot deſcript. de l'Amerique cap. 11. Manyoc. du Tertre p. 112 Laet. p. 615. *of* Hughes p. 90. Rochef. p. 104. de Raveneau de Luſſan p. 27, & 265. Cazabi. Fernan Colon. p. 117. Zabi ejuſd. p. 230. Giuca ejuſd. p. 138. Manicup. Abbeville p. 229. Cazave *of* Urſino. Purchas lib. 7. cap. 8. p. 1418. Yuca de que ſe haze el pan que los de la Iſla Eſpannola Llaman Cacave y los Mexicanos Quauhcamotli. Xim. Quauchamotl ſeu Yuca. Nieremberg p. 368. Yuca ou Magnioca de Chriſtofle d'Acugna. Yoca & Mandioca *of* Count Pagan. cap. 11, & 27. Jucubiis Nieremb. p. 328. Manihot. Duret. p. 193. Arbor ex qua ſcarificata ſuccus emanat mortifer radices tamen ſunt eſculentæ Lugd. p. 1834. Manichot. ejuſd. p. 1908. Yuca. ejuſd. ib. Manyouca. Roelſ. epiſt. ad Cluſ. rar. plant. hiſt. p. 315. Hyiucca Mexicana Ovied. Aldin. p. 38. Arbor innominata venenata ſecunda ſucco venenato radice eſculenta. Jonſt. dendr. p. 467. Manihot Theveti Jucca & Caſſavi

J. B.

J. B. tom. 2. lib. 19. p. 794. Arbor farinifera venenati succi ejusd. tom. 1. p. 505. Manijba & Munduba Brasilianis. Pis. (ed. 1648.) p. 52. Mandihoca ejusd. (ed. 1658.) p. 114. & mantiss. aromat. p. 170. Mandijba seu manijba Brasilienſibus cujus radix mandioca vocatur. marcgr. p. 65. Arbor venenata 3ª, seu succo venenato radice esculenta. C. B. pin. p. 512. Mandioca radix Stad. part. 3. American. p. 9, 20, 33. Fabr. part. 7. p. 19. Radix qua Indi vescuntur & utuntur 3ª, sive mandioca radix in Insula S. Catharinæ C. B. pin. p. 90. Radix qua Indi vescuntur & utuntur 4ta, seu manihot Indorum, sive Yuca foliis cannabinis ejusd. ibid. Pluken. t. 205. f. 1. Radix qua Indi utuntur & vescuntur 18ª, sive Cassaven. radix. Rawleigh. Ind. occid. part. 8. p. 63. C. B. pin. ibid. Radix qua Indi utuntur & vescuntur 6ª, sive Aypi Brasilianorum de Lery. Ind. occid. part. 3. cap. 8. p. 171. C. B. pin. ib. An Radix mandeochade. Ulrico Fabr. part. 7. Am. p. 9? An mandeoch parpie. ejusd. ib? An mandeoca mandepore ejusd. ib? An Radix qua Indi vescuntur & utuntur 11ª, sive mandeoch parpie. radix castanearum sapore C. B. pin. p. 91? An Radix qua Indi vescuntur & utuntur 13ª, sive mandeoch mandapore radix ex qua vinum conficiunt. ejusd. ib. An Herba folia habens peoniæ maris. Epistol. 2. de Brasil. 3. part. Am. p. 292? Coscushaw *of* Hariot. Hakl. p. 272. Ind. occid. part. 1. p. 18. sive radix in Insula Virginea 5ª. C. B. pin. p. 92. An Guayaza radix Nieremb. p. 330? An Hatle radix part. 2. Am. p. 12? seu radix qua Indi vescuntur & utuntur 5ª. C. B. pin. p. 91? An Cassathoe *Roots of* David Middleton. Purchas lib. 3. cap. 8. p. 1227? Tockahough. Park. p. 1671. *Bread of* Cuba *made of Roots like Batatas of Anonymus Portugal of Elvas.* p. 10. Purchas. 1529. *Mandioca of Anonymus Portugal.* Purchas lib. 7. cap. 1. p. 1298, 1309, & 1310. Mandeoch *of* Sehnirdel Purchas lib. 7. cap. 1. p. 1353, 1356, & 1357. An Mandeoch pobier ejusd. ib. p. 1351. *Bread of Roots of* Martin Fernandez de Encica Hakl. part. 3. p. 699. Madera Rallada de Lopes de Gomara cap. 91. An une sorte de racine de laquelle ils tirent de la farine si propre à fair du pain qui n'est possible en manger de meilleur. de Laudonniete p. 73? Hakl. p. 338? Yuca 2ª latifolia de Oviedo Coron. de las Indias lib. 7. c. 2. Hiuccæ sive mandiocæ genuinæ mexicanæ foliis cannabinis species 1ª. Park p. 1624. Juca Americana obtusifolia stel-

lata Munting. pl. cult. p. 468. Morif. hift. p. 420. In agris præcipue aridioribus ubique plantatur & provenit.

Ricinus minor viticis anguſto mucronato folio, caule verrucoſo, flore pentapetalo albido, ex cujus radice tuberosâ ſucco venenato turgidâ Americani panem conficiunt. Yuca 1ª. anguſtifolia de Oviedo Coron. de las Indias, lib. 7. cap. 2. Hiuccæ ſive mandiocæ genuinæ mexicanæ foliis cannabinis ſpecies 2ª. Park p. 1624. Juca Braſiliana ſtellato mucronato folio. munt. pl. cult. p. 469. Morif. p. 420. Cum priori.

Ricino affinis odorifera fruticoſa major, roriſmarini folio, fructu tricocco albido. *Wild Roſemary, or Spaniſh Roſemary.* In collibus *Red Hills* dictis ubique frequens occurrit nec non prope *Paſſage Fort* via qua illuc ab urbe *St. Jago de la Vega* tenditur.

Ricino affinis odorifera fruticoſa minor, Teucrii folio, fructu tricocco dilute purpureo. In ſylvula prope urbem *St. Jago de la Vega* dictam inter arbores creſcentem collegi.

Piper longum arboreum altius, folio nervoſo minore, ſpica graciliori & breviori. Nhandi, piper longum pimienta dos Indios. Piſ. (ed. 1648.) p. 96. Piper caudatum ſive Nhamdu. Marcgr. p. 75. Nhandu. Piſ. (ed. 1658.) p. 197. Arbor piperifera fructu longo Braſilienſis. Jonſt. dendr. p. 180. Piper frutex Americanus ſpica longâ gracili Plukenet. Tab. 215. fig. 2. Saururus botryitis major arboreſcens foliis plantagineis. Plumier p. 57. fig. 75. An Tlatlancuaye ſeu piper longum prius quoad Iconem. Hernand. p. 126? Jonſt. Dendrol. p. 179? In Inſula Barbados nec non propè agros Dom. Cope in collibus Inſulæ Jamaicæ reperitur.

Piper longum folio nervoſo pallide viridi, humilius. Plantula peregrina. Cluſ. exot. lib. 4. cap. 11. Jonſt. Dendr. p. 181. Chabr. p. 127. Piper longum anguſtiſſimum ex Florida. C. B. pin. p. 412. Piper ex Florida, J. B tom. 2. lib. 15. p. 187. Chabr. p. 126. Arbor piperifera fructu longo Floridana Jonſt. dendr. p. 180. Betys vel Betre Piſ. (ed. 1648.) p. 88. (ed. 1658.) p. 196. Betis, Marcgr. p. 124. Saururus arboreſcens fructu adunco. Plumier p. 58. fig. 77. An pepe Lungo. Fernan Colon. f. 124? An poyvre long du Tertre p. 124? An Amolago Hort. mal. part. 7. p. 31? An *Long Pepper of* Leigh. Purchas lib. 6. cap. 13. p. 1254? An Tlatlancuaye ſeu piper longum poſterius

quoad

quoad Iconem. Hernand. p. 126? Jonst. dendr. p. 180? *Spanish Elder*. Ad ripas humidiores fluvii *Cobre* dicti propè *the Crescent Plantation*, & alibi in Insula Jamaica frequens est.

Piper longum folio nervoso latiori & tenuiori atroviridi. Saururus frutescens foliis plantagineis fructu breviori. Plumier p. 58. fig. 76. In Caribearum Insularum una plantam hanc collegi.

Piper longum arboreum foliis latissimis. In Insulæ Jamaicæ parte Septentrionali propè *Rio Nuevo* in sylvis observavi.

Piper longum racemosum malvaceum. Aguaxima. Pis. p. 197. Saururus arborescens foliis amplis cordatis non umbilicatis. Plumier. p. 54. fig. 72. *Santa Maria Leaves*. In sylvis umbrosis humidioribus saxosis, & ad fluviorum ripas ubique crescit.

Piper longum humilius fructu è summitate caulis prodeunte. Mecaxochitl. Hernandez. p. 144, & 873. Xim. Nieremb. p. 320. Laet. p. 231. Arum moschatum ophioglossoides seu pene nudo Jamaicense an melius ophioglossum moschatum Jamaicense limonii foliis in extremo sinuatis, an Aristarum fluitans pene nudo Virginianum Banister. cat. M. S. S. Plukenet tab. 77. fig. 6. Saururus humilis folio carnoso subrotundo. Plumier. p. 53. fig. 70. In sylvis altis umbrosis & opacis Insulæ Jamaicæ frequens est.

Piper longum minimum herbaceum scandens rotundifolium. Saururus repens, folio orbiculari nummulariæ facie. Plumier. p. 52. fig. 69. In sylvis inter *Guanaboa* & agros Dom. *Bourden* ad radices arborum grandiorum (quas aliquando scandit) inveni.

Yaruma de Oviedo. Jaruma. Martyr. Linschot. descr. de l'Amerique, de Lopez de Gomara fol. 33, & 36. de Thevet Cosmogr. p. 985. Nieremb. p. 330. Jonst. dendr. p. 56. Ambayba Brasilianorum ejusd. p. 58. Laet. lib. 15. cap. 8. p. 560. Ambayba *Fig-trees of ane Anonymus Portugal of* Brasile. Purchas lib. 7. cap. 1. p. 1308. Ambayba Brasilienſibus marcgr. p. 91. Pis. p. 147. Bois de Trompette du Tertre fig. ad p. 107. Ficus Sirinamensis multifido folio superna parte admodum scabro, aversa densa lanugine molli. Plukenet tab. 243. fig. 5. An *Canes of which a Jangarie was made to pass St. Antonio a River in Brasile of Knivet*. Purchas

lib.

lib. 6. cap. 7, & 3. p. 1223? *Trumpet-tree.* In ſylvis Jamaicæ & Caribearum Inſularum ubique copiosè oritur.

Fegopyrum ſcandens ſeu volubilis nigra major flore & fructu membranaceis ſubrotundis compreſſis. prope ruinas monaſterii non procul ab urbe *St. Jago de la Vega* inter frutices inveni.

Volubilis nigra radice alba aut purpurea maxima, tuberoſa, eſculenta, farinacea, caule membranulis extantibus alato, folio cordato nervoſo. Hetich racine laquelle en cuiſant devient blanchatre. de Thevet. ſing. p. 52. Coſmogr. fol. 921. Duret. p. 192. Hetich racines leſquelles en cuiſant deviennent violettes ou blanchatres. de Lery p. 203. Hetich radices quarum inter coquendum aliæ album aliæ violaceum induunt colorem. Jo. de Laet. p. 569. Hetich Linſchot. deſcript. de l'Amerique Dalechamp. Nott. in Plin. lib. 21. cap. 15. Hetich Americum quod coctura albeſcit Lugd. p. 1907. Park p. 1625. Hetich Theveti J. B. tom. 2. lib. 19. p. 791. Hetich Theveti Oetum Plinii. Rapum Americanum quod coctura albeſcit. Chabr. p. 259. Cara. Abbeville p. 229. *of Ane Anonymus Portugal of Braſile.* Purchas lib. 7. cap. 1. p. 1310. Laet. 566, & 614. Moriſot. in Roulox. bar. p. 251. Cara Braſilienſibus, Inhame de S. Thome, congenſibus Quiquo aquicongo. Marcgr. p. 29. Piſ. (ed. 1648.) p. 93. (ed. 1658.) p. 255. *Alloes of the Chingulayes of Knox.* Racines nommées Alas les unes rouges comme beteraves, les autres blanches comme navets. de Pyrard cap. 10. p. 84. Owicambares Cauche p. 166. An Owiares ejuſd. p. 165? An Owimentes ejuſd. p. 166? Radix qua Indi veſcuntur & utuntur 1a. ſeu Rapum Americanum foliis bryoniæ. C. B pin. p. 90. Ajes de Oviedo Coron. lib. 7. cap. 3. Katſi-Kelengu Hort. Mal. part. 7. p. 71. Ricophora Indica ſive Inhame rubra & alba caule alato ſcammonii foliis nervoſis conjugatis Herm. par. Bat. pr. p. 370. Igniames ou Inhames du Tertre p. 120. Yeams *of* Ligon p. 94. Yams *or* Yammes *of* Hughes p. 15. In agris ubique menſe Martio plantantur hæ radices & Decembri maturæ colliguntur.

Volubilis nigra, radice tuberoſa compreſſa maxima digitata farinacea eſculenta folio cordato nervoſo. Inhames *of* Jo. dos Sanctos. Purchas lib. 9. cap. 12. ſect. 1. p. 1536. Inhame Roelf. epiſt. ad Cluſ. p. 317. Inhame ſeu Igname Cluſ. rar. plant. hiſt. lib. 4. p. 78. Igname de Thevet. Coſmogr.

Cosmogr. fol. 90, & 104. Igname in S. Thomæ Insula. Lugd. p. 1909. Convolvulus Brasiliana Inhame de St. Thome Comm. cat. Amst. p. 98. Radix qua Indi vescuntur & utuntur 2ª. seu Rapum Brasilianum sive Americanum alterum C. B. pin. p. 90. Ignamus Ind. Or. part. 6. p. 23. Indiamas ejusd. ib. p. 36. Ignamos ejusd. ib. p. 51. Injames Linschot. Inamia *of* Welsh. Hakl. p. 129. Inani *of Mr.* Cæsar Frederick. Hakl. tom. 2. p. 227. Ignaman *of* Mandelslo p. 211. Ignanes ejusd. p. 219. Batatis affinis Igname sive Inhame J. B. tom. 2. lib. 19. p. 793. Igname sive Inhame Chabr. p. 260. Ignames adv. Lob. & Pen. p. 317. Inhame orientalis Lusitanorum Park p. 1383. Owifouches. Cauche. p. 164. Mu-Kelengu. Hort. Mal. part. 8. p. 97. *Angull-alloes of the Chingulayes of Knox.* An Carainambi Brasilienſibus Marcgr? An Mangara *of ane Anonymus Portugal of Brasile.* Purchas lib. 7. cap. 1. p. 1310? An une maniere de racine particuliere aux maldives, grosse comme la cuisse d'un homme Pyrard part. 3. p. 19? An negre *root of* Ligon p. 99? An napi Pis. mantiss. aromat. p. 170? An Ricophora sirinamensis folio auriculato. Herm. par. Bat. prod. p. 371? cum priori.

Persicaria urens sive hydropiper C. B. pin. p. 101. Ambrosin. h. p. 48. Hydropiper Ger. emac, p. 445. Cord. nott. in Dioscor. f. 47. Fuchs. p. 843. Cæsalp. p. 168. Lacun. p. 239. bot. Francof. p. 220. Math Lugd. p. 1038. Hydropeperi. Dod p. 607. Pulicaria mascula Brunfels. tom. 2. p. 14. Hydropiper sive persicaria math. ed. B. p. 440. Persicaria Icon. Roesslin. f. 23. bot. Francof. p. 151. Persicaria. Tab. tom. 2. p. 557. Persicaria hydropiper sive aquatile piper urens. Adv. p. 134. Persicaria urens hydropiper cratæogonum Cord. Lob. obs. p. 171. Hydropiperi, persicaria, hydropiper. Icon. Lob. p. 315. Hydropiper Dioscor. seu persicaria non mitifolia perperam Cratæogonum Cordi Pon. p. 330. pepe aquatico. Cast. Durant. p. 342. Persicaria minor acris. Schwenckf. p 154. Persicaria mordax seu hydropiper Thal. p. 85. Pulicaria prior Dioscoridis non maculosa Trag. herb. diss. ap. Brunfels. tom. 2. p. 161. Persicaria fœmina ejusd. stirp. hist. p. 90. Persicaria non maculosa. munt. plant. cult. p. 560. Persicaria acris sive hydropiper J. B. tom. 3. lib. 38. p. 780. Chabr. p. 564. morif. p. 589. Raii hist. p. 182. Persicaria vulgaris acris sive minor. Park p. 856. An persicaria acris Virginiana ejusd. p. 857?

857? Potincoba Lusitanis pulgera. Pis. (ed. 1648.) p. 101. (ed. 1658.) p. 221. Hydropiper Lusitanis erva pulgera. marcgr. p. 25. Schovanna-modela-muccu. H. M. part. 12. p. 146. tab. 77. An Velutta-modela-muccu ejusd. ib. p. 145. tab 76? An Belutta-adeca-manjen. H. M. part. 10. p. 75. tab. 38? An Belutta-modela-muccu ejusd. part. 10. p. 159. tab. 80? vel Lysimachia Indica salicis oblongo folio flore albo spicato Comm. ibid? Ad ripas fluviorum & in aquosis & palustribus Insulæ Jamaicæ ubique copiosè oritur.

Persicaria procumbens longissima, angustifolia, non maculosa spica longiori, laxiori & graciliori. Ad ripas fluminis prope urbem Funchall in Insula Madera, & ad ripas humidiores fluvii *Cobre* dicti in Insula Jamaica inveni.

Potamogeiton aquis immersum folio pellucido, lato, oblongo, acuto. Raij hist. p. 188. An potamogeiton alterum Dod. Belg. p. 923? Potamogeiton quintum seu foliis angustis splendentibus C. B. pin. p. 193? Potamogeiton longis acutis foliis Ger. em. p. 821? Fontinalis lucens major. J. B. lib. 38. p. 777? Chabr. 562? Loco Caymanes dicto, in fluviis salsis & dulcibus reperitur.

Amaranthoides humile Curassavicum foliis polygoni Par. Bat. prodr. Amarantho affinis aizoides, sive Amaranthoides minima Americana procumbens polygoni foliis & facie flore oblongo cinereo seu subalbido. Breyn. prod. 2. p. 14. In pratis circa urbem *St. Jago de la Vega* copiosè crescit.

Amaranthoides fruticosum foliis longis angustis subtus niveis. In Madera, vel Caribearum Insularum una hanc plantam collegi.

Amaranthoides humile Curassavicum foliis cepeæ lucidis capitulis albis par. Bat. prod. Plukenet tab. 75. fig. 9. Perexil Lusitanis marcgr. p. 14. Caaponga 1. Pis. p. 243. Amarantho affinis aizoides, sive Amaranthoides minor Americana procumbens, sedi teretifolij folijs & facie flore oblongo niveo. Breyn. pr. 2. p. 13. Trifolii spica crithmum maritimum non spinosum Brasilienſe Raij hist. p. 1331. An petroselinon marinum in Orchilla Laet. p. 687? Loco *Caxoes* dicto in maritimis paluſtribus reperitur.

Amarantus fruticosus erectus, spica viridi laxa & strigosa. Ad ripas fluvii *Cobre* prope urbem *St. Jago de la Vega* collegi.

Ama-

Amarantus siculus spicatus radice perenni. Boccone. Raij hist. p. 203. Circa urbem *St. Jago de la Vega* in fossis reperitur.

Amarantus panicula flavicante gracili holosericea. Loco *Guanaboa* dicto in sepibus & in Caribeis Insulis inveni.

Blitum album majus scandens. An Blitum Barbadense erectum megasporon Plukenet. phyt. tab. 151. fig. 3? Viâ quâ ab urbe *St. Jago de la Vega* versus locum dictum *Passage Fort* itur, & ad ripas fluvij *Cobre* dicti copiosè oritur.

Blitum Americanum spinosum. Raij hist. p. 199. Sutherland. catalog. pl. Edinb. p. 51. Amaranthus Indicus spinosus spica herbacea. Herm. cat. pl. p. 31. Amaranthus Indicus spinosus spica herbacea monospermos caulibus viridantibus & rubentibus ejusd. par. Bat. pr. p. 309. Amaranthus Indicus spinosus spica & caule rubentibus Tournefort. Sch. bot p. 101. Blitum monospermum Indicum aculeatum capsula rotunda, seu Amaranthus major Zeilanicus spinosus flore viridi. Breyn. pr. 1. p. 18. Ad viarum & semitarum margines ubique in Jamaica & Caribeis Insulis reperitur.

Blitum vulgare minus surrectum. Munt. pl. cult. p. 291. Minus repens ejusd. ib? An Blitum album minus. C. B. pin. p. 118? Ger. emac. p. 321? Morisf. p. 599? Raij hist. p. 200? Lugd. p. 539? Adv. p. 94? J. B. tom. 2. lib. 23. p. 927? Chabr. p. 304? Blitum minus. Dod p. 617? Blitum sylvestre album. Gesn. hort. fol. 350? Blitum minus album sylvestre. Park p. 753? An Blitum sylvestre Schwenckf. p. 32? In Insula Madera prope urbem Funchall collegi.

Blitum minus album polyspermon folio subrotundo. Cararu Brasilienſibus, Lusitanis Bredos. Marcgr. p. 13. Cararu species bliti Americani. Pis. p. 241. Blitum Brasilianum Cararu Brasilienſibus Lusitanis Bredos. Raij hist. p. 201. An Bletti. Fernan. Colon. p. 57? An Nexhoautli. Hernandez. p. 269? Xim? *Culilu, or Caterpillars.* In locis campestribus post pluvias ubique copiosè luxuriat.

Blitum polygonoides viride seu ex viridi & albo variegatum polyanthos. Locis ruderatis & lutosis circa urbem *St. Jago de la Vega* passim reperitur.

Blitum pes Anserinus dictum Raij. synops. meth. stirp. Britt. Atriplex sylvestris 3ª, seu latifolia, C. B. pin. p. 119.

Mor. p. 604. Atriplex ſylveſtris 3ª. Math. p. 362. Lugd. p. 536. Pes Anſerinus ejuſd. p. 542. Fuchſ. p. 655. Lon. fol. 101. Dod p. 616. Cam. hort. p. 122. bot. Francof. p. 190. Solanum 4um. Trag. p. 304. Blitum 4um. ejuſd. p. 714. Atriplex ſylveſtris ſive pes Anſerinus latifolia laceris laciniis. Adv. p. 97. Icon. Lob. p. 254. Atriplex ſylveſtris latifolia pes Anſerinus, 3ª. atriplex. Math. Lob. obſ. p. 128. Cynocrambe alterum genus. Cæſalp. p. 161. Chenopodium 1um. Tab. p. 142. Atriplex ſylveſtris 2ª. Schwenckf. p. 26. Atriplex ſylveſtris latifolia ſive pes Anſerinus. Ger. emac. p. 328. Park p. 749. Ambroſ. h. p. 12. Atriplex dicta pes Anſerinus. J. B. tom. 2. lib. 23. p. 975. Chabr. p. 306. Blitum atriplex dictum ſylveſtris latifolia. Comm. cat. Amſt. *Gooſefoot, or Sowbane.* Ad viarum margines circa urbem *St. Jago de la Vega* provenientem collegi.

Parietaria foliis ex adverſo naſcentibus, urticæ racemiferæ flore. In rupibus umbroſis & humidioribus frequenter cernitur.

Kali fruticoſum coniferum flore albo. *Another ſort of Sampier.* In arenoſis maritimis paluſtribus circa locum dictum *Paſſage-Fort* ubique reperitur.

Herniaria lucida aquatica. Ad ripas fluviorum & in rupium humidiorum commiſſuris frequens eſt.

Corchoro affinis, chamædryos folio, flore ſtamineo, ſeminibus atris quadrangulis duplici ſerie diſpoſitis. Locis ſaxeis in *Guanaboa* & paope *Colonel* Fuller's *Plantation* frequenter naſcitur.

Aparine paucioribus foliis ſemine lævi. In ſylvis ad viarum margines verſus *Guanaboa* reperi.

Aparines folio anomala vaſculo ſeminali rotundo multa ſemina minutiſſima continente. In Inſula *Barbadoes* aut Caribearum una hanc plantam collegi.

Herbæ

Herbæ flore monopetalo uniformi & difformi.

NIcotiana major latifolia C.B. nott. in math. p 751. pin p. 169. Morif. hift. p. 492. Schwenckf. p. 311. Arbufta quædam modicæ magnitudinis arundinum ferme fpecie mexicano idiomate tobacco dicta. Benz. lib. 9. cap. 26. Petun. Lery. p. 200. Thevet. fol. 60. Cofmogr. f. 927. Abbeville p. 209. Arfenne ib. du Tertre p. 99. Petum autrement tabac ou Nicotiane Linfchot. defcript. Tabaco ou petum de Jof. Acofta lib. 4. cap. 29. Petum latifolium Nieremb. p. 358. *A kind of herb dried which the Floridians ufe to fmoke to fatisfy their hunger*, &c. Hawkins *fecond Voyage*. Hakl. p. 3. p. 518. *Tobacco of* Twitt. ib. p. 567. *of* Duddeley ib. p. 575. *of* Hakluyt ib. p. 583. *of* Maſham ib. p. 694, & 697. *of Sir* Francis Drake ib. p. 441, & 737. *of* Cates ib. p. 539. *of* Keymis ib. p. 677, & 682. *of fourth Voyage to* Virginia ib. p. 284. *of* Hudſon. Purchas lib. 3. p. 587. *of* Purchas vol. 4. p. 1182. *of* Peter Carder ib p. 1189. *of* Knivet ib. lib. 6. cap. 7. ſect. 4. p. 1228, & 1229. *of* Leigh ib. lib. 6. cap. 12. p. 1251. *of* Nichol. ib. cap. 13. p. 1255, & 1258. *of* Wilſon ib. p. 1262, & 1264. *of* Turner ib. p. 1265. *of* Rob. Harcourt ib. p. 1276 *of* William Finch. Purchas lib. 4. cap. 4. ſect. 1. p. 414, 415, & 418. *of* Copland ib. cap. 8. ſect. 1. p. 467. *of* Payton ib. cap. 9. ſect. 2. p. 492. *of* Heynes ib. lib. 5. cap. 5. p. 624, 626, 627, & 628. *of Sir* Thomas Roe ib. lib. 4. cap. 16. ſect. 1. p. 537. *of* Gramaye ib. lib. 9. cap. 12. ſect. 6. p. 1565. *of* Jacob Wilkins ib. cap. 17. lib. 10. p. ult. *of Earl of* Cumberland ib. lib. 4. p. 1152. *of* Layfield ib. p. 1157. *of* Champlain ib p. 1607, & 1609. *of* Goſnoll. Smith's Virginia p. 17. *of* Smith ib. p. 120, 126, 140, 149, 171, 195. *in his Obſerv.* p. 50, 51, & 56. *of* Terry p. 102. *of* Ligon p. 22, & 113. *of* Pagan cap. ult. p. 138. *of* Dounton. Purchas lib 3. cap. 12. ſect. 4. p. 296. *of* Saris ib. lib. 4. cap 1. ſect. 2. p. 339. *of* Eſcarbot. Nova Francia 277, 95, 149, 204, & 216. *of* Jobſon p. 94, & 125. *of* Mandelſlo p. 156, & 170. Tubacka Ind. Or. part. 6. p. 5. Uppowoc. *of* Hariot. Hakl. p. 3, & 271. Ind. Occid. part. 1. p. 16. Petun que les Portugais

tugais appellent Tabaquo de Pyrard part. 2. p. 202, & 204. Tabac Du Val. Nott. in Pyrard. p. 132. Loubere tom. 1. p. 153. Rochef. p. 113. Denis p. 178. Una certa herba de la qual fanno gran munitione tutto il tiempo Della ſtate per l'invierno. Jacq. Cartier. Ramnus. p. 449. Hakl. p. 224. humo con que ſe emborrachan. Lopez de Gomara. hiſt. general. cap. 218. Petigma *of Anonymus Portugal of* Braſile. Purchas lib. 7. cap. 1. p. 1292, & 1311. Tabaco. Ynca Garcilaſſo de la Vega. lib. 2. cap, 25. Mon. Cluſ. exot. p. 307. Petum latifolium Cluſ. Nott. in Mon ib. p. 309. Tabacum. Fragoſ. f. 62. Laet. p. 75, 373, & 610. Tobac. de Roulox baro p. 223. An Cogioba. Fernan. Colon f. 131? Cohoba. ejuſd. f. 134. Lopes de Gomara fol. 34. Nieremb. p. 332. Herba Cohobba inebrians. J. B. tom 3. lib. 34. p. 631. Chabr. p. 655. Herba admiranda 3ª. Cohobba, Jonſt. Dendr. p. 472. Tabacum Peruvianis Sayri. Laet. p. 402. Perecbenuc Ovied. lib. 11. Lugd. p. 1901. Herba S. Croce femina. Caſt. Dur. p. 214. Pycielt ſeu tabacus major. Hernandez. p. 173. Yerva que llaman Pycietl y los de la Yſla de S. Domingo. Tavaco. Xim. Nicotiana ſive tabacum Lugd. p. 1895. Nicotiana major. Tab. tom. 2. p. 296. Sana ſancta Indorum ſive Nicotiana, Gallorum. Lob. Icon. p. 584. Adv. 251. Hyoſcyamus Peruvianus Dod. p. 452. Ger. emac. p. 357. Indorum ſana ſancta ſive Nicotiana Gallorum, Petum Cluſii & recentiorum; Hyoſcyamus Peruvianus Dod. Lob obſ. p. 316. Tabaccum ſeu herba ſancta. Valerio di S. Gioſeppe. Zanon. p. 28. Tornabona Cæſalp. p. 344. Tobacco latifolium Park par. p. 363. Raij hiſt. p. 713. Nicotiana major ſive Tabacum Ambroſ. h. p. 44. Abuhanifa, Arab. ejuſd. phyt. p. 5. Hyoſcyamus Peruvianus latifolius ſive tabacum verum latifolium. Munt. pl. cult. p. 456. Nicotiana major ſive tabacum majus. J. B. tom. 3. lib. 34. p. 629. Tabacum Nicotiana. Chabr. p. 526. Tabacum latifolium. Cam. h. p. 165. Nicotiana major lato & rotundo folio. Herm. cat. pl. p. 450. Petume ſive tabacum Piſ. (ed. 1650.) p. 206. In agris campeſtribus ubique ſeritur.

Gentianella flore cœruleo integro vaſculo ſeminali ex humidi contactu impatiente. An gentianellæ ſpecies Bont. p. 154? An gentianella utriuſque Indiæ impatiens foliis agerati. Plukenet. phyt. tab. 186 fig. 2? *Spirit-leaf.* In frutetis circa urbem *St. Jago de la Vega* reperitur.

Con-

Convolvulus radice tuberosa esculenta, spinachiæ folio flore albo fundo purpureo, semine post singulos flores singulo. Batatas de Oviedo. Coron. lib. 7. cap. 4. *of ane Anonymus Portugal of* Elvas. p. 10. Nieremb. p. 326. *of* Purchas lib. 2. cap. 2. p. 37, & 42. Clus. rar. plant. hist. lib. 4. p. 77. Roels. epist. ad Clus. p. 316. Lugd. p 1909. Cast. Dur. p. 66. & in fig. Benz. lib. 1. cap. 27. J. B. tom. 2 lib. 19. p. 792. *Potatoes of* Hughes p. 12. *of Sir* Walter Rawleigh p. 52. Hakl. p. 647. *of Sir* John Hawkins ib. part. 3. p. 507. *of Sir* Francis Drake ib. p. 734. *of* King ib. p. 570. *of* Duddeley ib. p 575. *of* Cates. ib. p. 537. *of* Twitt. ib. p. 567, & 568. *of* Davie. ib. p. 579. *of* Masham ib. p. 695. *of* Lancaster ib. p. 715. *of* Fenton ib. p. 765. *of* Lopez Vaz. ib. p. 802. *of* Prettie. ib p 807, 817, & 818. *of* Adams. Purchas lib. 3. cap. 1. sect. 5. p. 125. *of* William Finch ib. lib. 4. cap. 4. sect. 1. p. 414, & 415. *of Earl of* Cumberland ib. lib. 4 p. 1152. *of* Layfield ib. p. 1157, 1159, & 1172. *of* Wilson ib. p. 1264. *of* Turner ib p. 1265. *of* Robert Harcourt ib. p 1268, & 1275. *of* Davies ib. lib. 6. cap. 18. p. 1287. *of Anonymus Portugal of* Brasile ib. lib. 7. cap. 1. p. 1310. *of* Schnirdel ib. cap. 4. p. 1351, & 1353. *of* Lopes Vaz. ib. cap. 11. p. 1447. *of* Purchas lib. 2. p. 285. *of* Battell. ib. lib. 7. cap. 3. sect. 2. p. 973. *of* Galvanos. ib. lib. 10. cap. 1. p. 1694. *of* Knivet ib. lib. 6. cap. 6. p. 1202. *of* Leigh ib. cap. 12. p. 1251, & 1252. *of* Nichol. ib. p. 1255. *of* Smith's *Observat.* p. 51, & 54. *of* Terry. p. 97. *of* Mandelslo p. 219, & 221. *of* Ligon p. 22, 31, & 62. *White and yellow coloured Potatoes.* Smith Virginia. p. 171, & 179. Potati Jo de Laet. lib. 15. cap. 10. Ages sive Batatas. Martyr. Linschot. descript. de l'Amerique. Thevet Cosmogr. f. 962. Lopes de Gomara. cap. 16, 71, & 216. *of* Martin Fernandez de Enciso. Hakl. part. 3. p. 699. Radice cotte que nel sapore son simili alle castagne. Fernan. Colon. fol. 58. Agis & cacabiche ejusd. p. 69. Agi. ejusd. ibid. p. 144. Ages. Nieremb. p. 329. J. B. tom. 2. lib 19. p. 793. Chabr. p. 260. Batatas planta peregrina Indica Camotes, Amotes & Ajes etiam dicta Clusii. ejusd. p. 259. Batat, Agis. Cast. Dur. Hetich racines lesquelles en cuisant deviennent Jaunes comme coins. de Thevet. fol. 52. Cosmogr. f. 921. de Lery. p. 203. Duret. p. 192. Linschot. descr. de l'Amerique. Hetich Americum quod coctura flavescit. Lugd. p. 1907. Park 1625. Hetich Theveti, Oetum Plinij, rapum

pum Americanum quod coctura flaveſcit. Chabr. p. 259. Yeteuch. Abbeville. p. 229. Laet. p. 614. Batatas Hiſpanis Peruvianis Apichu. ejuſd. p. 400. Patatas. Relation de la riviere des Amazones. Patatres. Joſ. Acoſt. lib. 4. cap. 18. Potates. Moriſot. Nott in Roulox Baro. p. 251. Patates eſpece de truſle. ejuſd. ib. p. 263. Patate. de du Tertre. p. 118. Rochef. p. 116. Loubere. tom. 1. p. 58. de Raveneau de Luſſan. p. 27. Abbeville. p. 52. Batates Linſchot. Pyrard. tom. 2. p. 203. Loubere tom. 2. p. 71. Patates Ind. Or. part. 6. p. 23. Petatos. ejuſd ib. p. 36. Hajos, Benz. Ind. Or. part 4. p. 70. Radix qua Indi utuntur & veſcuntur 8va. Batatas Camotes Hiſpanorum Cluſ. C. B. pin. p. 91. Radix qua Indi utuntur & veſcuntur 9a. Hajas Indiæ occident. ſimilis Batate niſi quod minor & ſuavior ſit. ejuſd. ib. Convolvulus Indicus orientalis Inhame ſeu Batatas Moriſ. hiſt. pl. part. 2. p. 15. Battatas, Camotes, Amotes, Ajes Inhame. Steerbeck. p. 328. tab. 33. C. C. Battata Hiſpanorum ſive Camotes aut Amotes. Lob. Obſ. p. 369. Battades. Ang. Potades. Adv. p. 317. Battata Hiſpanorum Camotes ſive Amotes & Ignanes. Lob. Icon. p. 647. Camotes noſtræ Indiæ qui alio nomine dicuntur Batatæ. Fragos. p. 69. Siſarum Peruvianum ſive Batata Indorum Tab. tom. 2. p. 196. Siſarum Peruvianum ſive Batata Hiſpanorum. Ger. emac. p. 925. Batatas occidentalis Indiæ Park. p. 1383. Batatas Piſ. (ed. 1648.) p. 93. Jetica Braſilienſibus; Congenſibus Quiquoaquianputu, Luſitanis Batata. Marcgr. p. 16. Jetica vulgo Batata. Piſ. (ed. 1658.) p. 254. Batata Monard. Cluſ. p. 339. di Fra Valerio di St. Gioſeppe Zan. p. 25. Kappa-Kelengu H. M. part. 7. p. 95. Hetich inter coquendum aureum induens colorem. Laet. lib. 15. cap. 11. Convolvulus Indicus radice tuberoſa eduli cortice rubro & albo batatas. dictus. Herm. Par. Bat. pr. p. 326. Convolvulus Indicus Batatas dictus. Raij hiſt. pl. p. 728. An Mawandres. Cauche. p. 166? An Spinachia Americana tuberoſa, lutea, variegata, purpurea alba vel rubra. Munt. pl. cult. p. 445? In Inſulis Caribeis & Jamaica excolitur, ubi ramis terrâ tectis poſt pluvias copiosè & ubique luxuriat.

Convolvulus radice tuberoſa eſculenta minore purpurea. An Pararo Braſilienſibus. Marcgr. p. 52? patates rouges. Du Tertre. p. 119. patates rouges comme les betes raves. Rochef. p. 117. *Red Batatas.* In agris Dom. Bourden ultra *Guanaboa* excultum obſervavi. Con-

Convolvulus maximus, caule spinulis obtusis obsito, flore albo, folio hederaceo anguloso. Ad ripas fluvii Cobre & *Black River* copiosissimè crescit.

Convolvulus major, heptaphyllos flore sulphureo odorato specioſſimo. *Spaniſh arbor vine, or Spaniſh woodbind.* Inter arbores prope ripas *rio Cobre* non procul ab urbe *St. Jago de la Vega* provenit.

Convolvulus pentaphyllos flore pallide flavescente caule hirsuto pungente. Convolvulus Americanus pentaphyllos glaber viticulis asperis spinosis. Par. Bat. pr. p. 326. Convolvulus quinquefolius glaber Americanus. Pluk. Tab. 167. fig. 6. Ad ripas fluviorum & in pratis frequenter reperitur.

Convolvulus pentaphyllos minor flore purpureo. Inter opuntias in prato prope urbem *St. Jago de la Vega* crescentem collegi.

Convolvulus major polyanthos, longissime latissimeque repens floribus albis minoribus odoratis. An Oliliuhqui seu planta orbicularium foliorum Hernandez. p. 145? Nieremb. p. 337? An Hololiuchi seu Convolvulus Peruvianus perpetuus Aldin. p. 71? An Scammonia rotundifolia Virginiana. Park. p. 164? An Mechoacan. *of* Hughes. p. 94? Locis campestribus circa urbem *St. Jago de la Vega*, & alibi in Insula Jamaica invenitur.

Convolvulus Polyanthos, folio subrotundo flore luteo. An Antholisthos convolvulaceus Americanus. Pluken. tab. 136. fig. 1? Convolvulus Americanus vulgaris folio capsulis triquetris numerosis, ex uno puncto longis petiolis propendentibus semine lanugine ferrea villoso. ejusd. tab. 167. fig. 1. Convolvulus luteus polyanthos. Plumier. p. 88. fig. 102. In sylva versus trajectum prope *the Crawle Plantation in Jamaica*, & in Insulis Caribeis sponte provenientem observavi.

Convolvulus major, folio subrotundo flore amplo purpureo. Mecapatlis Mecatlanensis. Hernandez. p. 304. Mecapatli de Acatlan. Xim. An convolvulus Maderaspatanus purpureus violæ Martiæ foliis floribus plurimis simul junctis. Pluk. tab. 166. fig. 5? In sepibus & fossis humidioribus Insulæ Jamaicæ ubique provenit.

Convolvulus folio lanato, in tres lacinias diviso, flore oblongo purpureo. Convolvulus Jamaicensis trilobatus foliis tomentosa lanugine densiori & leniſſima ac veluti ad-

instar

inſtar utrinque obductis flore peramæne purpureo. Plukenet. tab. 167. fig. 4. Truncos arboaum grandiorum, viâ quâ *Guanaboa* itur ſcandens reperitur, & prope domum *Dom. Fuller* ultra *Black River Bridge* in St. Dorothies.

Convolvulus folio hederaceo anguloſo flore dilute purpureo. Ad ripas fluvii *Cobre* dicti & locis campeſtribus frequenter occurrit.

Convolvulus folio hederaceo angu'oſo lanuginoſo, flore magno cœruleo patulo. Convolvulus cœruleus hederaceo anguloſo folio. C. B. pin. p. 295. Convolvulus trifolius ſive hederaceus purpureus. Park. par. 358. Mor. p. 13. Convolvulus major purpureus vel trifolius ejuſd. Theatr. p. 169. Convolvulus hedaræ foliis, *with great purple flours of* Rawolfe. part. 1. cap. 9. Alterum genus convolvuli pro Scamonia oſtenſum Cæſalp. lib. 9. cap 23. p. 383. Aſureus ſive cœruleus convolvulus hederaceus vel ſimilaceus exoticus. Adv. p. 274. Icon. Lobel. p. 623. Aſureus ſive cœruleus convolvulus, campanula laſura. Lob obſ. p. 342. Mecapatli Mecatlanenſi admodum ſimilis foliis goſſypinis vel hederaceis hirſutis flore cœruleo. Terrentij Lyncei Nott. in Hernandez. p. 304. Convolvulus peregrinus vel cœruleus quibuſdam eruditis viris in Italia Nil Arabum Avicennæ Italis Campan laſura aliis Campanula cœrulea. Geſn. hort. Germ. fol. 255. Smilax vel potius convolvulus cœruleus ejuſd. ib. fol. 287. Nil Arabum Cam. hort. Eyſt. Convolvulus cœruleus Nil Arabum vel potius Habalnil ſerapionis latine granum Indicum. Cam. hort. p. 47. Convolvulus cœruleus Tab. tom. 2. p. 579. Ger. emac. p. 864. Vilucchio cœruleo. Caſt. Dur. p. 473. Convolvulus aſureus. Schwenckf. p. 263. Flos noctis ſive convolvulus cœruleus hederaceo folio. Ambroſ. h. p. 28. Volvulus cœruleus ſive Campana azura. Lob. Lugd. p. 1425. Nil Arabum quibuſdam ſive convolvulus cœruleus. J. B. tom. 2. lib. 15. p. 164. Convolvulus cœruleus granum Indicum Nil Arabum quibuſdam Chabr. p. 122. Convolvulus villoſus Indicus hederæ folio tripartito flore cœruleo. Herm. cat. p. 182. Scamonea con foglie piccole triangulari ſimili all' hedera. Ang p. 296. In agris Dom. Guy, loco *Guanaboa* dicto, collegi.

Convolvulus altheæ foliis Cluſ. rar. pl. hiſt. lib. 4. p. 49. Lugd. p. 1426. Park. p. 170. Raij. p. 725. Munt. plant. cult. p. 370. Convolvulus argenteus altheæ folio. C B. pin.

pin. p. 295. Ger. emac. p. 862. Scammonium minus Plinij secundum Tab. tom. 2. p. 585. Convolvulus peregrinus Clus. Convolvulus Scammonii facie, an helxine cyssampelos Dioscor. Lob. obs. p. 343. Convolvulus peregrinus Clusij. Lob. Icon. p. 623. Vilucchio con foglie d'altea. Cast. Dur. p. 474. Convolvulus peregrinus pulcher folio betonicæ J. B. tom. 2. lib. 15. p. 159. Convolvulus peregrinus pulcher folio betonicæ flore purpureo. Chabr. p. 122. Convolvulus peregrinus pulcher bryoniæ folio flore purpureo. Mor. hist. p. 15. Helxine cyssampelos di Dioscoride. Zanoni, p. 102. In Insula Madera prope urbem Funchall abunde provenit.

Convolvulus maritimus major nostras rotundifolius. Mor. hist p. 11. Soldanella maritima minor. C. B. pin. p. 295. Soldanella Dod. p. 395. Cæsalp. p. 384. Tab. tom. 2. p. 581. bot. Francof. p. 8. Κράμβη Θαλασσία Soldanella brassica marina. Adv. Lob. & Pen. p. 263. Soldanella brassica marina Lob. obs. p. 329. Icon. p. 602. Chabr. 123. J. B. tom. 2. lib. 15. p. 166. Cam. h. p. 29. Soldanella sive volubilis marina. Park. p. 167. Brassica marina vulgo Soldanella. Gesn. hort. fol. 250. Brassica marina. Cord. hist. fol. 205. Lon. fol. 189. Math. ed. B. p. 368. Lac. p. 204. Brassica marina Soldanella officinarum Lugd. p. 526. Soldanella vulgaris folio rotundo. Munt. pl. cult. p. 619. Brassica marina. Cast. Durant. p. 78. Soldanella marina. Ger. emac. p. 818. Raij hist. p. 726. In Insula parva arenosa *Gun cayos* dicta non procul ab urbe *Port-Royal* collegi, ubi variat foliis acutioribus & rotundioribus.

Convolvulus marinus catharticus folio rotundo Plumier. p. 89. fig. 104. Salsa do praya. Pis. (ed. 1648.) p. 103. Convolvulus marinus seu Soldanella. Marcgr. p. 51. Convolvulus marinus Lusitanis salsa do praya sive sarsa littoralis nuncupata. Pis. (ed. 1658.) p. 258. Schovanna Adamboe. H. M. p. 11. p. 117. tab. 57. Convolvulus maritimus majore folio Chinensis. Plukenet. tab. 24. fig. 5. An convolvulus maritimus seu Soldanella è Maderaspatan folio in summitate sinuato. ejusd. ib. fig. 4? Convolvulus maritimus Zeylanicus folio crasso cordiformi. Herm. cat. p. 174. cum priori & ad littus marinum in Insulæ Jamaicæ parte septentrionali prope fluvium Rio Nuevo dictum, nec non in Insulis omnibus Caribeis copiosissimè.

Convolvulus minor lanuginosus folio subrotundo flore cœruleo. An convolvulus Curassavicus villosus flore cœruleo. Herm. par. Bat. pr. p. 326? Loco *Guanaboa* dicto in agris mense Novembri flo entem passim observavi, & inter frutices non procul ab urbe *St. Jago de la Vega* prope ruinas monasterij.

Convolvulus minor repens nummulariæ folio flore cœruleo. In pratis circa urbem *St. Jago de la Vega* post pluvias copiosissimè crescit; reperitur etiam in Insula *Barbados*.

Convolvulus rectus minor folio angusto candicante. In Insula Jamaica cum priori eodem tempore & iisdem in locis invenitur.

Convolvulus exoticus annuus foliis myriophylli seu millefolij aquatici flore sanguineo. Mor. hist. p. 20. Convolvulus pennatus exoticus rarior Quamoclit Col. terr. & aquatil. obs. p 73. Jasminum millefolij folio. C. B pin. p. 398. Jonst Dendr. p. 429. Gelsimini rubri alterum genus. Cæsalp. p. 154. Jasminum Indicum alterum rubrum myriophylli folio Cæsalpini; ab Indis Quamoclit vocatum. Pon. p. 19. Gelsiminum Americanum Ferr. flor. p. 195. Quamoclit J. B. tom. 2. lib. 15. p. 177. Cam. h. p. 135. Raij hist. p. 730. Quamoclit sive convolvulus pennatus. Ger. emac. app. p. 1598. Convolvulus tenuifolius Americanus. Park. par. p. 358. Convolvulus tenuifolius sive pennatus Americanus. ejusd. theat p. 176. Convolvulus purpureus folio pinnato sive Quamoclit. Ambros. h. p. 22. Convolvulus Indicus pennatus. Munt. pl. cult. p. 370. Tsjuria Cranti. Hort Mal. part. 11. p. 123. tab. 60. In hortis Insulæ *Barbados* dictæ copiosissimè proveni entem collegi.

Rapunculus fruticosus foliis oblongis integris villosis ex adverso sitis flore purpureo villoso. In montosis Insulæ Jamaicæ sylvis inveni

Rapunculus fruticosus linifolius, flore luteo speciosо, foliis ex adverso sitis. Reperitur versus *Coll. Cope's Plantation in Guanaboa*.

Rapunculus aquaticus foliis Cichorij flore albo tubulo longissimo. Ad ripas humidiores fluvij *rio Cobre* dicti copiosè crescit.

Rapunculus folio oblongo serrato, flore galeato integro pallide luteo. Loco *Guanaboa* dicto in sylvis & secus viam quâ itur versus 16 *mile walk* reperitur.

Speculum

Speculum Veneris majus, impatiens. In frutetis circa urbem *St. Jago de la Vega* frequens occurrit.

Flori Cardinalis sive rapuntio affinis anomala, caule quadrato, flore coccineo, capsula pyramidali. Prope urbem St. *Jago de la Vega* loco arenoso non procul à fluvio *Cobre* dicto collegi

Rapunculo affinis anomala vasculifera folio oblongo serrato, flore coccineo tubuloso semine minuto oblongo luteo. Viâ quâ 16 *mile walk* itur, è rupium commissuris exibat.

Stramonia altera major sive Tatura quibusdam. J. B tom. 3. lib. 34. p. 614. Solanum fœtidum pomo spinoso oblongo. C. B pin. p. 168. Stramonium majus album Park. p. 360. Raij. p. 748. Stramonium spinosum. Ger emac. p. 348. Tlapatl. Stramonium Hernandez. Xim Stramonij 3ª. species Col. Nott. in Hernandez. Humatu. H. M. part. 2. p. 47. Solanum spinosum fœridum. Tab. tom. 2. p 303. Mathiol. ed. B. p. 228. An Stramonia seu datura major fœtida pomo spinoso oblongo. Herm. catalog p. 583? An Chamico Peruvianis? Laet. p. 400? Stramonia altera minor sive tatula quibusdam. Chabr. p. 525. Prope carcerem in urbe *St. Jago de la Vega* crescit necnon in Insulis Caribeis.

Linaria minor erecta cœrulea. In pratis mediterraneis Insulæ Jamaicæ observavi.

Antirrhinum minus angustifolium, flore dilute purpureo *Balsam herb.* Secus viam publicam inter Locum *Guanaboa* dictum & agros Dom. *Bourden* in collibus sylvosis & saxosis oritur.

Sesamum Veterum. C. B. pin. p 27. Sesamum ejusd. Theat. bot. p. 524. Port p. 866. Cord. Nott. in Dioscor. f. 42. Dod. p. 531. Math. ed. B. p. 330. J. B tom. 2. lib. 21. p. 896. Rivin. p. 20. de l Academie Royale. Adv. p. 395. Lac. p. 187. Tab. tom 2 p. 523 Icon. Lob. p. 63. Park. p. 254. Bellon. lib. 1. cap. 18. *of* Hakl. part. 2. p. 160. *of* Rawolfe. cap. 2. & 8. & part. 2. cap 1. *of* Escarbot. Nova Francia. p. 186. Susimane *of* Marco Polo. Purchas lib. 1. p. 73. Alegria *of* Purchas lib. 2. p. 366 Zerzeline *of Mr.* Cæsar Frederick. Hakl. part. 2. p 230. Gergelim-Spice *of* Joaon dos sanctos. Purchas lib. 9. cap. 12. sect. 1. p. 1536. *of* Hieronymo de Lobos *Relation of River* Nile. p. 79. Sezame de Bernier Voyage de Kachemire. p. 165.

Jurjullaine. Albert. p. 7. Σήσαμον, Seſamum. Lob. obſ. p. 514. Siſamum. Dorſt. f. 271. Seſamum verum. Geſn. hort. Germ. p. 281. Cam. h. p. 159. Lugd. p. 483. Siſamo. Caſt. Dur. p. 434. Seſama vel Gjugiolena officin. Cæſalp. p. 387. Seſamum vel Siſamum. Chabr. p. 284. & app. p. 625. Ger. emac. p. 1232. Sempſen, ſeſamum. Alp. Pſeudo-ſeſamum. Cam. ep. Moriſ. hiſt. pl. p. 283. Seſamo Ang. p. 204. Seſamum ſemine albo. Herm. cat. p. 559. Seſamum officinarum verum. Munt pl. cult. p. 610. Seſamum Americanum flore luteo magno. ejuſd. ib. Seſamum, Congenſibus Gangila, Luſitanis Girgilim. Marcgr. p. 21. Gangila ſive ſeſamum Africanum. Piſ. p. 211. Miagro dell' Egitto, detto impropriamente ſeſamo. Zanoni. p. 140. Miagro Africano Chiamato ſecondo Alcuni del Braſile. ejuſd. ib. Schitelu. Hort. Mal. part. 9. tab. 54. p. 105. *Hockalenah.* A Nigritis in agris frequenter ſeritur.

Ariſtolochia ſcandens odoratiſſima, floris labello purpureo ſemine cordato. Tomahuactlacopatli Ariſtolochia Mexicana. Hernandez. Tomahuctlopatli. Xim. In ſylvis circa urbem St. *Jago de la Vega* ubique creſcit.

Digitalis folio oblongo ſerrato ad foliorum alas florida. Ad margines viæ quâ 16 *mile walk* itur, & infra urbem *St. Jago de la Vega* ad ripas fluvii *Cobre* dicti reperitur.

Solanum lethale fructu rubro, ſemine copioſiori minutiſſimo. Cum priori.

Zingiber. C. B. pin. p. 35. theatr. bot. p. 651. J. B. tom. 2. lib. 19. p. 743. Lob. obſerv. p. 37. Icon. p. 70. Adv. p. 33. Lac. p. 238. Chabr. p. 146. Chriſt. Acoſt. Monard. Bod. à Stapel. Nott. in Theophraſt. p. 1012. Cord. Nott. in Dioſcor. fol. 47. hiſt. pl. fol. 203. Dorſt. fol. 305. Zanoni. p. 28. Math. ed. B. p. 438. Zingiber Penæ. Lugd. p. 1890. Zingiber Acoſtæ. ejuſd. ib. p. 1891. Zinziber. Cæſalp. p. 426. Ger. emac. p. 61. Marcgr. p. 17. Matteo di S. Gjoſeppe. Zanoni. p. 17. Pigafetta *of* Congo. p. 4. Gingiber. Garc. ab Orta. Lonic. fol. 261. Fragoſ. fol. 28. Laet. p. 7. Mandevile. Purchas lib. 1. p. 132. Mangaratia ſive Zinziber. Piſ. (ed. 1658.) p. 227. Gingembre. Linſchot. Joſeph. Acoſt. lib. 3. cap. 22. & lib. 4. cap 20. Thevet. coſmogr. p. 431. Du Tertre. p. 95. Rochef. p. 115. Cauche. p. 78. & 163. Albert. p. 7. Pyrard. cap. 24. & 27. part. 2. p. 139. & 203. part. 3. p. 11. Duval. ib. p. 121. Zingiber forte Braſilienſe nigra radice. Park. p. 1613. Chilli Indiæ orientalis

talis seu Zingiber fœmina Hernandez. Chilli Indiæ orientalis Nieremb. p. 347. Chilli ô gengibre de la India Oriental. Xim. Gengibre. Lop. de Gomara. cap. 96. Gengevo. Cast. Dur. p. 201. Iris latifolia tuberosa zingiber dicta flore albo Morif. hist. pl. p. 350. Zinziber Indigenis Gingibil mas & fœmina. Pif. Mantiss. arom. p. 189. Inschi vel Inschi-kua. Hort. Mal. part. 11. p. 21. tab. 12. *Ginger of* Fitch. Hakl. p. 265. *of* Frederick. ib. tom 2. p. 230. & p. 242. *of* White. ib. p. 289. & 290. *of* Hakl. p. 302. *of* Robert Tomson. ib. p. 449. *of* Hortop. ib. p. 492. *of Sir* John Hawkins. ib. p. 500. *of* Cates. ib. p. 541. *of Sir* Francis Drake. ib. p. 741. *of* Fenton. ib. p. 762. *of* Lopez Vaz. ib. p. 802. & Purchas lib. 7. cap. 11. p. 1447. *of* Polo. ibid. lib. 1. p. 91, 94, & 101. *of* Nicolo di Conte. ibid. p. 158. *of* Purchas. lib. 2. p. 284. *of* Dounton. ib. lib. 3. cap. 12. sect. 5. p. 304. *of* Payton. ib. lib. 4. cap. 9. sect. 2. p. 492. & cap. 15. sect. 1. p. 530. *of* Benjamin Tudel. ib. lib. 9. cap. 5. sect. 5. p. 1459. *of* Carder. ib. p. 1190. *of Earl of* Cumberland's *Voyage*. ib. vol 4. p. 1146, 1153, 1165, & 1171. *of* Ferdinando Giros. ib. lib. 7. cap. 10. p. 1424. *of* Smith's Virginia. p. 149. *of* Ligon. p. 22 & 29. *of* Hernan Lopez de Castagneda. cap. 9. & 40. *of* Terry. p. 29. & 206. *of* Mandelslo. p. 151, 166, 211, & 212. *of* Grew. p. 228. In Jamaica & Insulis Caribeis ubique excolitur & luxuriat.

Zinziber sylvestre minus fructu è caulium summitate exeunte. An Coapatlis Asphodelina. Hernandez? An Pacocaatingæ 2ª. species Marcgr? *Wild Ginger*. In sylvis umbrosis lateris septentrionalis montis *Diablo* dicti collegi; reperitur etiam in sylvis mediterraneis Insulæ Jamaicæ nec non viâ quâ 16 *mile walk* itur.

Zinziber sylvestre majus fructu in pediculo singulari. Paco-feroca Brasilienfibus Marcgr. p. 48. Paco-feroca. Pif. (ed. 1658) p. 213. An Wiapassa *of* Keymis. Hakl. part 3. p. 675? part. 8. Ind. occid. p. 108? C. B. pin. p. 326? Laet. p. 639? An Gengevo. Fernan. Colon. fol. 124? Latere montis *Diablo* dicti septentrionali cum priori nascitur.

Cardamomum minus pseudo-asphodeli foliis. Loco *Guanaboa* dicto (si bene memini) collegi.

Aron maximum Ægyptiacum quod vulgo Colocasia. C.B. pin. p. 195. Arum Ægyptium. Dod. p. 328. Math. ed. B. p. 339.

339. Col. min. cogn. ſtirp. part. alt. p. 1. Cam. hort. p. 22. Icon. Lob. p. 597. Aron Ægyptium. Geſn. hort. Germ. fol. 248. Faba Ægyptia. ejuſd. fol. 288. Colocaſia. Cluſ. rar. pl. hiſt. p. 75. Turner. Lon. tom. 2. fol. 15. J. B. tom. 2. lib. 19. p. 790. *of* Rawolfe. lib. 1. cap. 2. 6 & 7. Colocaſſe de Belon. Aron magnum vulgo Colocaſia vocatum. Cæſalp. p. 227. Fava Egittia. Ang. p. 99. Aro d'Egitto. Caſt. Durant. p. 47. Calocaſia faba & lotus Ægyptiaca Bellonii. Eyſt. Arum Ægyptiacum Munt. pl. cult. p. 275. Arum Ægyptium rotunda & longa radice vulgo colocaſia dicta. Park. p. 374. Colocaſia ſive Ægyptia faba. Adv. p. 259. Colocaſia, faba Ægyptia, Culcas. Chabr. p. 259. Arum Ægyptiacum. Ger. emac. p 834. Colocaſia cum bulbis di Fra Valerio di S. Gioſeppe. Zan p. 25. Culcas faba Ægyptia. Alp. de plant. Ægypt. Culcas vel colocaſia Ægyptia. Veſling. Colocaſſia Strogylorhiza, id eſt, rotundæ radicis. Alp. exotic. An colocaſſia macroriza id eſt, longæ radicis. ejuſd. ib. Culcas Bod. à Stapel Nott. in Theophr. p. 443. Colocaſia Cluſij. Arum Ægyptium Math. Lugd. p. 458. & 1598. Colocaſſia Bont. p. 144. Colocaſſiæ ſive fabæ Ægyptiæ ſpecies, Arum Ægyptium Dod. & Recentiorum. obſ. Lob. p. 325. An Tockwhoughe. *of* Smith Virginia. p. 26. & 86? An Taya-ouaſſou Abbeville Laet. p 615? *Tayas.* Ad rivulos Inſulæ Jamaicæ frequenter & paſſim oritur.

Arum minus, nympheæ foliis eſculentum. Braſſica Braſiliana foliis nympheæ C. B. pin. p. 111. Maniere de chou reſemblans preſque ces herbes que l on appelle Nenuphar. Thevet. p. 115. Cajou-a de Lery. p. 203. Braſſica folio nympheæ, Cajou-a. J. B. tom. 2. lib. 21. p 835. Chabr. p. 272. Tajaoba *of ane Anonymus Portugal of Braſile.* Purchas lib. 7. cap. 1. p. 1310. Jo. de Laet. lib. 15. cap. 10. Tajaoba 1ª. Piſ. (ed. 1648.) p. 95. (ed. 1658.) p. 236. Marcgr. p. 35. Choux Caraibes. Du Tertre. p. 98. Cauche. p. 166. Arum Ceylonicum minus cauliculis nigricantibus & viridantibus foliis Colocaſiæ ſimilis. Comm. cat. Amſt. p. 37. An Yahutia de Oviedo Coron. lib. 7. cap. 6? An *Beets which they* (*of* Florida) *ſod with water, and fed on. Anonymus Portugal of* Elvas. p. 29. Purchas. p. 1532. *Indian Caile, or Tajas the leſſer.* In agris ubique diligenterexcultum provenit.

Arum

Arum minus esculentum, sagittariæ foliis viridi-nigricantibus. Arum minus sagittariæ foliis ex Insula Barbados. Plukenet. phyt. tab. 149. fig. 2. Tajaoba altera mangara peuna. Pis. (ed. 1648.) p. 95. Tajaoba 2ª. Marcgr. p. 35. Pis. (ed. 1658.) p. 236. Choux Caraibes. Du Tertre. p. 98. An Arum minus Zeylanicum sagittariæ foliis. Par. Bat. pr? An Arum montanum. Alp. exot. p. 335? cum priori.

Arum saxatile majus, foliis rotundioribus, fructu purpureo. Reperitur in sylvis umbrosis saxosis prope *Guanaboa*, nec non ad ripas fluvii *Hope River* dicti in *Liguanée*.

Arum caule geniculato, cannæ Indicæ foliis, summis labris degustantes mutos reddens Cannæ ad ripas fluminis Caurwo sacchari cannis similes, venenosæ & linguam supra modum inflantes & loquendi facultatem impedientes. Laet. p. 646. Arbor venenata 7ª. in Insulis Cannibalium, &c. Jonst. dendrolog. p. 457. Arum caulescens cannæ Indicæ foliis Plumier. p. 41. fig. 61. & 51. lit. h. An Aninga iba. Marcgr. p. 106? An Aninga 2ª. Pis. p. 220? *The poisoned Cane of* Ligon. p. 69. *The dumb Cane*. Locis humidioribus Insulæ Jamaicæ ubique reperitur.

Arum maximum altissimas scandens arbores, foliis nymphææ laciniatis. An plante, dont les fueilles servent pour envelopper les cuisses & les jambes des hydropiques Du Tertre. p. 97? Colocasia hederacea sterilis & laciniata. Plumier p. 38. fig. 51. & 53. In sylvis majoribus Insularum Caribearum & Jamaicæ frequenter occurrit.

Arum maximum scandens geniculatum & trifoliatum, foliis ad basin auriculatis. An Hiuca sive Mizmaitl. Hernandez. p. 378? Arum hederaceum triphyllum & auritum. Plumier. p. 41. fig. 58. & 51. lit. e. cum priori.

Arum saxatile, repens, minus, geniculatum & trifoliatum. Secus viam quâ versus 16 *mile walk* itur, in sylvis saxosis & umbrosis reperitur,

Colocasia hederacea sterilis latifolia. Plumier. p. 37. fig. 51. lit. a. & fig. 52. In sylvis Insulæ *Nieves* reperitur.

Colocasia hederacea sterilis minor folio cordato. Plumier. p. 39. fig. 51. d. & fig. 55. In sylvis umbrosis Insularum Caribearum & Jamaicæ frequens est.

Herbæ

Herbæ Verticillatæ.

SAlvia major folio glauco ſerrato. In Inſula Madera prope urbem *Funchall* collegi.

Teucroides ſiliculoſum foliis laurinis, floribus galeatis & labiatis. In Inſula *Barbados* invenitur.

Pulegium fruticoſum erectum verticillis denſiſſimis. Scabioſa Jamaicenſis hyſſopifolia ſeu globularia capitulis ad genicula foliis plurimis ſtellatim ambientibus verticillata forte Tzicatzon tecomatl ſeu caput formicæ Hernandez. Pluken. tab. 58. fig. 6. Circa urbem *St. Jago de la Vega* in pratis frequentiſſimum & ubique obvium eſt.

Pulegium longiſſimis latiſſimiſque foliis. In Caribearum Inſularum una hanc plantam collegi.

Mentaſtrum maximum, flore cœruleo, nardi odore. Erva Cidreira. Luſitanis Marcgr. p. 32. Meliſſæ ſpecies agreſtis. Piſ. (ed. 1658.) p. 242 An Huitxiqua. Hernandez? Xim? An Spignard, *whereof a precious Oil may be made, of* Wilſon. Purchas lib. 6. cap 5. p. 1264? *Indian Spicknard.* In pratis circa urbem *St. Jago de la Vega*, & arenoſis maritimis prope *Old Harbour* copioſum eſt.

Verbena folio ſubrotundo ſerrato flore cœruleo. Verbena ſcutellariæ ſeu Caſſidæ folio diſpermos Americana, an Verbena Indica Bontij. Plukenet. tab. 70. fig. 1. An Verbena Monard? vel Verbena Peruana quæ Hiſpanicæ ſimilis ex Monardi Lugdunenſis refert. C. B. pin. p. 269? An Verbena Peruana perpetuo virens. J. B. tom. 3. lib. 30. p. 444? Chabr. p. 479? An Verbena Peruana. Park. p. 674? An Verbena Indica. Bont. p. 150? An Verbena caudata Americana flore pallido cœruleo. Munt. p. 542? *Vervaine.* Ad viarum margines, in pratis, *&c.* copioſiſſimè creſcit in Jamaica, & Inſulis Caribeis.

Verbena minima Chamædryos folio. Ad ripas fluvij *Cobre* dicti infra urbem *St. Jago de la Vega* reperitur.

Verbenæ aut ſcorodoniæ affinis anomala flore albido, calice aſpero, allij odore. *Guiney hen weed.* In ſylvis umbroſis oritur.

Origanum

Origanum spicis latioribus. In Insula Madera sponte proveniebat prope urbem *Funchall.*

Ocimum rubrum medium. An Basill *of Anonymus Portugal* Purchas lib. 7. cap. 1. p. 1382? In locis humidioribus pratorum Jamaicæ Insulæ ubique reperitur.

Hormino affinis foliis angustis glabris. Inveni in Insulæ Jamaicæ partibus septentrionalibus.

Nepeta maxima flore albo spica habitiori. In sepibus circa urbem *St. Jago de la Vega* reperitur.

Prunella elatior flore albo. In monte saxoso prope domum Dom. *Bourden* ultra Locum *Guanaboa* dictum inveni.

Prunella flore dilute cœruleo pentapetaloideo. In sylvis umbrosis humidioribus oritur.

Sideritis spicata, scrophulariæ folio, flore albo, spicis brevibus habitioribus rotundis, pediculis insidentibus. *Wild Hopps.* Ad ripas torrentis prope *the Red Hills*, viâ quâ *Guanaboa* itur, in Guanaboa prope templum, & alibi in Insula Jamaica observavi.

Hedera terrestris. Cæsalp. p. 453. Math. ed. B. 467. Lac. p. 455. Icon. Roeslin. fol. 10. bot. Francof. p. 87. Ambros. h. p. 31. Ger. emac. p. 856. Raij hist. p. 567. Dorst. p. 144. Dod. p. 394. Tab. tom. 2. p. 595. Hedera terrestris major. ejusd. ib. Hedera terrestris vulgaris. C. B. pin. p. 306. Hedera terrestris Malacociſſos. Math. Lugd. p. 1311. Malacociſſos ex pictura Dod. ejusd. ib. Hedera terrestris Math. Pon. p. 331. Hedera terrestris herbariis communiter appellata. Thal. p. 57. Chamæclema. Cord. hist. fol. 161. Hedera terrestre. Cast. Dur. p. 221. Humilis hedera, hederula sive Chamæciſſus. Adv. p. 268. Chamæciſſus. Lon. fol. 205. Chamæciſſos. Fuchs. p. 877. Chamæciſſos seu hedera terrestris. Trag. p. 799. Chamæciſſus sive hedera terrestris. J. B. tom. 3. app. p. 855. Chabr. p. 649. Elatina, hedera terrestris. Herm. com. Neven. Brunfels. tom. 2. p. 124. Humilis hedera sive chamæciſſus corona terræ, terrestris hedera Lob. obs. p. 336. Icon. p. 613. hedera terrestris major & minor. Schwenckf. p. 101. Chamæciſſus vulgaris sive hedera terrestris Cam. hort. p. 38. Hedera terrestris vel corona terræ Munt. pl. cult. p. 442. Hedera terrestris vulgaris & minor. Park p. 676. In Insula Madera prope urbem Funchall collegi.

Lyſimachia cœrulea galericulata foliis, anguſtis, longis ſerratis, fœtidis. An Marrubium Marcgr. p. 16? an Marrubium Americanum. Piſ. p. 227? Locis ubi aquæ ſtagnarunt, prope urbem *St. Jago de la Vega* oritur.

Scorodonia floribus ſpicatis purpuraſcentibus pentapetaloideis ſemine unico majori echinato. Loco *Guanaboa* dicto in agris ſterilioribus ſaxoſis provenit.

Scordium maritimum fruticoſum procumbens, flore cœruleo. In arenoſis maritimis prope locum *Old Harbour* dictum reperitur.

Herbæ flore papilionaceo ſeu leguminoſæ.

PHaſeolus maximus perennis, ſemine compreſſo lato, nigris maculis notato. Phaſeolus peregrinus primus & primi genus alterum quoad Icon. Cluſ. rar. pl. hiſt. p. 222, & 223. Phaſeolus peregrinus hortenſi affinis ſemine lato albo multis nigris venis ſtriato. C. B. pin. p. 340 Phaſeolus lato ſtriato ſive radiato ſemine. J. B. tom. 2. lib. 17. p. 267. Chabr. p. 140. Feves de ſet' ans? Rochef. p. 129. *Seven Years Peaſe of* Hughes p. 20. An Fabæ Braſilianæ. C. B. p. 339? An Commandaouaſſou. Lery. p. 206? Abbeville. p. 229? Laet. p. 614? An Febves blanches fort plattes larges & longues. Thevet. f. 114, & 153? An Fabæ plane candidæ & planæ noſtratibus longiores & latiores Jo. de Laet. lib. 15. cap. 11? An Feves longues, plates, blanches, de couleur des chataignes & de couleur tannée avec des lignes noires de Moriſot. Baro. p. 265? An ſmilaces Indicæ unciali longitudine, aliæ purpureæ, aliæ roſeæ, aliæ candidæ, aliæ in purpura cœruleæ. Cord. obſ. fol. 223? An phaſeolus novi orbis latus totus candidus ſmilaci hortenſi affinis. J. B. tom. 2. lib. 17. p. 268? Chabr. p. 137? An phaſeolus Braſilianus. 1. Tab. tom. 2. p. 206? Ger. emac. p. 1215? An phaſeolus magnus latus albus. ej. ib? Park 1057? Icon. Lob. p. 60? An faba quædam latiſſima & candida compreſſæ rotunditatis. Adv. p. 395? An phaſeoli genus è Braſilia novi orbis provincia advectum Cluſ. Nott. in Monard. de faba purgatrice. An Okindiger. Hariot. Hakl. p. 270? Ind. Occid. part. 1. p. 14? *The great Bean.* In hortis & agris ſeruntur & multos annos durant.

Pha-

Phaseolus perennis angustifolius flore luteo, semine lato compresso, minore, rubro, maculis nigris notato. Phaseolus peregrinus sextus angustifolius. Clus. rar. plant. hist. lib. 6. p. 255. Park. 1057. Raij. p. 886. Phaseolus peregrinus. Dod. p. 519. Phaseolus peregrinus angustifolius an idem cum similace hortensi minore. C. B. pin. p 340. Phaseolus peregrinus angustifolius. Ger. emac. p. 1213. Phaseolus vulgari minor & planior subrubro colore foliis angustis. J. B. tom 2. lib. 17. p. 270. Chabr. p. 138. An phaseolus Sirinamensis trifoliatus fructu striato minore coccineo colore macula nigra notato. Comm. cat. Amst. p. 275? An Feves rouges delavees de couleur de chair. Morisot. in Baro. p. 265? An fave rosse simili à sagivoli Fernan. Colon. f. 202? An fava larga bassa & rossa d'un vivo colore di Cadamosto. Ramnus p. 111? *The small red-spotted Bean.* Cum priori.

Phaseolus peregrinus octavus seu angustisolius alter, fructu ex albo & nigro vario. C. B. pin. p. 340. Phaseolus peregrinus septimus. Clus. rar pl. hist. p. 225. Park. p. 1057. Raij. p. 886. Cum præcedentibus.

Phaseolus major perennis, floribus spicatis, siliqua breviori rotundiore, semine albo sphærico. Phaseolus peregrinus secundus Clus. rar. pl. hist. lib. 6. p. 223. Park p. 1056. Phaseolus peregrinus tertius seu hortensi affinis fructu tumidiore minore niveo. C. B. pin. p. 340. Phaseoli tumidi minores nivei. J. B. tom. 2. lib. 17. p. 259. Chabr. p. 137. Raij hist. p. 885. Phaseoli parvi pallido albi ex America delati. Lob. Icon. p. 60. Ger. emac. p. 1215. J. B. tom. 2. lib. 17. p. 260. Phaseolus peregrinus fructu tumidiore minore niveo & versicolore. Morif. hist. pl. part. 2. p. 69. An Commanda-miri de Lery p. 206? Abbeville 229? Jo. de Laet. lib. 15. cap. 11? An phaseolus minimus fructo albo ovato Ambrosin. h. p. 49? An phaseolus Turcicus fructu albo minore. Munt. pl. cult. p. 565? An Feves & phaseoles de Rochef. p. 129. *Jamaica Pease.* Cum prioribus reperitur.

Phaseolus maximus perennis, floribus spicatis albis speciosis, siliquis brevibus latis, semen album hilo albido fere circumdante. Bonavist *of* Ligon p. 22, 24, & 28. Bonivist *of* Hughes. An fave bianche di Aluise Cadamosto. Ramnus. p. 111? An premiere sorte des poix D'Angole. Du Tertre. p. 86? *White bonavist.* In hortis ad sepes plantatur.

Phaseolus maximus perennis, floribus spicatis albis speciosis, siliquis brevibus latis, semen ruffum hilo albido fere circumdante. *Red bonaviſt.* Cum priori, sed rarius.

Phaseolus maximus, siliquâ ensiformi nervis insignitâ & semine albo, membranulâ incluso. Phaseolus Brasilianus Clus. exot. lib. 2. cap. 12. p. 69. Park. p. 1507. Phaseolus Brasilianus spadicei coloris & circa hilum fusci candicantis C. B. pin. p. 342. An phaseoli parvi ex America delati. obs. Lob. p. 513? Icon. p. 60. tom. 2? Lugd. p. 1906? Ger. emac. p. 1215? J. B. tom. 2. lib. 17. p. 260? Chabr. 137? An phaseoli parvi ex America. Park. 1057? An phaseolus Brasilianus minor. C. B. pin. p. 342? An fave bianche simili à fagivoli. Fern. Colon. fol. 202? An Bara-mareca. Hort. Mal. part. 8. p. 85? *Horſe Beans.* In hortis Insulæ Jamaicæ frequenter seritur; circa urbem *St. Jago de la Vega* sponte etiam provenire observavi.

Phaseolus maximus perennis, folio decomposito, lobo maximo contorto. Perim-kaku-valli. Hort. Mal. part. 8. p. 59. Lienes qui portent les chataignes de mer. Rochef. p. 126. Phaseolus alatus Indicus fructu fusco orbiculato maximo lobis latissimis & longissimis. Herm. par. Bat. pr. p. 365. *Cocoons.* Reperitur loco *the Thickets* dicto ultra montem *Diablo* viâ quâ versus *St. Anns* itur, prato *Moneque Savanna* dicto, in montibus inter *Guanaboa & Mountaine River Plantations*, & aliis sylvis mediterraneis Insulæ Jamaicæ.

Phaseolus Brasilianus fruteſcens lobis villosis pungentibus maximus. Herm. Par. Bat. pr. p. 363. Phaseolus Nigritarum primus Clus. Exot. lib. 2. cap. 11. p. 68. Phaseolus Brasilianus (Macouna Brasilianis vocatus.) ejusd. Not. in Monard. p. 336. Phaseolus Brasilianus Clusij. Lugd. p. 1905. Lob. Icon. p. 61. obs. p. 512. Cam. h. p. 124. Ger. emac. p. 1214. Phaseolus Brasilianus tertius Tab. tom. 2. p. 206. Phaseolus Americanus vel Brasilianus primus sive foliis molli lanugine obsitis, fructu magno. C. B. pin. p. 341. Phaseolus Guinensis secundus seu lobo cortice nigro tecto & in cuspidem longam & acuminatam desinente ejusd. ib. Macouna Jo. de Laet. lib. 15. cap. 11. Phaseolus Brasilianus multis spadiceus magnus cum magno hilo nigro plurimum ambiente. J. B. tom. 2. lib. 17. p. 271. Chabr. p. 138. Phaseolus nigritarum colore fusco. J. B. tom. 2. lib. 17. p. 272. Chabr. p. 138. Mucuna Brasilienſibus Marcgr. p. 18. Pis. (ed. 1658.) p. 307. Pois à fair gratter du Terre.

tre. p. 88. descr. Kakuvalli Hort. Mal part. 8. p. 63. seu phaseolus Indicus siliqua majore pungente. Commelin. ib. Phaseolus siliquis latis hispidis & rugosis. Plumier. p. 9. fig. 107. Phaseolus Americanus frutescens, foliis glabris lobis pluribus villosis pungentibus fructu orbiculari plano, hilo nigro tanquam annulo totum fere ambiente. Plukenet. tab. 213. fig. 2. Feve d'Inde Molinet. p. 212. An lobus cartilagineus ex Insula S. Mauritii Clus. lib. 3. cap. 10. p. 67? Vel an lobus peregrinus cartilagineus ejusd. ib. cap. 9. p. 66? An lobus cortice cartilagineo rugoso fusco duplici crista sinuosa donatus. C. B. pin. p. 404? Jonst. p. 394? An lobus cartilagineus ex Insula Mauritii phaseolo sive faba nigra. J. B. tom. 2. lib. 17. p. 272? An phaseoli Brasiliani magni varietas cinerea aut ex cinereo nigricans. ejusd. ib? An lobus peregrinus cartilagineus phaseolo ex puniceo nigro tanquam annulo cincto. J. B. tom. 2. lib. 17. p. 273? Chabr. 138? An phaseolus Indicus siliqua cartilagineo rugoso fusco duplici crista sinuosa donatus. Comm. hort. Amst. p. 276? An feves plus grosses noirastres ayants les escosses convertes d'un certain coton roussatre. Moreau. ap. Morisot in Roulox Bar. p. 266? *Horse-eye Bean.* In sepibus circa *Col.* Cope's *Plantation* loco *Guanaboa* dicto, & ad ripas fluvii *Cobre* vocati secus viam quâ ab urbe *St. Jago* de la Vega versus Trajectum tenditur.

Phaseolus utriusque Indiæ lobis villosis pungentibus minor. Herm. par. Bat. prod. p. 364. Phaseolus siliqua hirsuta. Park p. 1056. Pois à faire gratter. Du Tertre. p. 88. non descr. phaseolus Zurattensis siliqua hirsuta pungente. Mor. hist pl. part. 2. p. 69. Nai-corana. Hort. Mal. part. 8. p. 61. Phaseolus Americanus foliis lanugine obsitis molli siliquis plurimis hirsutis pungentibus semine fusco punctato. Pluken. tab. 214. fig. 1. *An poisoned Weed of* Smith's *Summer Isles.* p. 170? An herba venenata in Insula Bermudez. Jo. de Laet. lib. 1. cap. 19? *Cowhage.* In Insula Barbados collegi.

Phaseolus maritimus rotundifolius, flore purpureo, siliqua brevi cristata, semine fusco striato. Phaseolus maritimus Indicus perennis trifoliatus subrotundus siliqua longa faba fusca oblonga. Comm. cat. Amst. p. 276. Phaseolus Brasilicus Ferrar. fl. cult. p. 381. An phaseolus Indicus maritimus perennis foliis crassis subrotundis minor. Herm par. Bat. pr. p. 364? An phaseolus maritimus purgans radice vivaci foliis crassis subrotundis Bisnagaricus. Pluk. tab. 51. fig. 2?

An

An Katu paeru Hort. Mal. part. 8. p. 79? ſeu phaſeolus Indicus trifoliatus ſylveſtris flore purpuraſcente fructu majore. Comm. ib? Une ſorte de pois ou faſeole qui rampe dans les ſables du bord de la mer. Du Tertre. p. 87. *A kind of Peaſe growing by the Sea-ſide in San Sebaſtians Iſle in Braſile which poiſoned thoſe eating them.* Knivet Purchas lib. 6. ſect. 2. cap. 7. p. 1206. An *a kind of Woodbind by the Sea*, &c. *the which worketh excellently in the nature of a Purge*, &c. *Smith of Summer Iſles*, p. 170? *The Sea bean.* In arenoſis maritimis Jamaicæ & Caribearum Inſularum ubique provenit.

Lobus oblongus aromaticus. Cluſ. exot lib. 3. cap. 18. p. 72. Lobus aromaticus ſubfuſcus terebinthi corniculis ſimilis. C. B. pin. p. 404. Jonſt. dendr. p 394. Siliqua thymiamatis odore Cherleri ejuſd. p. 395. Tlilxochitl. Laet. p. 230. Herba Mexicanis Tlilxochitl dicta. Piſ. mantiſſ. aromat. p. 200. Lobus oblongus aromaticus odore fere belzuini J. B. tom. 1. lib. 12. p 438. Siliqua thymiamatis odore ejuſd. ib. *Vaynillas of Hughes.* p 130. Banillas. ejuſd. p. 157. In mediterraneis umbroſis ſylvis Inſulæ Jamaicæ nec non circa *aguam altam* ſponte creſcere ſæpius audivi.

Phaſeolus glycyrrhizites folio alato piſo coccineo atra macula notato. Piſa floridiſſimo rubro colore, una macula excepta ex novo orbe nuper allata. Geſn. Hort. Germ. fol. 272. Coccineum Americanum piſum an orobi ſpecies. Lob. obſ. p. 516. Icon. tom. 2. p. 67. Phaſeolus Indicus, vulgo falſo pœonia Indica vocata Cam Hort. p. 124. Piſum Americum Lugd. p 450. Phaſeolus ex Jemen. Bell. epiſt. ad Cluſ. p. 313. Piſum Indicum ſecundum ſeu minus coccineum C. B. pin. p. 343. Abrus. Alp. Veſling. Vicia Africana Cluſ. exot. lib. 4. cap. 15. p. 86. Munt. p. 645. Piſum Americanum coccineum aliis Abrus & idem nigrum. J. B. tom. 2. lib. 17. p. 263. Arachus Indicus ſive Africanus. Park p. 1071. Raij hiſt. p. 889. Phaſeolus Indicus minor ſemine coccineo nigra macula notato. Moriſ. hiſt. pl. part. 2. p. 72. Fabarum genus quod Ægyptiis Abrus. Ind. or. part. 2. cap. 4. p. 15. Conduri part. 3. Ind. or. cap. 29. p. 80. Piſum virulentum Chineſe C. B. pin. p. 343. Cicer coccineum nigra macula notatum. Moriſ. hiſt. pl. part. 2. p. 72. Phaſeolus ſecundus Indicus ruber qui abrus Proſp. Alpino dicitur Piſ. in Bont. p. 136. Bois de coral. Rochef. p. 110. Piſum Americanum coccineum vel nigrum abrus quibuſdam. Chabr. p. 403. *Guiney Peaſe of Grew.* p. 223.

p. 223. *A Guiney Bean of red colour of Best.* Hakl. p 94. Una ſpecie de arbori che fanno faſuoli roſſi con l'occhio nigro. Cadamoſto. Ramnus. p. 112. nov. orb. p. 28. Faba rubra & nigra pro ponderibus. Ind. or. part. 6. cap. 18. p. 35. Glycyrrhiza Indica ſiliquis & ſeminibus piſi coccineis hilo nigro notatis. Herm. par. Bat. prod. p. 337. Phaſeolus alatus minor Americanus, glycyrrhizæ ſapore ſiliquis orobi ſeminibus nigris hilo coccineo notatis. Pluken. tab. 214. fig. 6. An phaſeolus arboreus alatus volubilis & Maj. Ind. or. fructu coccineo hilo nigro notato. ejuſd. ib. fig. 5? An Konni. Hort. mal. part. 8. p. 71? ſeu phaſeolus alatus major fructu coccineo nigra macula notato. Com. ib? An Cecepatlis Acatlinenſis Glycyrrhizæ æmula Hernand? An An Cacahuitzpatli de Acatlan. Xim? *Wild Liquorice.* In locis campeſtribus verſus littus marinum Inſulæ Jamaicæ copiosè creſcit.

Phaſeolus ſylvaticus flore patulo dilutè purpureo, ſiliqua tenui nigra, ſemine minore maculato. Planta leguminoſa Braſiliana, phaſeoli facie, flore purpureo maximo. Breyn. cent. 1. p. 78. Phaſeolus amplo flore peltato ſiliquis nigris & anguloſis. Plum. p. 94. fig. 108. Phaſeolus ſubhirſutus Americanus exitioſus ſiliquis longis cauliculis inſidentibus. Plukenet. tab. 214. fig. 2. An fœnum græcum phaſeolodes Virginianum flore amplo cœruleo. ſecuridaca trifolia flore patulo cœruleo, radice glycyrrhizæ ſapore. Baniſt. cat. M. S. ejuſd. tab. 90. fig. 1? In ſylvis ſaxoſis prope Mr. *Batchellor's houſe* in Inſula Jamaica reperi.

Phaſeolus ſylveſtris minor, flore minimo, ſiliquis longis, teretibus, alba lanugine hirſutis. Puſſia-paeru. hort. mal. part. 8. p. 67. In ſepibus, loco Guanaboa dicto copiosè & ubique creſcit.

Phaſeolus minor lacteſcens flore purpureo. Viâ quâ verſus Guanaboa itur in ſylvis tam ad dextram quam ſiniſtram reperitur.

Phaſeolus minimus fœtidus floribus ſpicatis è viridi luteis ſemine maculato. Locis arenoſis & ſaxoſis prope urbem *St. Jago de la Vega* reperitur.

Phaſeolus erectus lathyroides flore amplo coccineo. Locis cœnoſis in prato *Town Savanna* dicto inveni.

Phaſeolus erectus major, ſiliqua tereti, ſemine rubro. An Calavanc *or* calavances *of* Hughes, p. 17? An paeru. hort. mal part. 8. p. 75? vel phaſeolus Indicus trifoliatus minor

flore

flore cœruleo fructu minore. Comm. ib? *Jamaica Red Peaſe.* In agris Inſulæ Jamaicæ ubique ſeritur & provenit.

Phaſeolus major erectus, caule purpuraſcente, ſiliquâ tereti ventriosâ longâ. *Surinam Peaſe, or Rouncivals.* cum priori.

Phaſeolus erectus minor, ſiliquâ tereti ventriosâ, pallide flaveſcente, ſemine albo. An pois Anglois ou blancs ou tannees Du Tertre. p. 87? Rochefort. p. 129? An Commanda-miri. Laet. p. 647? Poſt pluvias plantatur ub-ique in agris.

Phaſeolus erectus minor, ſemine ſphærico albido hilo nigro. phaſeolus peregrinus minore fructu albo nigra macula inſignito. C. B. pin. p. 340. phaſeolus peregrinus quartus Cluſ. rar. pl. hiſt. lib. 6. p. 224. Park p. 1057. phaſeolus peregrinus fructu minore albo Ger. emac. p. 1213. phaſeolus niveus minor, circa hilum nigra macula inſignitus. J. B. tom. 2. lib. 17. p. 260. phaſeolus vulgaris Italicus humilis ſeu minor albus cum orbita rubente vel nigricante. J. B. p. 258. Raij hiſt. p. 885. Smilax hortenſis ſive Dolichus ſive phaſeolus tertius ſeu ſmilax ſiliqua ſurſum rigente, vel phaſeolus parvus Italicus. C. B. pin. p. 339. phaſeoli candidi. Math. p. 341. phaſeolus minor fructu albo umbilico macula nigra notato vel fructu renali parvo albo, umbilico circa hilum macula nigra inſignito. Mor. hiſt. p. 69. *An Garvancos of Pretty.* Hakl. part. 3. p. 817? *An Gravances of Pring.* Purchas lib. 5. cap 7. ſect. 2. p. 637, & 638? *An Wickonzowr. of Hariot.* Hakl. p. 270. Piſum quartum ſeu piſa Virginiana. C. B. pin p. 342? *Calavances* Ubique poſt pluvias in agris ſeritur & luxuriat.

Arachidna Indiæ utriuſque tetraphylla. Par. Bat. pr. p. 314. Manobi de Lery. p. 204. J. B. tom. 2. p. 292. Chabr. p. 22. Linſchot. deſcr. Amer. Mandovy. Abbeville. p. 229. Laet. p. 615. Mundubi Braſilienſibus Marcgr. p. 37. Mundubi Amenduinas Luſitanis, Lerio Manobi, Peruvianis teſte Monardo Anchic, Hiſpanis Ibimani. Piſ. Manobi forte Braſilianorum. Park p. 1619. Aracus ἀράχυ Americanus. ejuſd. p. 1069. Raij p. 919. Mani de Oviedo Coron. lib. 7. cap 5. Nieremberg. p. 330. Fructus Mani dictus Jonſton. Dendrolog. p. 125. Fructus Manobi Lerio dictus. ejuſd ib. Fructus ſubterraneus Mani Hiſpanis, Ynchic peruvianis Laet. p. 400. Nux quæpiam Cluſ. rar. plant. hiſt. lib. 4 p. 79. Piſtache Du Tertre. p. 12. *An Peaſe like*

Nuts

Nuts found in Sierra Leona. Ward. Hakl. part. 3. p. 758? *Very good Peason, having Pods growing on the Roots.* Purchas. lib. 7. cap. 3. sect. 7. p. 985? An pois de Malagasses & Tapates qui ont les racines bulbeuses. Cauche p. 169? An sena tetraphylla seu absi congener hirsuta è Maderaspatan flore flavo siliquis punctatis scabris, folliculos sub terra condens. Pluk. tab. 60. fig. 2? An fructus sub terra nascens Monard. Clus. exot. p. 342? Lugd. p. 1876? seu tuberibus similis fructus Indicus. C. B. pin. p. 376? An fructus Peruanus Amygdaloides sub terra nascens J. B. tom. 1. p. 292? Jonst. dendr. p. 126? An Nasturtii Indici putata siliqua Peruviana. J. B. tom. 2. lib. 15. p. 176? An fructus peregrinus 5. Clus. exot. lib. 2. cap. 29. p. 57? seu fructus peregrini duntaxat nucleus. J. B. tom. 1. p. 387? An nux Henden Arabum. ejusd. p. 339? An lobus tertius sive cicer Nigritarum. Clus. Exotic. cap. 16. lib. 3. p. 72? An Ynchic. Ynca Garcilasso de la Vega. lib. 8. cap. 10? An Mandues of Schnirdel. Purchas. lib. 7. cap. 4 p. 1356, 1353, & 1357? *Earth Nuts or Pindalls.* In horto Dom. Harrison loco *Liguanée* dicto serebantur & proveniebant.

Legumen trifolium sub terra fructum edens. Raij hist. pl. p. 919. Mandubi d'Anogla. Marcgr. p. 43. Arachidna phaseolodes Americana. P. B. pr. p. 314. In Caribearum Insularum unâ hanc plantam collegi, sed quâ non memini.

Hedysarum triphyllum fruticosum flore purpureo siliqua varie distorta. Ad semitas in Insula Jamaica copiosè nascitur, in agris cultis.

Hedysarum triphyllum fruticosum minus. In Insula Jamaica inveni.

Hedysarum triphyllum fruticosum supinum, flore purpureo. Herba quæ passim in Brasilia nascitur. An trifolium Americanum spicatum Marcgr. p. 2. Raij hist. p. 928. Caapomonga tertia Pis. (ed. 1658.) p. 201. In sylvis præsertim campestribus ubique crescit.

Hedysarum minus diphyllum, flore luteo. An Nelammari. Hort. Mal. part. 9. p. 161. fig. 82? seu planta bifolia humirepa, ari folio flosculis aureis villosis articulatis. Commel. ibid. An Mallam Tsiulli. Hort. Mal. part. 9. p. 163. tab. 83? Onobrychis Maderaspatana diphyllos siliculis asperis. Plukenet. tab. 102. fig. 1. An Onobrychis Maderaspatana diphyllos minor siliculis hirsutis, ejusd. tab. 246.

fig. 6? Copioſe provenit hæc planta in locis arenoſis aridioribus pratorum circa urbem *St. Jago de la Vega* poſt pluvias.

Hedyſarum caule hirſuto, mimoſæ foliis alatis, pinnis acutis minimis gramineis. An Onobrychis annua Zeylanica, mimoſæ foliis, ſiliquis articulatis aſperis major. Herm. cat. p. 458? Mimoſa non ſpinoſa major Zeylanica Breyn. cent. p. 51? In Inſulæ Jamaicæ Mediterraneis collegi.

Trifolium bituminoſum ſeu trifolium cæruleum aut violaceum bitumen redolens. Moriſ. hiſt. pl. part. 2. p. 136. Trifolium aſphaltion. Geſn. hort. fol. 298. Trifolium bituminoſum ejuſd. ib fol. 287. Cæſalp. p. 242. Ger. em. p. 1187. Raij hiſt. p. 943. Dod. p. 565. Tab. part. 2. p. 233. Schwenckf. p. 342. Cam. hort. p 171. Munt. pl. cult. p. 530. Trifolium. Cord. Nott. in Dioſcorid. p. 58. Trifolium ſimpliciter quod & aſphaltites, id eſt bituminoſum ab odore cognominatur. Geſn. hort. Germ. fol. 285. Trifolium Aſphaltite Math. p. 608. Trifolium Aſphaltæum Adv. p. 380. Trifoglio Bitominoſo. Caſt. Dur. p. 463. Trifolium Aſphaltites rotundis foliis. Lugd. p. 504. Trifolium Aſphaltites longioribus foliis. ejuſd. ib. Trifolium bitumen redolens. C. B. pin. p. 327. Trifolium alphaltæum ſive bituminoſum trifolium odoratum Plinii. Lob. obſ. p. 494. Trifolium bituminoſum aut odoratum Bod à Stapel Nott. in Theoph. p. 457. Trifolium aſphaltites. Pon. p. 328. Lacun. p. 341. Trifolium aſphaltæum ſive bituminoſum. Lob. Icon. tom. 2. p. 30. Trifolium aſphaltites ſive bituminoſum odoratum & non odoratum. J. B. tom. 2. lib. 17. p. 366. Trifolium aſphaltites ſive bituminoſum. Park p. 716. Ambroſ. h. p. 64. Trifolium aſphaltites ſive bituminoſum oxytriphyllon & menianthes dictum. Chabr. p. 160. In Inſula Madera ſponte provenientem collegi.

Quadrifolium erectum flore luteo. In pratis circa locum 2 *Mile Wood* dictum naſcitur.

Loto pentaphyllo ſiliquoſo villoſo ſimilis anonis non ſpinoſa, foliis ciſti inſtar glutinoſis & odoratis. Ononis non ſpinoſa & floribus luteis. Marcgr. p. 3. Raij hiſt. p. 959. Ononidis ſpecies. Piſ. p. 234. In pratorum locis glareoſis in Inſula Jamaica copioſè creſcit.

Anonis

Anonis non spinosa, minor, glabra, procumbens, flore luteo. Ad ripas fluvii *Rio Cobre* dicti prope urbem *St. Jago de la Vega* copiosè & ubique reperitur.

Fumaria quinta seu lutea. C. B. pin. p. 143. Fumaria quæ Split. dicitur. J. B. tom. 3. lib. 26. p. 202. Split. Cæsalp. p. 271. Split, Splith, fumaria Corydalis. Cam. hort. p. 164. Fumaria altera Splith. Munt pl. cult. p. 427. Fumaria lutea Montana Corydalis. Math. p. 1291. Corydalis Galeni Anguillario; seu fumaria tertia Mathioli, Splith vel Montana Corydalis quibusdam an (ut Lobellus inquit) phragmites Ætii. Pon. p. 332. In Insula Madera provenit prope urbem Funchall ubi collegi.

Herbæ flore dipetalo & tripetalo.

STellaria aquatica. Park p. 158. Ger. emac. p. 830. Icon. Lob. p. 792. Raij p. 1323. Millefolium aquaticum 13, sive stellaria aquatica. C. B. pin. p. 141. Fœniculum aquaticum stellatum. Tab. tom. 1. p. 189. Alsine aquis innatans foliis longiusculis. J. B. tom. 3. lib. 38. p. 786. *Water-starwort.* In Insula Jamaica, aquis fluentibus pigrioribus ubique innatans reperitur.

Planta innominata prima Marcgr. p. 8. In agris humidioribus Insulæ Jamaicæ frequenter nascitur.

Plantago aquatica. Fuchs. p. 42. Trag. p. 226. Lonic. f. 142. Schwenckf. p. 160. Dod. p. 606. Cæsalp. p. 552. Math p. 377. Lugd. p. 1057. Thal. p. 86. Turner part. 2. p. 94. Lacun. p. 371. Tab. tom. 2. p. 433. bot. Francof. p. 5. J. B. tom. 3. lib. 38. p. 787. Chabr. p. 567. Raij hist. p. 618. Plantagine aquatica. Cast. Dur. p. 357. Aquatica improprie plantago dicta. Gesn. hort. Germ. f. 273. Limonio. Ang. p. 252. Alisma. Cord. in Dioscor. fol. 60. Bod. à Stapel Nott. in Theoph. p. 500. Barba silvana Dorstein. p. 41. Icon. Roesslin. f. 6. Fistula pastoris. ejusd. f. 124. Aquatica plantago, foliis betæ aut plantaginis flore gallij albi estne limonium aut potius alisma. Adv. p. 126. Aquatica plantago an alisma sive damasonium. Lob. obs. p. 160. plantago aquatica foliis betæ aut plantaginis flore gallij albi ejusd. Icon. p. 400. plantago aquatica latifolia. C. B. pin.

p. 190. Ambroſ. h. p. 50. Munt. pl. p. 570. Plantago aquatica Herbariorum. Pon. Cluſ. p. 325. Plantago aquatica major. Ger. emac. p. 417. Park p. 1244. *Great Water Plantaine.* In aquis ſtagnantibus & fluentibus pigrioribus Inſulæ Jamaicæ frequenter obſervavi.

Sagitta. Caſt. Dur. p. 406. Sagitta ſive ſagittalis Cord. hiſt. pl. f. 86. Plin. lib. 21. cap. 17. Barba Sylvana. Cæſalp. p. 553. Piſtana Magonis ſive Plinij ſagittaria aquatica: An ſtœbe fœmina Adv. p. 126. Sagitta minor. Eorundem. p. 127. Lob. obſ. p. 161. Piſtana Magonis ſive ſagittaria aquatica Plinij. Ejuſd. Icon. pag. 301. Sagittaria minor Ejuſdem ib. pag. 302. Sagitta major & minor. Dod. pag. 588. Math. pag. 797. Tab. tom. 2. p. 442. Sagitta minor anguſtifolia ejuſd. ib. Sagittaria major & minor Schwencf. p. 186. Ger. emac. p. 416 Sagittaria minor latifolia. ejuſd. ib. Sagitta aquatica major. C. B. pin. p. 194. Sagitta aquatica minor latifolia ejuſd. ib. Sagitta aquatica minor anguſtifolia ejuſd. ib. Sagittaria major latifolia. Park p. 1246. Sagittaria minor latifolia ejuſd. ib. Sagittaria minor anguſtifolia ejuſd ib. Gramen bulboſum aquaticum ejuſd. p. 1375. C. B. prod. p. 4. pin. p. 2. Culi-tamara. Hort. Mal. p. 93. Tab. 45. Phleos mas ſive ſtœbe Theophraſti anguſtifolia Lugd. p. 1016. Phleos mas latifolia ſagitta major Math. ejuſd. ib. Sagitta minor. Math. ejuſd. ib. Sagitta, ſagitta minor, & ſagitta minor anguſtifolia. J. B. tom. 3. lib 38. p. 789. Sagitta major latifolia, minor, & minor anguſtifolia. Chabr. p. 567, & 568. Sagitta aquatica major & minor. Munt. pl. cult. p. 594. *Arrowhead.* Cum priori.

Plantaginis aquaticæ folio Anomala, flore tripetalo purpureo ſemine pulverulento. Secus ſemitam quâ ab agris Dom. *Cope* in *Guanaboa* verſus *Mountain River* itur collegi.

Viſcum Caryophylloides maximum flore tripetalo pallide luteo ſemine filamentoſo. *Roots above ground, having great and broad Leaves wherein Water remaineth,* &c. of Schnidler. Purchas lib. 7. cap. 4. p. 1364. Viſcum Peruvianum aliud aloes facie arboribus item innaſcens. Adv. p. 452, & 455. Peruviana alia aloes facie arboribus item innaſcens viſci ritu. Icon. Lob. p. 240. Lugd. p. 1829. Viſcum Peruvianum Lobelij Ger. emac. p. 1350. Planta Peruviana viſco ſimilis Tab. tom. 2. p. 692. Viſci modo arboribus Indicis adnaſcens, C. B. pin. p. 423. Viſcum Indicum aliud.

J. B.

J. B. tom. 1. lib. 6. p. 95. Viscum Peruvianum. Park. p. 1292. Viscum Indicum foliis convolutis tuniceis. Jonst. Dendr. p. 200. *Wild Pine.* Ubique in sylvis, truncis & ramis arborum, præcipue senio confectarum, innascitur.

Viscum Caryophylloides maximum, capitulis in summitate conglomeratis. Truncis arborum grandiorum vetustarum viâ quâ locum 16 *mile walk* dictum itur, innascentem collegi.

Viscum Caryophylloides majus, flore tripetalo cœruleo, semine filamentoso. Ubique in sylvis ramis arborum innascitur.

Viscum Caryophylloides minus foliis pruinæ instar candicantibus, flore tripetalo purpureo semine filamentoso. Cum priori.

Viscum Caryophylloides minus foliorum imis viridibus apicibus subrubicundis, flore tripetalo purpureo semine filamentoso. Brachiis & ramis arborum innascitur viâ quâ *Guanaboa* itur.

Viscum Caryophylloides tenuissimum, è ramulis arborum musci in modum dependens, foliis pruinæ instar candicantibus flore tripetalo, semine filamentoso. Camanbaya-Brasilienſibus Marcgr. p. 46. Cuscuta ramis arborum innascens Caroliniana filamentis lanugine tectis Musæi Courtenian. Plukenet. Tab. 26. fig. 5. An Certe herbe che stanno pendeti à rami degli arbori quali tessono con varie corde di Canapa Salvatica Jo de Verazzano. Ramnus. part. 3. p. 421? Hakl. part. 3. p. 3? An *Mosse, somewhat longer than our Mosse, which they* (the Women of Florida for their Apparel) *sowe together artificially, and make the same Surpless-wise.* Hawkins. ib. p. 517? An espece de Mousse laquelle croit aux arbres de ce pays pour le calage ou calfreutage de Laudonniere. p. 30, 52, 115, & 116? Hakl. 318, 328, & 357? *Ane Old Man's Beard.* E ramis arborum in sylvis campestribus Insulæ Jamaicæ ubique dependet.

Ananas, Christ. Acost. Ger. emaculat. p. 1550. Linschot. Lery. p. 199. Roelf. epist. ad Clusum. p. 316. Cast. Durant. p. 65. Abbeville. p. 227. Pyrard. cap. 1. 24, & 27. p. 11, 236, & 286. part. 2. p. 88. Laet. p. 614. Cauche. p. 161. Morisot. Nott. in Roulox Baro. p. 251. Loubere. p. 105. tom. 2. p. 17. Du Tertre. p. 127. Rochef. p. 118. Breyn. prod. 1. p. 3. Steerbeck. p. 390. Lugd. app. p. 12. Valerio di St. Gioseppe. Zan. p. 24. de Laudonniere, p. 34. Hakl.

p. 319. Turner. Purchas lib. 6. cap 8. p. 1243. *of* Terry. p 97. *of* Mandelslo. p. 148, & 212. Nana de Thevet. sing. fol. 89. Cosmogr p. 936. Americ. part. 3. epist. 1. p. 289. Laet lib 15. cap. 10. Morisot. Nott. in Roulox. Baro. p. 259. *of Anonymus Portugal of Elvas.* Purchas lib. 7. cap 1. p 1110. Fructus squammosus pinus nucamentum aspectu colore forma æmulans. Martyr. Matzatli seu pinea Indica. Hernandez. Nieremb p 335. Pina de las Yndias que los Yndios llaman Matzatli. Xim. Matzatli Jonst. dendr. p. 323. Pinea. Benz. lib. 1. cap. 27. Pinna. Laet. p. 350, 644. Certe frutta que parean pigne verdi come le nostre, ben che assai maggiori & dentro piene di massicia polpa come il melone & di molte piu soave odore & sapore, *&c.* Fernan Colon. f. 94, & 219 Fruit qui mange le fer. Duret. p. 256. Yayama de Oviedo lib. 7. cap. 10. Coron. *Pinas of Sir Walter Rawleigh.* p. 52, & 85. Hakl. p. 647. & 657. Ind. Occid. part. 8. p. 80. *of* Nicol Purchas lib. 6. cap. 13. p. 1255. *of* Hawks. Hakl. part. 3. p. 464. *of Earl of Cumberland.* Purchas vol. 4. p. 1152. *of* Wilson. p. 1264. *of* Rob. Harcourt. ib. p. 1268, & 1275. Pinos *of* Duddeley. Hakl. part. 3. p. 575. *of* Davie. ib. p. 579. *of* Layfield. Purchas lib. 4. p. 1157, 1159, & 1172. *of* Turner. ib. p. 1265. Pine *of* Masham Hakl. part. 3. p 697. *Of the 4th. Voyage to Virginia* ib. p. 282. *of Sir* John Hawkins ib. p. 507. *of* Leigh. Purchas lib. 6. cap. 12. p. 1251. *of* Davies ib. cap. 18. p. 1287. *of* Ligon. p. 11, 14, 22, 33, & 84. *of* Saris. Purchas lib. 4. cap. 1. sect. 1. p 336. *of* Payton ib. cap. 9. sect. 1. p. 489. & cap. 15. sect. 1. p. 529. *of Sir* Thomas Roe ib. cap. 16. sect. 8. p. 568. *Pine Apples of Pretty.* Hakl. part. 3. p. 815. *of* Knivet. Purchas lib. 6. cap. 7. sect. 1. p. 1206. *of Sir* Richard Hawkins. obss. p. 61. *of Smith Summer Isles.* p. 171, & 184. *and in his Obss.* p. 51, 54, & 56. *The Pine Tree of Hughes.* p. 59. Ananazes. Maff. lib. 2. p. 31. *Trees which bear a Fruit which they call Ananes. Anonymus Portugal of Elvas.* p. 9. Purchas p. 1529. Les Pines ou pommes de pin. Jos. Acost. lib. 4. c. 19. fructus. Ananas, Ananasa, Brasilianis Nana, Hispaniolam inhabitantibus Jajama, Hispanis Pinus dictus. Ind. or. part. 6 c. 38. p. 84. Aizoi majoris ortu persimilis exotica planta. Icon. Lob. p. 375. J. B. tom. 3. lib. 25. p. 96. Nana sive Strobylus Peruvianus & Ananas ejusd. ib. p. 94. Pinea Inda Hispanis ejusd. lib. 9. p. 264. Jajama Ovied, Clus, Nana, Ananas Yayama. Chabr.

p. 356.

p. 356. Aizoi aquatici facie exotica planta. Ananas ejusd. p. 357. Anana seu Pina. Park p. 1626. Carduus Brasilianus foliis aloes. C. B. pin. p 384. Mala Guianensia ejusd. p. 433. Nana fructus sive Yayama Lugd. p. 1841. Ananas, aliis Nana, Monardo Pinas dictus. Pis. ed. 1648. p 87. Nana Brasilianis, Ananas Lusitanis ejusd. ed. 1658. p. 194. Nana sive Ananas. Marcgr. p. 33. Strobilus seu Nux pinea. Monard. cap. 63. Kapa-Tsiakka. Hort. Mal. p. 11. p. 1. fig. 1. & 2. Cynara Indica seu Ananas Indis dicta Bont p. 145. Aberas fructus exoticus Brasilianus cardui forsan species. Ambros. Phyt. part. 1. tom. 1. p. 2. An Anana arbor di fra Matteo di S. Gioseppe Zan. p. 17? *An other Pine Apple growing on low Trees, like the Aloe Tree of Anonymus Portugal of Elvas.* p. 9? Purchas p. 1529? *Pine Apple.* In hortis & agris pinguioribus ubique in Insula Jamaica plantatur & luxuriat.

Herbæ flore tetrapetalo.

LEucoium luteum sive Keiri minimum polygalæ facie. In pratis circa urbem *St. Jago de la Vega* locis lutosis frequenter reperitur.

Sinapi foliis subrotundis serratis semine ruffo. *Mustard.* In agris & hortorum sepibus inque terris recens effossis non infrequens est.

Nasturtium aquaticum vulgare. Park pag. 1238. Raij hist. 1 pag. 816. Nasturtium aquaticumsive Cratevæ sium. Dod. p. 591. Ger. emac. p. 257. Lepidum & Seitaragi Jacob. de Manliis. Brunfels. tom. 2. p. 168. Sisimbrium aquaticum, quem vulgo crescionem vocant. Cæsalp. p. 362. Nasturtium aquaticum Trag. p. 81. Schwenckf. p. 143. botan. Francof. p. 100. Munt. pl. cult. p. 466. Dorst. f. 197. Senacion ejusd. f. 266. Nasturtium Icon. Roeslin. f. 32. Cratevæ sion erucæfolium Adv. p. 71. Icon. Lob. 209. obs. p. 105. Math. p. 287. Alterum Sisimbrium Cord. Nott. in Dioscorid. f. 45. Sisimbrium Cardamine Fuchs. p. 723. Lonicer. f. 114. Sisimbrium alterum Dioscoridis, Nasturtium aquaticum aliquibus Gesn. hort. Germ fol. 281. Sisimbrium aquaticum Math. ed. B. p. 380. Sisimbrium cardamine 1. Cressio vulgaris, Math, Lugd. p. 658. Sisimbrium

brium aquaticum 1. Tab. tom. 2. p. 175. Siſimbrii alterius ſeu naſturtii aquatici prima ſpecies. Thal. p. 106. Siſimbrium tertium. Lacun. p. 211. Naſturtium aquaticum ſive Creſcio. Ambroſ. h. p. 44. Naſturtium aquaticum primum ſeu ſupinum. C. B. pin. p. 104. Vella. Ang. p. 180. Siſimbrio, ſio di Crateva Creſcione d'Italia, ſenecion di Serapione ejuſd. p. 114. *Second kind of Siſimbrium, called Cardamine, in Engliſh, Water creſſes.* Turner. part. 2. p. 140. Siſimbrium Cardamine ſive naſturtium aquaticum J. B. tom. 2. lib. 21. p. 884. Chabr. p. 282. Naſturtium aquaticum ſupinum flore albo Moriſ. part. 2. hiſt. pl. p. 223. *Water-creſſes.* In fluviis pigrioribus & lacunis ubique reperitur.

Sinapiſtrum Ægyptium heptaphyllum, flore carneo, majus ſpinoſum. Herm. cat. pl. p. 564. Tareriaya Braſilienſibus an fraxinella ſiliquoſa Marcgr. p. 33. Raij hiſt. p. 859. Pentaphyllum peregrinum ſiliquoſum bivalve majus. Moriſ. hiſt. pl. part. 2. p. 288. Ubique in foſſis & locis ruderatis circa urbem *St. Jago de la Vega* invenitur.

Sinapiſtrum Indicum pentaphyllum flore carneo minus non ſpinoſum. Herm. cat. p. 564. Lupino Arabico O come direi, pentafillo peregrino Pon. Ital p. 102. Lupinus quintus ſeu peregrinus pentaphyllos. C. B. pin. p. 348. Quinquefolium ſiliquoſum. Alp. exot. Lupinus Ægyptius ſylveſtris. Veſling. p. 69. Pentaphyllum ſiliquoſum Syriacum. Munt. pl cult. p. 558. Pentaphyllum ſiliquoſum Arabicum albidum. Park p. 396. Pentaphyllum peregrinum ſiliquoſum bivalve minus. Moriſ. hiſt. pl. part. 2. p. 288. Raij hiſt. p. 859. Cara-Veela. Hort. Mal. part. 9. p. 43. Tab. 24 ſeu pentaphyllum ſiliquoſum Malabarienſe. Commel. ib. In Inſula Jamaica circa locum *Paſſage-fort* dictum copioſè creſcit, nec non in omnibus Inſulis Caribeis paſſim reperitur.

Sinapiſtrum Indicum triphyllum flore carneo non ſpinoſum. Herm. cat. pl. p. 564. Ad ripas fluvij *Cobre* dicti prope urbem *St. Jago de la Vega* provenit & loco *Guanaboa* dicto prope domum Dom. Cope.

Iberis humilior annua Virginiana ramoſior. Moriſ. hiſt. p. 311. Raij p. 827. *Pepper-graſs.* In Jamaica & omnibus Caribeis Inſulis locis ſaxoſis, & glareoſis mediterraneis reperitur.

Eruca 12ª. sive maritima Italica siliqua hastæ Cuspidi simili C.B. pin p 99.prod.p. 40. Morisf. hist. p. 231. Quoddam genus erucæ in maritimis nascens Cæsalp. p. 360. Cakile Serapionis, erucæ folio, napi flore, vulgo eruca marina. Adv. p. 77. Icon. Lob. p. 223. Cakile Ang. p. 227. Cakile Serapionis. Lob. obs. p. 110. Cam. p. 32. Lugd.p 1395. Eruca maritima ejusd. p. 1394. Nasturtium maritimum ejusd. p. 1393. Eruca maritima Italica. Park p. 821. Cakile quibusdam aliis eruca marina & raphanus marinus. J. B. tom. 2. lib. 21. p. 867. Chabr. p 277. Raphanistrum dispermum maritimum Italicum siliqua hastæ cuspidi simili. Herm. cat. pl. p. 520. An eruca marina. Ger. emac. p. 248? Marina Anglica. Park p. 820? Cakile sive eruca marina latifolia. J. B. tom. 2. lib. 21. p. 867? Chabr. p. 277? An eruca maritima siliqua fungosa torosa rotunda foliis crassis latioribus. Morisf. hist. p. 231? vel Raphanistrum siliquosum monospermum Anglicum maritimum foliis crassis latioribus. Herm. cat. pl. p. 520? *Sea rocket.* In Insula parva arenosa *House Cayos* dicta prope urbem *Port-Royal* collegi.

Veronica fruticosa erecta dulcis, hexangulari caule, flore dilute cœruleo. Veronica Americana erecta frutescens & ramosa folio Verbenæ. Herm. Par. Bat. prod. p. 383. Phyteuœdes Americanum flore albo tetrapetalo staminibus referto foliis & ramulis per intervalla ternis. Plukenet. Tab. 215. fig. 1. An Tupeicava sive scoparia. Pis. (ed. 1648.) p. 110. (ed 1658.) p. 246? An herba innominata sive scoparia Marcgr. p. 52? *Wild Liquorice or Sweet-weed.* In prato circa urbem *St. Jago de la Vega* locis sterilioribus ubique nascitur.

Veronica caule hexangulari foliis saturciæ ternis, serratis. In pratis arenosis Jamaicæ Insulæ sponte nascentem observavi.

Papaver spinosum. C. B. prod. p. 92. pin. p. 171. Tab. tom. 2. p. 293. Clus. rar. pl. hist. lib. 5. p. 93. Ambros. h. p. 47. J. B. tom. 3. lib. 30. p. 397. Raij p. 856. Ger. emac. p. 401. Carduus Chrysanthemus Peruanus ejusd. p. 1155. Papavero spinoso di fior Gjallo simile al papavere cornuto da alcuni è chiamato fico dell' inferno, dall effigie del frutto simile à fico spinoso. Imperat. p. 662. Papaver spinosum elegantissimum. C. B. Nott. in Math. p. 748. Papaver spinosum flore luteo simplici. Munt. pl. c. p. 555.

Papaver campestre spinosum. Chabr. p. 459. Chicalotl seu spina, papaver spinosum. Hernandez. Chicalotl seu espina. Xim. papaver spinosum Americanum. Park p. 367. Papaver spinosum luteum foliis albis venis notatis. Mor. hist. pl. part. 2. p. 277. Ubique circa urbem *St. Jago de la Vega* dictam, crescit, & in omnibus Insulis Caribeis secus vias publicas passim reperitur.

Chelidonium majus arboreum foliis quercinis. Cocoxihuitl seu herba acris Hernandez. Cocoxihuitl o yerba mordaz. Xim. In montibus prope domum Dom. *Ellotson* in *Liguanée* & ad viam quâ a loco *Guanaboa* dicto, versus agros Dom. *Bourden* tenditur, inveni.

Tithymalus perennis & procerior lini folio acuto. An Tithymalus linariæ folio lunato flore. Morif. hort. Bloef. p. 313? An Tithymalus Tingitanus linariæ foliis lunato flore. Herm. cat. pl. p. 600? In Insula Madera prope urbem *Fanchal* collegi.

Tithymalus dulcis parietariæ foliis hirsutis floribus ad caulium nodos conglomeratis. Caacica Brasilianis, Erva de Cobra Lusitanis. Marcgr. p. 7. Cajatia aliis Caacica, Lusitanis Erva dos Cobres. Pis. (ed. 1648.) p. 102. Cajatia Caacica sive herba Colubrina ejusd. (ed. 1658.) p. 425, & 311. Mal nommée. Du Tertre. p. 91. Tithymalus Indicus annuus dulcis botryoides geniculatus. Herm. par. Bat. prod. p. 382. Tithymalus botryoides Ceylanicus repens cauliculis villosis Commel. cat. Amst. p. 351. An Teuxochitl. Hernandez? An Beli-Tsira. Hort. Mal. part. 9. p. 165. Tab. 84? In Insulis Caribeis & Jamaica ubique & passim in agris præsertim cultis, observavi.

Tithymalus erectus acris, parietariæ foliis glabris floribus ad caulium nodos conglomeratis. An Caacica Brasilianibus, peplis major flosculis albis. Marcgr. p. 15? An Caacicæ species secunda Pis. (ed. 1658.) p. 246? An Tithymalus Indicus annuus dulcis floribus albis cauliculis Viridantibus Herm. Par. Bat. prod. p. 381? Plukenet. tab. 113. fig. 2? An Tithymalus Indicus annuus dulcis floribus albis cauliculis rubentibus. Herm. par. Bat. prod. p. 382? cum priori.

Peplis fruticosa maritima geniculata. Tithymalus maritimus Barbadensis & Bermudensis seu paralius minor Americanus ramosissimus. Plukenet. tab. 229. fig. 7. In Insula parvâ areno *Gun Cayòs* dictâ non procul ab urbe *Port Royal* crescentem collegi.

Chamæ-

Chamæsyce. C. B. pin. p. 293. Nott. in Math. p. 869. Bod. à Stapel. Nott. in Theophrast. p. 1091. Adv. p. 154. Gesn. hort. Germ. f. 253. Tab. tom. 2. p. 318. Lonicer. tom. 2 fol. 54. Dodon. p. 377. Cæsalp. p. 379. Clus. rar. plant. hist. lib. v. p. 187. Lacun. p. 484. Cam. hort. p. 40. Icon. Lob. p. 363. J. B. tom. 3. lib. 34. p. 667. Park. p. 193. Ambros. h. p. 19. Ger. emac. p. 504. Raij hist. p. 869. *of* Rawolfe. part. 2. p. 3. Chamæsyce Dioscoridis & Plinij. Chabr. p. 533. Chamæsyce Dalechampij. Lugd. p. 1660. In locis aridioribus arenosis circa urbem *St. Jago de la Vega* nihil frequentius reperitur.

Plantago Cæsalp. p. 327. Dorst. f. 227. Plantago major. Gesn. hort. f. 273. Fuchs. p. 38. Lon. f. 142. Tab. tom. 2. 429. Lacun. p. 209. Cord. Nott. in Dioscorid. f. 44 Dod. p. 107. Math. ed. B. p. 375. Schwenckf. p. 159. Cam. h. p. 128. Icon. Roeslin. f. 24. & p. 4. Turner. part. 2. f. 94. Plantago latifolia Ger. emac. p. 419. Plantago latifolia vulgaris. Park. p. 493. Raij hist. p. 876. Lob. obs. p. 162. Munt. pl. c. p. 570. Math. Lugd. p. 1254. Plantago major latifolia Adv. p. 128. Plantagine Cast. Dur. p. 356. Plantagine maggiore largafolia. Ang. p. 114. Centumnervia Jacob. de Manlijs Brunfels. tom. 2. plantago major & rubea, Trag. p. 493. plantago maxima Ambros. h. p. 50. Arnoglossa plantago latifolia lævis. Icon. Lob. p. 303. plantago latifolia sinuata C. B. pin. p. 189. plantago πολυνευρος, major seu rubea Thal. p. 86. plantago major folio glabro non lacunato ut plurimum. J. B. tom. 3. lib. 31. p. 502. Plantago major vulgaris, folio glabro non laciniato. Chabr. p. 467. *Plantine of Davis.* Purchas lib. 3. cap. 1. sect. 4. p. 118. An plantago Indica. Valerio di S. Gioseppe Zan. p. 27? *Plantain.* Viâ quâ ab urbe *St. Jago de la Vega* versus Liguanée itur circa trajectum, & in Jamaicæ Insulæ partibus septentrionalibus, reperi.

Plantago quinquenervia cum globulis albis pilosis. J. B. tom. 3. lib. 31. p. 504. Chabr. p. 498. Raij. p. 878. Plantago angustifolia octava, seu paniculis Lagopi. C. B. prod. p. 98. Pin. p. 189 Park. p. 497. Planta rara plantagini longe similis. Rawolf. Lugd. ap. p. 21. In Insula Madera crescentem collegi.

Aceris fructu herba anomala, flore tetrapetalo albo. In sylvis umbrosis via quâ 16 *mile walk* itur, nec non prope *Hope-river* in *Liguanée* copiosè nascentem observavi.

Clematitis prima ſive ſylveſtris latifolia. C. B. pin. p. 300. Vitalba Dod p. 404 Cæſalp. p. 543. Vitis ſylveſtris. Trag. p. 818. Clematis tertia Math. p. 680. Thal p. 31. Vitis ſylveſtris Dalechampij, Clematis tertia Math. Lugd p. 1408. Pon. p 332. Clematide terza. Caſt. Dur. p. 139. Vitis nigra. Fuchſ p. 97. Lon. f. 210. Turner quoad fig part. 2. p. 167. Clematis altera prima Cord Nott. in Dioſcorid. f. 61. Vitis ſylveſtris Cauſtica. Geſn. hort. f 286. Clematis ſive viorna vulgi Lobelij Eyſt. Clematis ſeu vitis ſylveſtris Schwenckf p. 261. Vitis nigra ſecunda Tab. tom. 2 p. 605. Athragene. Ang. p. 81. Viorna. Icon. Lob. p. 626. Ger. emac. p 885. Viorna vulgi forte vitis ſylveſtris Dioſcor. & Theophraſt. Atragene. Adv. p. 275. Viorna vulgi, vitis nigra Fuchſ. Clematis altera Math. & Cord. Lob. obſ. p. 345. Atragene Theophraſt. Cluſ. rar. pl. hiſt. p. 122. Clematis altera. Lac. p. 380. bot. Francof. p. 163. Clematis ſylveſtris latifolia ſive viorna. Park. p. 380. Clematis latifolia ſive Athragene quibuſdam, integra & dentata J.B tom. 2. lib. 15. p. 125. Raij p. 620. Clematis Athragene Theophraſti Quibuſdam Chabr. p. 116. Clematitis latifolia dentata ejuſd. ib. Clematis Viorna vulgi, vitis alba Atragenes Theophraſti Munt. p. 200. An clematis urens prima Tab. tom. 2. p. 589? An bexugo del Peru Cluſ. Nott. in Monard. p. 340? J. B. tom. 2. lib. 15. p. 151? Clematitis ſecunda ſeu Peruviana. C. B. pin. p. 300? *Travellers Joy.* Secus viam quæ ducit ab urbe *St. Jago de la Vega* verſus *Guanaboa*, & ultra fluvium *Cobre* dictum prope *the Angels*, in ſylvis vicinas arbores ſcandens & operiens reperitur. Numero foliorum ſolum ab Europea differt, quæ in Jamaica ſemper tenua obſervavi, ideoque ſi pro diſtincta planta habeatur per me licebit, quamvis tota facies plantæ eadem cum ſuperiori videatur.

Solanum racemoſum Americanum. Raij. hiſt. p. 662. Plukenet. Tab. 225. fig. 3. Solanum magnum rubrum Virginianum. Park. p. 347. Solanum racemoſum tinctorium Americanum foliis & ſeminibus Amaranthi. Herm. cat pl. p. 574. Solanum racemoſum Indicum Hort. Reg. Pariſ. p. 167. In tractibus Inſulæ Jamaicæ montoſis & frigidioribus utpote in montibus ultra agros Dom. Elletſon Loco *Liguanée* dicto, inque parte ſeptentrionali montis *Diablo* creſcit.

Solanum

Solanum racemosum Americanum minus. Solanum Barbadense racemosum minus tinctorium circeæ foliis mollibus & incanis forte heliotropium Curassavicum Scammonij foliis mollibus subhirsutis. P. B pr. Plukenet. Tab. 112. fig. 2. Amaranthi semine & facie Americana foliis circeæ. Par. Bat. pr. p. 310. Amaranthus baccifer Indicus minor circeæ foliis & facie. Hort. Beaumont. p. 7. An seconde plante gueriſſante le mal des dents. Du Tertre. p. 92? In sylvis Jamaicæ & Caribearum Insularum ubique copiosè oritur.

Ghandiroba, vel Nhandi-roba Brasilienſibus. Marcgr. p. 46 Raij hist. p. 1875. Nhandi roba Pis. (ed 1658) p. 259. Fructus exoticus latus compressus, colore suberis. J. B. tom. 1. p. 342. Fructus orbicularis lævis, suborbicularis compressus, colore suberis. Jonst. dendr. p. 100. An Hederæ foliis Guineensis fruticosa scandens capreolis. Hort. Beaumont. p. 24? An passifloræ affinis hederæ folio Americana, Nhandiroba Brasilienſibus. Pis. Plukenet. Tab. 210. fig. 4? In sepibus prope domum Dom. *Guy* in *Guanaboa*, in sylvis circa *Mountain River Plantations*, & alibi obſervavi. Hujus fruticis fructus fluviorum cursu in mare delatos, & exinde in vicina littora cum aliis maris purgamentis ejectos, sæpe collegi.

Clematis baccifera, glabra & villosa, rotundo & umbilicato folio. Plumier p. 78. fig 93. An Caapeba Brasilienſibus. Marcgr. p. 25? An Caapeba. Pis. (ed. 1648) p. 94? (ed. 1658.) p. 261. & 312? seu convolvulus Brasilianus flore octopetalo monococcos. Raij hist. p. 1333? *Velvet leaf*. Ubique in frutetis circa urbem *St. Jago de la Vega* reperitur.

Lysimachia lutea non papposa erecta major foliis hirsutis, fructu caryophylloide. Camarambaya Brasilienſibus. Marcgr. p. 30. Raij hist. p. 862. Crescit ad ripas humidiores fluvij *Cobre* vocati, inque locis humidioribus Insulæ Jamaicæ.

Lysimachia lutea non papposa erecta foliis glabris fructu caryophylloide. Locis aquosis Insulæ Barbados collegi.

Lysimachia lutea non papposa erecta minor flore luteo pentapetalo fructu caryophylloide. An Nir-carambu Hort. Mal. part. 2. p. 99? In palustribus prope *Black-River-Bridge*, crescentem obſervavi.

Cuscuta inter majorem & minorem media, filamentis longis & [illegible] latissime super arbores vel campos extendens.

dens. An Cuſcuta Americana ſuper arbores ſe diffundens; Cuſcuta trichodes lendiginoſa arboribus innaſcens ex Terra Mariana D. Plukenet. Raij. hiſt. p. 1904? Palis, arboribus, fruticibus, & campis innaſcitur longe lateque Serpens ad ripas fluvij *Cobre* dicti prope urbem *St. Jago de la Vega.*

Herbæ pentapetalæ vaſculiferæ.

CAryophyllus barbatus ſylveſtris annuus latifolius multis capſulis ſimul junctis donatus. Moriſon. hiſt. pl. part. 2. p. 563. Caryophyllus Barbatus & proliferſextus ſeu ſylveſtris prolifer. & Eyſt. C. B. pin. p. 209. Armeria prolifera Icon. Lob. p. 449. Ger. emac. p. 599. Raij. p. 990. Caryophyllus ſylveſtris minimus. Tab. tom. 2. p. 6. Caryophylleæ ſylveſtris, ſeu floris armerij Dodonæi ſylveſtris ſpecies quarta Thal. p. 26. Armerius flos proliflerus. Cam. p. 21. Munt. pl. cult. p. 279. Caryophyllus prolifer. Park. p. 1337. Betonica coronaria ſquamoſa ſylveſtris. J. B. tom. 3. lib. 29. p. 335. Prope urbem Funchal in Inſula Madera ſponte provenientem collegi.

Lychnis hirſuta quarta, ſeu ſylveſtris lanuginoſa minor. C. B. pin. p. 306. Raij hiſt. p. 995. Park. p. 638. Moriſ. hiſt. pl. part. 2. p. 544. Lychnis ſylveſtris minima ſexta. Cluſ. rar. pl. hiſt p. 290. Lugd. p. 819. Lychnis hirſuta minima ſexta. Cluſ. Ger. emac. p. 470. Lychnis ſylveſtris minima. Tab. tom. 2. p. 13. Lychnis ſylveſtris hirſuta minima obſ. Lob. p. 183. ejuſd. Icon. p. 399. Lychnis parva. J. B. tom. 3. lib. 29. p 352. Lychnis ſexta. Cluſ. Munt. pl. cult. p 510. An Lychnis hirſuta minima. Lob. ejuſd. ib? cum priori.

Ciſtus folio oblongo, integro, glabro, ſubtus albido, vaſculis trigonis. In Inſula Madera ad utrumque latus viæ quæ ab urbe *Funchal* in montem ducit copioſum inveni.

Ciſtus urticæ folio flore luteo uaſculis trigonis. Viâ quâ verſus locum *the Angels* dictum itur, nec non in collibus *the Red Hills* dictis, copioſè creſcit.

Chamæcistus urticæ folio, flore luteo. In prato *Town Savanna* dicto post pluvias provenit.

Chamæcistus caule hirsuto, folio oblongo angusto sinuato, flore luteo pediculo insidente. cum priori.

Anagallis cœrulea portulacæ aquaticæ caule & foliis. In maritimis palustribus prope domum Dom. *Delacree* loco *Liguanée* dicto in Insula Jamaica proveniebat.

Alsine Americana nummulariæ foliis. Herm. parad. Bat. prod. p. 306. Plukenet. Tab. 75. fig. 7. Ad ripas humidiores fluvii *Cobre* dicti & in umbrosis humidioribus frequens est.

Alsini affinis, foliis bellidis minoris, caule nudo. In prato *Town Savanna* dicto locis arenosis prope *two mile wood* crescentem collegi.

Portulaca latifolia seu sativa. C. B. pin. p. 288. Morison. hist. pl. part. 2. p. 571. Raij hist. p. 1039. Portulaca. Bod. à Stapel Nott. in Theoph. p. 750. Cord. Nott. in Dioscorid. f. 44. Lac. p. 206. Park. par. p. 499. Schwenckf. p. 326. Portulaca Domestica. Tab p. 159. Lob. obs. p. 210. Icon. Lob. p. 388. Ger. emac. p. 521. Adv. p. 166. Math. p. 372. Portulaga domestica. Cast. Durant. p. 375. Portulaca hortensis. Dorst. p. 233. Fuchs. p. 112. Portulaca sativa Cord. hist. pl. f. 156. Bot. Francof. p. 98. Turner. part. 2. f. 102. Lugd. p. 551. Park. Theat. p. 722. Portulaca major hortensis. Gesn. hort. Germ. f. 274. Portulache sative. Ang. p. 110. Portulaca major. Cam. h. p. 131. Portulaca quæ latiora fert folia, attollitur magis & colitur pro olere Cæsalp. p. 263. Portulaca major sativa. Dod. p. 660. Andrachne, portulaca hortensis. Lonicer. f. 60. Portulaca hortensis sativa. Ambros. h. p. 51. Portulaca hortensis latifolia. J. B. tom. 3. lib. 34. quoad descr. Portulaca major sativa. Munt. pl. cult. p. 441. An portulaca major lutea. ejusd. ib? An Portulaca Æthiopica flore luteo magno. ejusd. ib? Portulaca, Andrachne. Chabr. quoad. descr. p. 536. An gros pourpier. de Cauche. p. 114? *Garden Purslane.* In agris pinguioribus & humidioribus præsertim cultis ubique sponte provenit.

Portulaca angustifolia sive sylvestris. C. B. pin. p. 288. Park. p. 722. Raij hist. 1039. Morif. hist. p. 571. Portulaca sylvestris. Ger. emac. p. 521. Bod. a Stapel Nott. in Theophrast. p. 751. Adv. p. 167. Cord. Nott. in Dioscorid. f. 44. Fuchs. p. 113. Trag. p. 381. Math. ed. B. p. 372. Lugd. p. 551.

p. 551. obſ. Lob p. 210. Icon. p. 388 Bot. Francof. p 98. Portulaca agreſtis. Cord. hiſt. pl. fol. 156. Turner. part. 2. p. 102. Portulaca minor ſylveſtris Geſn. hort Germ. f. 274. Dod p. 660. Portulaca ſponte ſua naſcens. Doiſt. f. 233. Andrachne, portulaca ſylveſtris. Lon. f. 60 Portulaca quæ anguſtiora fert folia, ſylveſtrior eſt & magis humi ſternitur. Cæſalp. p 263. Portulaca arvenſis Tab. p. 160. Portulaca ſalvatica. Caſt. Dur. p. 375. Portulache ſalvatiche. Ang. p. 110. Portulaca minor. Cam. h. p. 131. Portulaca ſylveſtris minor ſive ſpontanea. J B. tom. 3. lib. 34. p 678. Chabr p. 536. Portulaca minor ſylveſtris. Munt. pl. cult. p. 441. Portulaca hortenſis anguſtifolia. Ambroſ. h. p. 51. Kara-Tſjira. Hort. Mal part 10. p. 71. Tab. 36. An portulaca Cur-ſſavica procumbens folio ſubrotundo par. Bat. app? Pourpier de Lery. p. 207. Abbev p. 213. Arſenne. ib. p. 387. Porcellache di Fernan. Colon. f 57. *Purſlané of Lancaſter.* Hakl. part 2. p. 109. *of Anonymus Portugal of Braſile.* Purchas lib. 7. cap. 1. p. 1312. *of Eſcarbot*, Nova Francia. p. 81. *of Sir Richard Hawkins in his obſ. of Smith's Virginia.* p. 26. *of Hughes.* p. 24. *of Ligon.* p. 99. *Wild Purſlane.* In arenoſis & ſterilioribus agris plerumque provenit, aliquando tamen in humidis. Florum *petala* ſunt nonnunquam bifida & numero 6, an vero à præcedente vel Europæa differat dubito.

Portulaca aizoides maritima procumbens flore purpureo. Herba innominata caule portulacæ. Marcgr. p. 39. Caaponga ſecunda Piſ. (ed. 1658.) p. 243. Portulaca Curaſſavica humilior & ſupina flore ſaturatius & elegantius rubente, capſulis in ſummo nonnihil acuminatis. Herm. par. Bat. pr. p. 367. An eadem capſulis in ſummo concavis. ejuſd. ib? An portulaca Americana procumbens, longo lævique folio glauco flore purpureo pulchro Anagallidis. Breyn. prod. 2. p. 86? An Nonochto. Hernandez. p. 392? An *Sampier of Hughes.* p. 24? *Sampier* In arenoſis paluſtribus maritimis prope *paſſage fort, old Harbour*, &c. copiosè & ubique naſcitur.

Portulaca aizoides maritima erecta, cum priori.

Portulaca erecta ſedi minoris facie, capitulo tomentoſo. In locis arenoſis pratorum poſt pluvias reperitur.

Portulacæ facie maritima fruticoſa erecta amaricans. An ſempervivum marinum bacciferum. Marcgr. p 13? In Inſula parva arenoſa *Gun cayos* dicta prope urbem *Port-Royal* provenientem obſervavi.

Por-

Portulacæ affinis folio subrotundo succulento, flore pentapetalo dilute purpureo. *Horse-Purslane.* Post pluvias prope domum Regiam & alibi circa urbem *St. Jago de la Vega* inveni.

Linum scandens flore dilute purpureo, semine triangulari. In frutetis prati *Town Savanna* dicti crescit, sed rarius, copiosè vero reperitur frutices scandens, viâ quâ *Guanaboa* itur ab urbe *St. Jago de la Vega.*

Apocynum erectum fruticosum flore luteo maximo & speciosissimo. *Savanna Flour.* In omnibus pratis campestribus Insulæ Jamaicæ floret elegantissima hæc planta.

Apocynum erectum folio oblongo, flore umbellato, petalis coccineis reflexis. An Apocynum Curassavicum fibrosa radice floribus Aurantiis chamænerii foliis latioribus. Herm. par. Bat. pr. p. 313? Vel an Idem foliis angustioribus. ejusd. ib? Plukenet. Tab 76. fig. 6? An Apocynum erectum minimum angustifolium Americanum flore umbellato aurantio petalis reflexis. Breyn. prod. 2. p. 15? An Apocynum Americanum folio Asclepiadis flore rubro umbellato. Munt. pl. cult. p. 268? An Tepezentli seu spica maizij montani. Hernandez. p. 223? An Tepecen o espiga de Mayz montano. Xim? Planta hæc copiosissime reperitur viâ quâ ab urbe *St. Jago de la Vega* versus *Passage Fort* itur, nec non in fossis & ad sepes circa loca prædicta ubique.

Apocynum fruticosum scandens, genistæ Hispanicæ facie, floribus lacteis odoratis. Ad ripas arenosas fluvii *cobre* nec non ad sepes circa urbem *St. Jago de la Vega* arbores scandens reperitur.

Apocynum scandens majus folio subrotundo. An belutta kaka-kodi. Hort. Mal. part. 9. p. 7. fig. 5, & 6? seu Apocynum Indicum maximum, folio amplo, rotundo, flore candido siliquis longis. Commel. ib? In frutetis prati circa urbem *St. Jago de la Vega*, & alibi in Jamaica & Caribeis Insulis nascitur.

Apocynum fruticosum folio oblongo acuminato floribus racemosis. In Jamaica vel Caribeis Insulis collegi, sed locum non memini.

Apocynum minus scandens, flore albo, singulis petalis, viridi stria notatis. In prato *Town Savanna* dicto frutices scandens invenitur.

Apocyno affine Gelſeminum Indicum hederaceum herbaceum tetraphyllum folio ſubrotundo acuminato. Clematis quadrifolia flore digitalis luteo, claviculis aduncis. Plumier. p. 80. fig. 94. Clematis myrſinites amplioribus foliis Americana forte Tetypoteiba Braſilienſ. ſeu vitis arbuſtina Piſ. p. 250. Plukenet. Tab. 163. fig. 2. An clematis tetraphylla alia pulcherrima ex Guyana. Breyn. prod. 1. p. 30? In Inſula Barbados copioſiſſimè creſcit.

Nummularia minima flore albo. In prato *Town Savanna* dicto, locis ubi aquæ ſtagnarunt poſt tempus pluvioſum copioſè reperitur.

Nummularia ſaxatilis minima repens, foliis crenatis villoſis, floribus albis. Rupes tegens reperitur in montibus propè agros Dom. *Elletſon* in *Liguanée*.

Tribulus terreſtris major flore maximo odorato. Locis aridioribus ſaxoſis glareoſis & ſterilioribus Inſulæ Jamaicæ frequenter reperitur.

Urticæ folio anomala, flore pentapetalo purpureo, fructu pentacocco muricato. In paſcuis circa urbem *St. Jago de la Vega* inveni.

Gratiolæ affinis fruteſcens Americana, foliis agerati ſeu veronicæ erectæ majoris. Breyn. prod. 2. p. 54. Capraria Curaſſavica & Cabritta vulgo. Herm. Par. Bat. pr. p. 319. Lyſimachiæ purpureæ affinis Americana, procumbens anonidis vernæ fruteſcentis folio ſingulari glabro. Plukenet. Tab. 98. fig. 4. *Weſt-India Thea.* In prato circa urbem *St. Jago de la Vega* copioſiſſimè reperitur.

Trifolium acetoſum corniculatum luteum minus repens & etiam procumbens. Moriſ. hiſt. pl. p. 183. Oxys. Cæſalp. p. 564. Oxys lutea. Ger. emac. p. 1202. J. B. tom. 2. lib. 17. p. 388. Chabr. p. 168. Raij hiſt. p. 1098. Oxys flavo flore. Cluſ. rar. pl. hiſt. lib. 6. p. 249. Oxys floribus luteis. Tab. tom 2. p. 237. Oxys lutea Corniculata repens, Oxys lutea Cluſij. Lob. obſ. p. 495. Icon. p. 32. Lugd. p. 1355. Pon. p. 345. Trifolium acetoſum ſecundum ſeu Corniculatum. C. B. pin. p. 330. Schwenckf. p. 343. Oxys flore luteo. Cam. h. p. 114. Oxys ſive trifolium acetoſum flore luteo. Dod. p. 579. Trifolium acetoſum flore luteo. Munt. p. 530. Oxys luteo flore. Park. p. 746. In Inſula Madera ſponte natam collegi.

Umbel-

Umbelliferis affines & Umbelliferæ.

VAlerianella folio subrotundo, flore purpureo, semine oblongo, striato, aspero. An Valerianella Curassavica semine aspero viscoso. Herm. Par. Bat. pr. p. 382? Plukenet. Tab. 113. fig. 7? *Hoggweed.* Locis glareosis in Insula Jamaica ubique abundat hæc herba, porcino generi gratissima.

Valerianella alsines folio scandens, floribus pallide luteis pyxidatis in Umbellæ modum dispositis, semine aspero. Solanum bacciferum Americanum fructu corymboso. Pluk. Tab. 126. fig. 7. Palos & frutices scandens in pratis circa urbem *St. Jago de la Vega* ubique invenitur.

Dentellaria Lychnioides sylvatica scandens flore albo. An Anonyma decima Hernand. p. 353? An Tumba-codiveli. Hort. Mal. part. 9. p. 15. Tab. 8? In sylvis & frutetis campestribus Insulæ Jamaicæ ubique fere reperitur.

Admirabilis Peruana rubro flore. Clus. rar. pl. hist. lib. v. p. 89. Gelseminum sive Jasminum Indicum rubrum. Cam. h. p. 64. Gelseminum rubrum. Cæsalp. p. 154. Jasminum rubrum Dalechampij. Lugd. p. 1433. Solanum Indicum rubrum Schwenckf. p. 339. Mirabilis Peruana flore purpureo. Pis. ed. 1658. p. 208. Tlaquilin, Mirabilis Peruana flore saturate purpureo. Hernandez. p. 279. Jasminum Indicum flore rubro. Eyst. Mirabilis Peruviana purpureo flore. Herm. cat. pl. p. 428. Solanum Mexiocanum flore rubro. Ambros. h. p. 60. Jalappa vera Mirabilis Peruviana flore rubro. Munt. pl. cult. p. 212. Solanifolia tertia sive solanum Mexiocanum flore magno. C. B. pin. p. 168. Tertia Andimalleri floribus purpureo intensissime rubentibus. Hort. Mal. part. 10. p. 149. *The Flour of the Moon.* Ligon. p. 99. An Viola Peruviana. Tab. tom. 2. p. 32? Maraviglia di Spagna. Cast. Dur. p. 290? Admirabilis. Park. par. p. 364? Mirabilia Peruviana. Ger. emac. p. 344? Jasminum Mexicanum sive flos Mexicanus multis. J. B. tom. 2. lib. 19. p. 814? Chabr. p. 268? Magnæ admirationis herba Peruviana. Lob. Icon. p. 262? *The Four a Clock Flour.* In agris Insulæ Jamaicæ

maicæ & ad ſylvarum ſemitas ubi pluviæ crebrius cadunt paſſim abundat.

Agrimonia lappacea inodora, folio ſubrotundo dentato. Lappula Bermudenſis althæoides ſpicata fructu orbiculari majore. Pluk. Tab. 245. fig. 7. An Lappula Bengalenſis tetraſpermos, Ribeſiij folio echinis orbicularibus, ad foliorum exortus plurimis ſimul ſeſſilibus. ejuſd Tab. 41. fig. 5? An frutex innominatus ſecundus Marcgr. p. 80? Creſcit circa urbem *St. Jago de la Vega*, & alibi in Inſula Jamaica copiosè.

Fœniculum vulgare. Ger. emac. p. 1032. Park. p. 884. Par. p. 49. Lugd. p. 649. Mor. Umbell. p. 3. Munt. pl cult. p. 423. Raij hiſt p. 457. Fœniculum ſylveſtre. Park. p. 884. Fœniculum primum ſeu vulgare Germanicum. C. B. pin. p. 147. Fœniculum ſecundum ſeu vulgare Italicum ſemine oblongo guſtu acuto. ejuſd. ib. Fœniculum quintum ſeu ſylveſtre. ejuſd. ib. Finocchio. Caſt. Dur. p. 188. Fœniculum primum ſeu vulgare & tertium, ſeu ſponte Virens in agris Narbonenſium. Adv. p. 347. Fœniculum Fuchſ. p. 501. Dorſt. f. 128 Brunfelſ. p. 21. Trag. p. 447. Dod. p. 297. Math. p. 568. Lac. p. 361. Tab. p. 148. Lob. obſ. p. 448. Botan. Francof. p. 53. Icon. Roeſlin. f. 2. Turner. part. 2. f. 5. Fœniculum commune. Geſn. hort. f. 259. Fœniculum ſativum Lon. f. 233. Fœniculum hortenſe & ſylveſtre. Cæſalp. p. 282. Fœniculum noſtrum vulgare quibuſdam Hippomarathrum. Cam. h. p. 61. Fœniculum vulgatius. Schwenckf. p. 275. Fœniculum vulgare ſativum ſive marathrum. Ambroſ. h. p. 28. Fœniculum vulgare minus acriori & nigriori ſemine. J. B. lib. 27. p. 2. Marathrum ſive fœniculum. Chabr. p. 381. Fœniculum vulgare folio purpuraſcente. Munt. pl. cult. p. 423. Fœniculum foliis atrorubentibus. Sutherland. pag. 122. *Common Fennel.* Copiosè & ubique creſcit in Inſula Madera.

Bupleuron primum ſive folio rigido. C. B. pin. p. 278. Panaces chironium quorumdam Dalech. Lugd. p. 741. Auricula leporis altera ſive rigidior. J. B. tom. 3. lib. 27. p. 200. Bupleurum, Bupreſtis auricula leporis: auricula leporis rigidior. Chabr. p. 409. Bupleurum alterum latifolium. Lob. Icon. p. 456. obſ. p. 244. Dod. p. 633. Lugd. p. 436. Bupleurum latifolium. Tab. tom. 2. p. 574. Park. p. 578. Munt. p. 352. Bupleurum perenne latifolium.

Moriſ.

Morif. Umbell. p. 26. Bupleurum latifolium Monspelienſe. Ger. emac. p. 608. Inter herbas ſiccas in Madera, Jamaica vel una è Caribeis Inſulis collectas, reperio, quânam autem inveni non memini.

Bupleurum tertium minimum. Col. min. cogn. ſtirp. p. 85, & 247. Bupleurum annuum minimum. Col. Morif. Umbell. p. 26. Bupleurum minimum. Park. p. 578. Munt. pl. cult p. 352. Bupleuron tertium ſive anguſtiſſimo folio. C. B. pin. p. 278. Auricula leporis minima. J. B. tom. 3. lib. 27. p. 201. Chabr p. 409. Cum præcedente collegi & inter herbas ſiccas repoſui.

Cotyledon aquatica J. B. tom. 3. lib. 38. p. 781. Lugd. p. 1091. Raij hiſt. p. 1323. Munt. p. 379. Chabr. p 565. quoad deſcr. Ranunculus paluſtris & aquaticus quartus, ſeu cotyledonis folio. C. B pin. p. 180. Morif. p. 442. Cotyledon paluſtris. Dod. p. 132. Ger. emac. p. 529. Park. p. 1214. Aquatica cotyledon acris Septentrionalium Adv. p. 165. Lob. Icon. p. 387. obſ. p. 209. Ranunculus aquaticus umbilicato folio ſeu ranunculus rotundifolius effigie cotyledonis. Col. minus cogn. ſtirp. p. 315. Herba rotundo folio, cui in medio eſt pediculus, aliquibus acetabulum. Cord. Nott. in Dioſcorid. p. 69. Umbilicus Veneris paluſtris. Schwenckf. p. 221. Erva do Capitaon. Marcgr. p. 27. Acaricoba Luſitanis Erva do Capitaon. (Piſ. ed. 1648.) p. 90. (ed. 1658.) p. 259. In paluſtribus Inſulæ Jamaicæ frequenter reperitur, copioſiſſimè vero ad ripas humidiores fluvij *Cobre* Loco *Caymanes* dicto.

Herbæ Aſperifoliæ.

HEliotropium arboreum, maritimum, tomentoſum gnaphalij Americani foliis. Heliotropium gnapholoides littoreum fruticeſcens Americanum ſea Lavender Barbadenſibus dictum. Plukenet. Tab. 193. fig. 5. Ad littora maritima arenoſa Inſulæ Barbados, nec non Jamaicæ copioſum obſervavi.

Helio-

Heliotropium maritimum minus folio glauco flore albo. Heliotropium Curaſſavicum maritimum folio glauco oblongo flore albo. Hort. Beaumont. p. 24. Heliotropium Curaſſavicum lini umbilicati foliis Herm. par. Bat. pr. p. 340. An Heliotropium Americanum cynogloſſi marini folio flore albo. Commel. hort. Amſt. p. 152? *Wild Sampier.* In paluſtribus maritimis prope *the Canoes, Old Harbour* & *Paſſage Fort* ubique oritur.

Heliotropium majus. Geſn. hort. Germ. f. 261. Lonicer. tom. 2. f. 27. Dod. p. 69. Cæſalp. p. 438. Lob. obſ. p. 132. Cluſ. rar. pl. hiſt. p. 46. lib. 4. Math. p. 893. Lugd. p. 1350. Lac. p. 499. Tab. tom. 2. p. 264. Cam. hort. p. 73. Munt. p. 444. Bod. à Stapel Nott. in Theophraſt. p. 890. Ger. emac. p. 334. Park. p. 438. Raij hiſt. p. 501. Heliotropium Turner. part. 2. p. 13. Heliotropium majus & herba cancri Icon. Lob. p. 260. Ambroſ. h. p. 32. Heliopio Magiore. Ang. 302. Caſt. Dur. p. 223. Heliotropium majus, ſolani folio, flore echij adunco, caudato ſcorpionidis. Adv. p. 101. Herbe qui à une treſgrande ſympathie ou amitie ſecrette avec le ſoleil & ſes rayons. Duret. p. 247. Heliotropium primum ſeu majus Dioſcoridi. C. B. pin. p. 253. Rawolfe lib. 1. cap. 4. Heliotropium majus flore albo. J. B. tom. 3. lib. 33. p. 604. Heliotropium herba cancri. Chabr. p. 521. In Inſulæ Maderæ agris hanc plantam ſpontaneam obſervavi.

Heliotropium Americanum cœruleum foliis hormini. Dodart. mem. p. 83. Plukenet. Tab 245. fig. 4. Heliotropium Indicum homini folio. Raij hiſt. p. 501. Heliotropium latifolium annuum. Herm. cat. pl. p. 307. Par. Bat. pr. p. 340. Aguaraciunha-acu ſive fedagoſo. Piſ. (ed. 1648.) p. 109. Jacua-acangæ Braſilianis, Fedagoſo Luſitanis, ſecunda ſpecies Marcgr. p. 7. Aguaraquinha. Piſ. (ed. 1658.) p. 229. Heliotropium Indicum hormini foliis latioribus. Hort. Beaumont. p. 24. An Bena-patſia. Hort. Mal. part. 10. p. 95. Tab. 48? *Wild Clary.* Ubique circa urbem *St. Jago de la Vega* reperitur.

Heliotropium Curaſſavicum hormini foliis anguſtioribus. Hort. Beaumont. p. 24. Jacua-acanga Braſilianis, Fedagoſo Luſitanis. Marcgr. p. 6. Piſ. (ed. 1658.) p. 229. Heliotropium Americanum cœruleum foliis hormini anguſtioribus. Herm. cat. pl. p. 307. Par. Bat. pr. p. 340. In Inſularum Caribearum una hanc plantam inveni, an prioris ſit

ſolum

solum varietas an vero distincta species non ausim determinare.

Heliotropium minus lithospermi foliis. An Echioides parva alba amphibia. Col. min. cogn. stirp. p. 185? Echium decimum seu pumilum album. C. B. pin. p. 254? In pratis circa urbem *St. Jago de la Vega* post pluvias ubique oritur.

Herbæ semine nudo Polyspermæ.

MAlva arborea, folio rotundo, cortice in funes ductili, flore miniato maximo liliaceo. *The Mahot or Mangrove Tree.* In agris humidioribus & pinguioribus mediterraneis prope domum Dom. *Bourden*, alibique in Insula Jamaica crescentem observavi.

Malva arborea maritima folio subrotundo minore acuminato subtus candido, cortice in funes ductili, flore luteo. Yvire semblable à un til. Linschot. descr. Am. de Lery. cap. 14. p. p. 226. Herba & arbor admiranda 13ª. Yvire vocata. C. B. pin. p. 513. Jonst. dendr. p. 470. Mahot du Tertre. p. 152. Rochef. p. 103. *Mangrave Trees, of whose Bark Ropes are made.* Ligon. p. 48. Ficus Indica tiliæ folio subtus albo & villoso polyrhizo, seu filamentis è summis ramis ad terram missis radicosa à Plinio Theophrasto & Strabone descripta. Plukenet. Tab. 178. fig. 3. quoad ramuli figuram. An Mahau & Mahault Espece de tileul. franc de Cauche. p. 16. & 160? An Espece d'arbre qu'on appelle Mahot d'herbe de Raveneau de Lussan. p. 256? An Embeguaca herba. Laet. lib. 15. cap. 10? An Arbor cujus cortices cannabes usum præstant in funes contorti. Ejusd. ib. p. 382? An *the rind of a Tree which ties their* (the Inhabitants of Brasile) *penes in Canes.* Davies Purchas lib. 6. cap. 18. p. 1287? An *the Barks of Trees, of which they* (the Inhabitants of Brasile) *make Nets to lie in.* Knivet. ib. cap. 7. p. 1229? *The Sea Mahot, or Mangrove Tree.* In Insulæ Jamaicæ parte septentrionali prope agros Dom. *Drax* ad littus maritimum copiosè provenientem collegi.

Malva arborea, folio oblongo, acuminato, veluto, dentato & leviter sinuato, flore ex rubro flavescente. An planta innomi-

innominata prima Marcgr. p. 47? vel Althæa prior. Pif. (ed. 1658.) p. 222? Prope domum Dom. *Batchelour*, in montibus ſylvoſis *Red Hills* dictis creſcit

Malva arborea folio oblongo, acuminato, glabro, dentato. In Inſula Jamaica hanc plantam collegi.

Malva vel alcea fruticoſa ribeſij foliis ſeminibus aſperis. An alcea Indiæ orientalis, fructu lappaceo folio ribis. Breyn. prod. 1. p. 2? An Uren. Hort. Mal. part. 10. Tab. 2? ſeu alcea Malabarica folio vitis flore minore roſaceo colore fructu lappaceo ſem. roſtrato. Comm. ib? An Althæa Indica ribeſij foliis. Schol. botan. p. 227? ſeu malva Indica ribeſij folio. Herm. par. Bat. pr. p 350? In Inſula Barbados hanc plantam reperi.

Malva aſpera major aquatica ex hortenſium ſeu roſearum genere flore minore luteo ſemine aculeato. An Altheæ ſpecies Marcgr. p. 13? Raij hiſt. p. 604? altera Pif. (ed. 1658.) p. 222? In aquis ſtagnantibus & locis paluſtribus Jamaicæ & Caribearum Inſularum copiosè reperitur.

Malva minor ſupina betonicæ folio, flore coccineo ſeminibus aſperis. Locis aridioribus, in prato *Town Savanna* dicto, poſt pluvias paſſim reperitur

Malva minor erecta betonicæ folio, flore luteo, ſemine duplici roſtro ſeu aculeo prædito. Katu-uren. Hort. Mal. part. 10. p. 107. Tab. 54. vel althæa Americana betonicæ folio. ib Althæa roſtrata Cormandelienſis pimpinellæ majoris folio ſubrotundo. Plukenet. Tab. 9. fig. 3. Cum priori & in Inſulis Caribeis creſcentem obſervavi

Malva erecta minor, carpini folio, flore luteo ſeminibus ſingulis ſimplici aculeo longiori donatis. Malva annua fruticoſa Pernambucana di fior gjallo Zanoni p. 132. Althæa peregrina ſemine roſtrato flore luteo minimo. Moriſ prælud. p. 229. Alcea Pharnambucana carpini folio floſculis minimis luteis ſemine ſimplici roſtro donato Ejuſd. hiſt. p. 528. Althæa Carpini folio floſculis luteis. Boccon p. 11. Althæa ulmifolia ſemine roſtrato. Hort. Reg. Pariſ. Sch. bot. p. 224. Cum præcedentibus.

Althea flore luteo. An Althæa Indica abutili ſubrotundo folio flore luteo ſpicato, forte Malva Americana abutili folio flore luteo ſpicato foliis incanis. Herm. par. Bat. pr. Plukenet. Tab. 74. fig. 6? Copiosè creſcit in arenoſis aridioribus maritimis prope *Old Harbour*.

Malva

Malva Americana abutili folio flore luteo spicato foliis hirsutioribus & crassioribes. Herm. par. Bat. prod. p. 349. Althæa Americana pumila flore luteo spicato. Breyn. cent. 1. p. 124. Viâ quâ ab urbe *St. Jago de la Vega* versus *Guanaboa* itur tam ad dextram quam sinistram in locis aridioribus montosis copiosè reperitur.

Althæa spicata betonicæ folio villosissimo. In monte *Diablo* dicto, crescentem collegi.

Althæa spicata betonicæ folio villoso, spica breviori & laxiori. In una Caribearum Insularum hanc plantam collegi. In paucis à præcedente differt.

Althæa spicata betonicæ folio glabro, flore luteo, habitiori spicâ. In agris saxosis sterilioribus præsertim cultis abundat.

Abutilon arboreum spicatum, betonicæ folio incano, flore minore purpureo. In sylvis & frutetis campestribus circa urbem *St. Jago de la Vega* reperitur, ubi magnitudine & canitie foliorum variat.

Abutilon fruticosum foliis subrotundis serratis, floribus albis pentapetalis ad alas foliorum conglomeratis. In Jamaica cum priori; invenitur etiam in Insulis Caribeis.

Abutilon herbaceum procumbens, betonicæ folio, flore purpureo. In Insula Jamaica prope domum Dom. *Batchelour* locis glareosis collegi.

Abutilo affinis arbor altheæ folio, cujus fructus est styli apex auctus, quatuor vel quinque siliquis hirsutis funis ad instar in spiram convolutis, constans. An Isora murri. Hort. Mal. part. 6. p. 55? seu Frutex Indicus, fructu è styli apice egresso, sextuplici funiculo in spiram convoluto constante. Raij hist. p. 1765? Helicteres arbor Ind. occid. fructu majore. Plukenet. Tab. 245. fig. 3. An Helicteres arbor Ind. or. siliqua varicosa & funiculi in modum contortuplicata. Ejusd. ib. fig. 2? An Igera-murri. Valerio St. Gioseppe. Zan. p. 26? In sylvosis collibus *Red Hills* dictis ubique reperitur.

Alcea arborea, altheæ folio, florum petalis luteis deorsum reflexis. Prope domum Dom. *Fuller*, in *St. Dorothies* in colle saxoso crescebat.

Alcea fruticosa aquatica, folio cordato scabro, flore pallide luteo. Ad ripam utramque fluvij salsi loco *Cabbage*

Tree bottom dicto, copiosè provenit nec non ad ripam fluvij viâ quâ Lacunam itur sed rariùs.

Alcea populi folio incano integro. An althæa arborescens Americana viburni foliis, fructu quinque capsulari cotniculato. Hort. Beaumont. p. 7? In pratis passim & ubique nascitur.

Alcea populi folio villoso leviter serrato. An Abutilon Indicum flore luteo. Breyn. prod. 1. p. 1? An Abutilon Indicum flore luteo minore ej. prod. 2. p. 1? In Insula Jamaica collegi, sed an specie à præcedente differat dubito.

Alcea maxima, malvæ roseæ folio, fructu pentagono, recurvio, esculento, graciliore & longiore. An Lubie Endigi. Rawolf. lib. 2. cap. 5? Exotica malvacea bamia Eben quibusdam. Adv. p. 295? Sabdariffa alia. Lugd. p. 595? Trionum Theophrast. Rawolf. Lugd. ap. p. 31? Bammia. Alp. p. 90? Vesling p. 30? Bell. epist. ad Clus. p. 313? J. B. tom. 2. lib. 23. p. 959? Chabr. p. 302? quoad descr. Bamia Alexandrina Cæsalp. p. 565? Bamia triono Rawolfij congener nisi sit eadem Cam. h. p. 26? Alcea Ægyptia Clus. rar. pl. hist. lib. 4. p. 27? Ger. emac. p. 937? Alcea decima sive Indica parvo flore. C. B. pin. p. 317? Raij hist. p. 1066? Bamia Alexandrina Cast. Durant. in fig? Alcea Ægyptia vulgaris. Park. p. 303? Bamia seu alcea Ægyptia. ejusd. par. p 369? Althæa Indica parvo flore petalis angustis & acutis. Morif. hist. pl. part. 2. p. 532? *Long Okra*. In hortis ubique plantatur & provenit.

Alcea maxima, malvæ roseæ folio, fructu decagono, recto, crassiore, breviore esculento. Bamia Ægyptiaca siliqua decagona. Clus. append. alt. ad lib. 4. Alcea 12ª. seu Indica parvo flore altera. C. B. pin. p. 317. Alcea annua Sirinamensis flore amplo, fructu maximo sulcato striato Pyramidali Comm. cat. Amst. p. 12. Quingombo Lusitanis Congensibus & Angolensibus Quillobo. Marcgr. p. 31. Quingombo Altera. Pis. p. 211. Althæa Brasiliana humilis annua fructu maximo pyramidali sulcato. Herm. par. Bat. pr. p. 308. Bamia fructu decagono. Vesling, nott. in Alp. p. 30. *Okra*. Cum priori.

Alcea hirsuta flavo flore & semine moschato. Marcgr. p. 45. Raij hist. p. 1067. Quingombo prior sive alcea muscata. Pis. (ed. 1658.) p. 210. Alcea moschata villosissima foliis in profundiores lacinias incisis. Plukenet. tab. 127. fig.

fig. 1. L'herbe au musc. Du Tertre. p. 111. Rochef. p. 136. An Mosch id est Bamia muschata. Alp. exot. p. 197? Abel Mosch, seu Mosch Arabum. Vesling. p. 65? Alcea 13ª. sive Ægyptiaca villosa, vel Belmuscus Ægyptiorum Bell. C. B. pin. p. 317? Abelmosch de gli Egittij, overo abutilo d'Avicenna. Pon. Ital. p. 29? Belmuscus Ægyptia Honorio Bello. J. B. tom. 2. lib. 23. p. 961? Belmuscus Hon. Bell. Chabr. p. 302? An Althæa Ægyptia Villosa. Morif. pl. hist. part. 2. p. 532? An Althæa Ægyptiaca moschata Abel Mosch dicta. ejusd. ib. p. 533? An Alcea moschata Munt. pl. cult. p. 220? An Alcea sive Bamia muschata Ægyptiaca Alpini & Veslingij Breyn. prod. 1. p. 2? An Alcea muschata Indiæ orientalis altera sive minor, caule rubente. ejusd. ib? An Cattu-gasturi. Hort. Mal. part. 2. p. 71? In Jamaica & Caribeis Insulis ubique in agris præsertim cultis provenit hæc planta, ubi foliis sinuatis & rotundioribus variat.

Alcea acetosa, trifido folio Indiæ orientalis. Breyn. prod. 1. p. 1. Althæa Indica Gossypii folio, acetosæ sapore. Herm. cat. p. 25. Quauhxocotl Chululense seu oxymalva. Hernand. p. 216. Quauhxocotl de Cholula. Xim. Alcea acetosa Indica mitis foliis superioribus gossypij in modum tripartito divisis. Plukenet, tab. 6. fig. 2. An Acetosa Brasilienfis flore dilute purpureo. Marcgr. p. 23? Acetosa Brasilienfis. Pis. (ed. 1658.) p. 244? An *Sorrel, the juice whereof is carried in a Gourd by the* Indians *of* Cumana, *to moisten their* Maiz *Flour carried in another Gourd. Sir* John Hawkins. Hakl. part. 3. p. 508? *French Sorrel.* In hortis Jamaicæ Insulæ sata ubique provenit hæc alceæ species.

Caryophyllata foliis alatis. Garyophyllata herba. Marcgr. p. 45. Caryophyllata Brasilienfis. Raij hist. p. 607. Cuambu sive Caryophyllata. Pis. (ed. 1658.) p. 209. In sylvis campestribus Jamaicæ Insulæ passim reperitur.

Herbæ pomiferæ & bacciferæ.

CUcurbita longa folio molli, flore albo, J. B. tom. 2. lib. 16. p. 214 Chabr. p. 129. Raij hiſt. p. 638 Cucurbita 5ª. ſeu oblonga, flore albo folio molli. C. B. pin. p. 313. Moriſon. hiſt. p. 24. Zuccha Lunga. Ang. p. 115. Caſt. Durant. p. 472. Long gourde *of* Turner. Cucurbita ſive Zuccha omnium maxima anguina. Lob. obſ. p. 366. Icon. p. 644. Cucurbita ſive Zuccha anguina omnium maxima. Adv. p. 287. Cucurbita quæ Longos fert fructus. Cord. Nott. in Dioſc. p. 45. Cucurbita Cameraria. ejuſd. de plantis. p. 116. Cucurbita oblonga. Geſn. hort. p. 256. Lon. f. 211. Cucurbita ſativa longa. Cæſalp. p. 196. Cucurbita longa Cam. h. p. 51. Park. p. 768. Cucurbita longior. Fuchſ. p. 367. Dod p. 669. Cucurbita fructu longo. Trag. p. 825. Cucurbita Indica minor. Tab. part. 2. p. 190. quoad fig. Cucurbita Cameraria longa. Lugd p. 615. Cucurbita Anguina. Ger. emac. p. 923. *Long gourd.* In Inſulæ Jamaicæ agris & hortis ſeritur & luxuriat.

Cucurbita ſphærica maxima. *Some Pompions ſo big, that they uſe them for Veſſels to carry water, and they hold two Pecks or more.* Anonymus Portugal *of* Braſile. Purchas lib. 7. cap. 1. p. 1310. Courges & Calebaſſes ſi grandes & profondes qu'elles ſervent comme de magaſin. Moriſot. Baro. p. 294. Pepones tam vaſtæ, ut Indigenæ iis utantur pro vaſis quibus aquam aggerunt. Laet. lib. 15. cap. 10. p. 566. *Gourds for Fiddles without Frets, of the bigneſs of a Buſhel.* Jobſon. p. 132. An Caba Ind. or. part. 6. p. 24? *The largeſt round Gourd.* In collibus ſaxoſis ſterilioribus Inſulæ Jamaicæ ſeritur & provenit hæc Cucurbita.

Cucurbita 3ª. ſeu lagenaria flore albo folio molli. C. B. pin. p. 313. Moriſ. hiſt. p. 25. Cucurbita minor. Turner. Fuchſ. p. 369. Cucurbita cameraria minor. Lugd. p. 616. Cucurbita prior. Dod. p. 668. Cucurbita lagenaria. Math. ed. B. p. 394. Raij hiſt. p. 638. Lob. obſ. p. 366. Icon. p. 644. Schwenckf. p. 267. J. B. tom. 2. lib. 16. p. 216. Chabr. p. 129. Ger. emac. p. 923. Cucurbita dilatata in ventrem cervici annexum, Cæſalp. p. 197. Cucurbita lagenaria

naria & lagenaria minor. Adv. p. 287. Cucurbita lagenaria major & minor. Tab. tom. 2. p. 189. Park. p. 768. Courges en forme des bouteilles. Morif. Baro. p. 294. An Cucurbita 4ª. seu lagenaria Americana. C. B. pin. p. 313? Cum priori.

Cucurbita lagenaria, longa, maxima, recurva. Cum præcedentibus.

Cucurbita lagenaria, longa, recta, minor. Allata fuit ab urbe *Porto belo* in Americæ continente sitâ, pulcherrima hæc Cucurbitæ species, mihique dono data.

Cucurbita lagenaria minima, collo longo recurvo. In Insulæ Jamaicæ hortis satam provenire observavi.

Pepo maximus Indicus compressus. Lob. obs. p. 365. Icon. p. 641. Morif. hist. p. 25. Raij hist. p. 642. Pepo tertius seu compressus major. C. B. pin. p. 311. Pepo rotundus major. Dod. p. 666. Cucurbita aspera folio non fisso fructu maximo albo fessili. J. B. tom. 2. lib. 16. p. 221. Chabr. p. 131. Schakerischora. Hort. Mal. part. 8. p. 3. An Pepo Brasiliensis Jurumu dictus, Lusitanis Bobora. Marcgr. Raij hist. p. 641? Jurumu Brasilienfibus Marcgr. p. 44? Jurumu. Pif. (ed. 1658.) p. 264? *Pompions.* Nicols Purchas lib. 6. cap. 13. p. 225? *Sir* John Hawkins Hakl. part. 3. p. 504? Jobson. p. 132? *Pompions.* Cum præcedentibus crescit.

Anguria 1ª. Citrullus dicta. C. B. pin. p. 312. Raij hist. p. 643. Melons gros à merveille & tant qu'un homme pourroit embrasser de couleur rougeatre aussi enya quelques uns blancs les autres jaunes. Thevet. f. 44. Patecas sive angurias. Linschot. Indicus melo. Garc. ab Ort. Clus. p. 235. Pateques autrement anguries. Nicolai. cap. 8. Angurie. Shirley's *Voyage.* Cauche. p. 106, & 153. Limo aquatica è Novo Belgio. Laet. p. 82. Melones aquatici in Java, Batiec in universa India. Bry part. 4. Ind. or. cap. 6. f. 20. Pateques. Pyrard. cap. 3. & 27. p. 21. & 286. Uva-een. Abbeville. p. 228. Laet. p. 614. Grosses citrouilles beaucoup plus excellentes que celles de Nôtre France. Laudonniere p. 56. Hakl. p. 330. Hinduanes Olear. p. 231. Pateques ou melons d'eau. Bernier. p. 27. Watermelon. Rawolfe. part. 1. cap. 2. Augurien ane Indian *Muskmillin, which they call* Batiechas. but Serapio Dullaha. ejusd. ib. cap. 6. & part. 2. cap. 1, 2, 4. & part. 3. cap. 2. Anguries *of* Cartwright. Purchas lib. 9. cap. 4. sect. 2. p. 1431. Melons d'eau Albert. p. 81. Du Tertre. p. 137.

Rochef-

Rochef. p. 131. Melons d'eau appellées Jaee. Morifon. Nott. in Roulox Baro. p. 293. Water-melons Davis. Purchas lib. 3. cap. 1. ſect. 5. p. 132. Dounton. ib. lib. 3 cap. 12. ſect. 4. p. 298. & ſect. 5. p. 303. William Finch ib. lib. 4. cap. 4. ſect. 2. p. 417. Heynes. ib. lib. 5. cap. 5. p. 622, & 628. Terry. p. 95. Smith. *in his obſ.* p. 55. *Summer Iſles.* p. 171. *of* Hughes. p. 22. *of* Ligon. p. 18, 22, & 80. Anguria. Laet. p. 73. Math. ed. B. p. 397. Lac. p. 218. Cam. h. p. 17. Moriſ. hiſt. pl. p. 28. Caſt. Dur. p. 31. Angurie, Melo magnus viridis, Bateche è tetrangurie Ang. p. 230. Citrullus. Tab. tom. 2. p. 188. Geſn. hort. Germ. f. 287. Dorſt. f. 98 Jac de Manliis. Brunfelſ. tom. 2. p. 174. Schwenckf. p. 261. bot. Francof. p. 196. Anguria, cucumis, citrullus. Dod. p. 664. Cucumis, citrullus. Lon. f. 213. Fuchſ. p. 700. Turner. Citrullus vel Citreolus cucumeris genus latis & phæniciis ſeminibus refertum. Trag. p. 832. Citrullus officinarum. Lob. obſ. p. 364. Icon. p. 641. Ger. emac. p. 913. Citrullus officinarum, anguria ſive Batecha Avicennæ ſemine nigro. An melopepo. Adv. p. 286. Anguria, citrullus officinarum. Lugd. p. 625. Anguria vera, Cardanus melopeponem interpretatur. Geſn. hort. Germ. f. 247, & 267. Cucumer vulgo appellatus à quibuſdam Anguria. Cæſalp. p. 200. Dullaha ſive melo magnus viridis, quos in Alexandria Batecas vocant melo Indus Avicennæ. ejuſd. ib. p. 203. Jaee Braſilienſibus, Luſitanis Balancia, Belgis Water meloen, melo aquaticus. Marcgr. p. 22. Jaee ſive anguria. Piſ. (ed. 1658.) p. 263. Citrulus folio Colocynthidis ſecto, ſemine nigro quibuſdam anguria. J. B. tom. 2. lib. 16. p. 235. Citrulo affinis melo Indicus ſive Patheca. ejuſd. ib. p. 237. Citrullus anguria tetranguria. Chabr. p. 133. Anguria ſive citrullus vulgatior. Park. p. 771. Anguria Americana verſicolore pelle. ejuſd. p. 773. Anguriæ noſtratibus majores cortice flaviore. Alp. de plant. Ægypt. p. 115. Auguria tertia vel Ægyptiaca. C. B. pin. p. 313. Melo ſeptimus ſeu Indicus fructu oblongo. ejuſd. p. 321. An Maurongans. Lery. p. 206? vel Anguria quarta ſeu Braſiliana. C. B. pin. p. 312? An Comolonga. Roman. nov. orb. p. 245? Scaliger. exerc. 18. 15? ſeu Citrulo vel meloni Indico accedens Camolonga. J. B. tom. 2. lib. 16. p. 237? An Anguria Indica maxima Herm. p. 45? An Citrullus minor Indiæ or. Plukenet. tab. 164 fig. 1? Citrullus minor. Ger. emac. p. 913? *Water melon,*

lon. In hortis Insulæ Jamaicæ, nec non agris seritur & provenit. Variat substantiâ sive pulpâ rubrâ vel albâ, huic semina sunt nigra illi rubra.

Cucumis anguriæ folio latiore, aspero, fructu minore candido spinulis obtusis muricato. Cucumis sylvestris Brasiliæ. Marcgr. p. 44. Guarerva-oba sive cucumer asininus. Pis. (ed. 1658.) p. 264. Cucumis sylvestris Americana anguriæ folio, fructu ovi figura & magnitudine ad maturitatem pallido spinosis tuberculis momordicæ instar muricato. Pluk. tab. 170. fig. 3. In agris & pratis circa urbem *St. Jago de la Vega* passim nascitur, in Caribeis Insulis spontaneam etiam observavi.

Cucumis minima fructu ovali nigro lævi. Cucumis parva repens Virginiana fructu minimo Banist. cat. M. S. Plukenet. tab. 85 fig. 5. An Cucumis Maderaspatensis fructu minimo. ejusd. tab. 170. fig. 2? Ad fossas & sepes in agris Insulæ Jamaicæ frequenter cernitur.

Colocynthis bryoniæ albæ folio, in quinque lacinias dentatas profundè secto, aspero, cathartico. *Belly-ach weed.* In collibus saxosis prope domum Dom. *Abraham* loco *Ochorios* vulgo *Chireros* in Jamaicæ parte septentrionali crescentem collegi.

Cucumis puniceus. Cord. hist. pl. f. 118. Morif. hist. pl. p. 33. balsamina cucumerina punicea. Lob. obs. p. 369. Icon. p. 648. Adv. p. 289. Balsamine prima. Fuchs. p. 188. Ang. p. 243. Balsamina. Cast. Dur. p. 59. Cæsalp. p. 199. Math. ed. B. p. 884. Lugd. p. 630. Lac. p. 481. Pomum mirabile sive Hierosolymitanum. Trag. p. 899. Charancia Lon. f. 75. Dod. p. 670. Balsamina cucumerina. Tab. tom. 2. p. 590. Balsamine mas sive Momordica Charancia. Cam. h. p. 26. Balsamina mas. bot. Francof. p. 159. Ger. emac. p. 362. Schwenckf. p. 239. Park. p. 714. Balsamine alia, quæ Garancia quasi charancia vulgo Gallis dicitur, ab aliis mirabile pomum, Hierosolymitanum Hetruscis, Italis viticella momordica Garanza foliis bryoniæ pomo flavescente, *&c.* Gesn. hort. f. 250, & 290. Balsamina rotundifolia repens sive mas. C. B. pin. p. 306. Raij. p. 647. Balsamina cucumeraria. J. B. tom. 2. lib. 16. p. 251. Momordica balsamina cucumeraria pomum mirabile & pomum Hierosolymitanum. Chabr. p. 135. Balsamina cucumerina momordica & charantia, balsamina mas. Munt. pl.

cult.

cult. p. 297. Balſamina cucumerina ſive Caranzi Ambroſ. h. p. 13. In hortis Inſulæ Jamaicæ ubique colitur.

Flos paſſionis major pentaphyllus. Murucuja prima Piſ. (ed. 1648.) p. 106. (ed. 1658.) p. 246. An Fleur de la paſſion ou Grenadille Du Tertre. p. 133? Premier fleur de la paſſion. Rochef. p. 133? An Cucumis flos paſſionis dictus pentaphyllus, flore clavato, foliis latioribus. Herm. cat. pl. p. 205? An clematis quinque folia ſive flos paſſionis Icon. Rob? In ſylvis Inſulæ Jamaicæ arbores ſcandentem obſervavi.

Flos paſſionis folio hederaceo anguloſo fœtido Hedera Murucuja ſpecies, veſicatia, lanuginoſa, odoris gravis. Marcgr. p. 73. Raj hiſt. p. 651. Paſſiflora veſicaria hæderacea foliis lanuginoſis odore tetro, filamentis florum ex albo & purpureo variegatis Plukenet. tab. 104. fig. 1. Flos paſſionis Curaſſavicus hederæ hirſuto folio flore purpureo variegato & albo. Herm. par. Bat. pr. p. 335. Clematis Indica hirſuta fœtida. Plumier. p. 71. fig. 86. Ad ripas fluviorum & torrentium & ad foſſas copiosè & ubique creſcit.

Flos paſſionis, folij mediâ laciniâ quaſi abſciſsâ flore minore carneo. Clematitis Indica, flore clavato, ſuaverubente fructu hexagono coccineo, folio bicorni. Plumier. p. 68. fig. 83. Ad ripas fluvij *Cobre* paſſim reperitur.

Flos paſſionis perfoliatus, ſive periclymeni perfoliati folio. In monte ſaxoſo ſylvoſo prope domum Dom. *Elletſon* in Liguanée pulcherrimam hanc plantam inveni.

Flos paſſionis minor, folio in tres lacinias non ſerratas profundiùs diviſo, flore luteo. Flos paſſionis Curaſſavicus folio glabro trilobato & anguſto flore flaveſcente omnium minimo Herm. par. Bat. pr. p. 335. Plukenet. phyt. tab. 210. fig. 3. Clematitis Indica folio hedreaceo major fructu olivæ formi. Plumier. p. 70. fig. 84. In agris ſaxoſis montoſis & locis glareoſis Inſulæ Jamaicæ provenit.

Flos paſſionis minor, folio in tres lacinias non ſerratas, minus profundas, diviſo. Clematis paſſiflora hederacea flore luteo. Munt. pl. cult. p. 422. Clematis paſſionalis triphyllos flore luteo. Moriſ. hiſt. pl. part. 2. p. 7. Cucumis flos paſſionis dictus hederaceo folio flore ex luteo viridanti. Herm. cat. pl. p. 205. Balſamina altera Indica repens hederæ arboreæ foliis flore ſubviridi. Ambroſ. phyt. p. 91.

Clema-

Clematitis Indica flore minimo pallido. Plumier. p. 73. fig. 88. Cum priori.

Smilax aspera, fructu nigro, radice nodosâ, magnâ, lævi, farinaceâ, China dictâ. Arbre d'esquine de Laudonniere. p. 3, 41, & 85. Hakl. p. 323, & 344. Escarbot. Nova Francia. p. 203, & 223. China. Lane. Hakl. part. 3. p. 261. Tsinaw. Hariot. ib. p. 272. China. Linschot. descr. de la Floride Arbor Esquine. Laet. lib. 4. cap. 14. p. 215. Arbor & frutex Americanus 6 Esquine Jonst. p. 464. Olcacatzan Pahuatlanica, China Mexicana. Hernandez. p. 212. Olcacatzan de Pahuatlan. Xim. Altera Olcacatzan seu Pahuatlanica. Nieremb. p. 321. Jupicanga. Pis. (ed. 1648.) p. 99. Jupicanga vulgo radix Chinæ ejusd. (ed. 1658.) p. 257. Chinna seu Cinna colore interius magis ruffo, reperta nunc in occidentali India. Cæsalp. p. 423. China ex nova Hispania. Fragos. p. 70. China. Mon. Clus. p. 315. China in India Occidua Monard. Lugd. p. 1824. China alia in India Occidentali. Math. ed. B. p. 164. Pseudo China radix Clus. exot. lib. 4. cap. 9. p. 83. J. B. tom. 2. lib. 15. p. 122. Pseudochina Ger. emac. p. 1618. Park. p. 1579. China, Cina, Cinna, Chinna, Chinea, Schina, & Chinæ radix occidentalis. Chabr. p. 116. China spuria pyriformis sive turbinata. Lob. Icon. p. 56. J. B. tom. 2. lib. 15. p. 122. China spuria pyriformis. Chabr. p. 116. C. B. pin p. 297. China spuria nodosa. ejusd. ib. Radix in Insula Virginea quarta Tsinaw. ejusd. ib. p. 92. Smilax Virginiana spinis innocuis armata latis canellæ foliis radice arundinacea crassa & carnosa, forte China spuria nodosa. C. B. pin. Plukenet. Tab. 110. fig. 5. An China radix. C. B. pin. p. 296? Fragos. p. 70? J. B. tom. 2. lib. 15. p. 120? Raij hist. p. 657? China. Tab. tom. 2. p. 629? Cast. Dur. p. 122? Icon. Lob. p. 55? Lac. p. 83? Math. ed. B. p. 163? Chinna sive Cinna. Cæsalp. p. 423? China radix officinarum. Park. p. 1578? China vulgaris officinarum, Ger. emac. p. 1618? China, Cina, Cinna, Chinna, Chinea, Schina, & Chinæ radix orientalis. Chabr. p. 116? An pocayo Recch. p. 398? An racine nommée chine. Thevet. cosmogr. f. 416? An bois de la chine. Pyrard. cap. 13. p. 134? & tom. 2. cap. 1. p. 9? *China Roots.* Saris. Purchas lib. 4. cap. 2. p. 394? Rawolfe. part. 1. cap. 8? *China.* In collibus sylvosis *Red Hills* dictis vicinas arbores scandentem ubique observavi. Magnitudine & figurâ multùm variat.

Bryonia racemosa foliis ficulneis. In Insula Barbados copiosè crescit.

Bryonia alba triphylla, geniculata foliis crassis, acidis. Bryonia Curassavica folio dentato crasso & succoso caule. Herm. par. Bat. pr. add. Bryonoides trifoliatum Indicum, foliis succulentis crassis & crenatis. Plukenet. tab. 152. fig 2. An Chamædrifolia scandens claviculata & corymbifera Jamaicensis. ejusd. Tab. 81. fig. 5? An Trifoliata Portoricensis planta capreolata foliis crassiusculis serratis. hort. Beaumont. p. 41? Ad ripas fluvij *Cobre* vocati, & in prato circa urbem *St. Jago de la Vega* arbores, palos & sepes scandit.

Bryonia alba geniculata, violæ foliis, baccis è viridi purpurascentibus. Cum priori reperitur nec non circa *Black River Bridge*.

Bryonia alba triphylla maxima. Reperitur arbores majores scandens secus viam quâ ab urbe *St. Jago de la Vega* versus *Guanaboa* itur & prope domum Dom. *Guy*.

Bryonia nigra fruticosa, racemi ramulis varie implicitis, atque caudæ scorpionis instar, in se contortis, baccis albis una vel altera nigra macula notatis. An Virga aurea Americana fruteſcens glabra, foliis subtus cæsiis, comis ad summitatem in ramulos brachiatos implicatis. Pluk. Tab. 235. fig. 6? An Frutex Americana pyri foliis subhirsutis floribus exiguis viridantibus heliotropij in modum incurvatis, baccis niveis nigra macula insignitis. Hort. Beaumont. p. 21? In prato circa urbem *St. Jago de la Vega* arbores & palos scandens invenitur.

Bryonia nigra fruticosa, foliis integris ex adverso positis flore luteo racemoso fœtido. Inter arbores secus viam quæ ducit ab urbe *St. Jago de la Vega* versus *Guanaboa* reperi.

Bryonia nigra fruticosa, foliis laurinis, floribus racemosis speciosis. In Insulæ Jamaicæ parte Septentrionali *St. Maries* dictâ, loco *Cabeca del oro* vocato inter arbores crescentem collegi.

Solanum bacciferum primum seu officinarum. C. B. pin. p. 166. Solanum vulgare baccis rubris. Park. p. 345. Solanum vulgare ejusd. ib. Raij hist p. 672. Solatrum vulgare. Trag. p. 303. Solanum hortense. Fuchs. p. 686. Dodon. p. 453. Math. ed. B. p. 754. Lugd. p. 597. Lon. f. 100. Brunfels. tom. 2. p. 29. Ger. emac. p. 339. Lacun. p. 419. Cam. h. p. 162. obs. Lob. p. 133. Steerbeck. Theatr.

sung.

sung. p. 354. tab 35. lit. A. Solatrum minus. Cæsalp. p. 213. Solanum hortense acinis nigris. Gesn. hort. Germ. f. 281. Solanum rubrum & luteum. ejusd. ib. Solanum vel solatrum vulgatius Hermanni com. Neven annott. Brunfels. tom. 2. p. 122. Uva Lupina Jacob. de Manliis. ib. p. 180. Solatri species hortulana. ejusd. ib p. 169. σρύχνῳ κηπαΐῳ, solanum hortense circeæ aut phaseoli folio. Adv. p. 102. Icon. Lob. p. 262. Solanum quod edendo est. Cord. nott. in Dioscorid. f. 67. Solanum nigrum vulgare. ej. hist. pl. f. 158. Solanum puniceum ejusd. ib. Solanum nigrum. Schwenckf. p. 197. Solanum hortense seu solanum nigrum Cord. Thal. p. 106. Solatro hortense. Cast. Dur. p. 438. Cuculo, overo uva Lupina. Ang. p. 198. Solano hortense. ejusd. p. 269. Solanum hortense officinarum. Ambros. h. p. 59. Munt. pl. cult. p. 519. Solatrum Dorst. f. 272. Icon. Roeslin. p. 30. bot. Franof. p. 211. Solanum sativum. 1. Tab. tom 2. p. 299. Solanum hortense sive vulgare. J. B. tom. 3. lib. 34. p. 608. Solanum sive solatrum. Chabr. p. 522. Aguaraquiya Brasilienſibus, erva Moura Lusitanis. Marcgr. p. 55. Aguaraquiya *erva do bicho* nonnullis, aliis *erva moura* vel *Pimenta de gallinha*. Pis. (ed. 1648.) p. 108. (ed. 1658.) p. 223. Aguaraquiya Brasil. Theat. rer. nat. Br. p. 303. Mentz. pug. Nelen-Tsiundi. Hort. Mal. part. 10. p. 145. Tab. 73. *Night-shade*. Turner. part. 2. f. 141. An solanum frutescens Brasilianum folio capsici baccis rubris. Herm. par. Bat. pr. p. 337? An solanum bacciferum vulgari simile maximum Sirinameuse. ejusd. ib. Non procul ab urbe *St. Jago de la Vega* prope cœmiterium, & in agris Dom. *Guy* loco *Guanaboa* dicto, invenitur.

Solanum bacciferum, caule & foliis tomento incanis, spinosis, flore luteo fructu croceo minore. An Jurepeba Brasilienſibus. Marcgr. p. 89? Jurepeba prior sive mas. Pis. (ed. 1648.) p. 84? (ed. 1658.) p. 182? An Solanum pomiferum Brasilianum spinosum folio minori & angulosiori, flore albo. Herm. par. Bat. pr. p. 278? An Solanum Cajanense spinosum hirsutum. Icon. Rob? An Solanum incanum Chinense minus spinosum floribus parvis fere umbellatis. Plukenet. Tab. 62. fig. 1? vel An solanum Zeylanicum spinosum folio amplo incano, ad pediculum strictiori forte solanum spinosum pomiferum Indicum album seu foliis Hyosciami albi majoris, ejusd. Tab. 226, fig. 6? Circa

urbem *St. Jago de la Vega* locis arenosis & glareosis ubique reperitur.

Solanum nonum seu fruticosum bacciferum. C. B. pin. p. 166. Raij hist. p. 673. Solanum arborescens. Cæsalp. p. 215. Solanum fruticescens. Gesn. hort. Germ. f. 282. Strychnodendron & amomum Plinij vulgo Italorum putatum solanum arborescens Belgarum an Theophrast. solanum foliis tithymali fructu rubro radice rubra. Adv. p. 103. Solanum Americum Delechampij. Lugd. p. 599. Pseudo-capsicum. Dod. p. 718. Amomum Plinij, Strychnodendron sive solanum arborescens. Icon. Lob. p. 265. Strychnodendrum & amomum Plinij vulgo Italorum. ejusd. obs. p. 136. Solanum fruticosum. Tab. tom. 2. p. 299. Solanum arborescens, vel Strychnodendron sive fruticosum, Amomum Plinij ab aliis appellatum. Cam. h. p. 163. Strychnodendron. Eyst. Amomum Plinij. Ger. emac. p. 361. Strychnodendros. J B. tom. 3. lib. 34. p. 614. Solanum fruticosum Americanum dictum amomum. Plinij. Park. p. 353. *Tree Night-shade.* In Madera Insula ubique sponte provenit.

Solanum fruticosum bacciferum spinosum flore cœruleo. In locis maritimis arenosis prope *Old Harbour*, & secus viam quæ ducit ab urbe *St. Jago de la Vega* versus agros Dom. *Cope* in *Guanaboa* frequenter oritur.

Solanum bacciferum fruticosum, stipitibus & foliis majoribus, spinis ferocioribus armatis. Solanum spiniferum fruteſcens spinis igneis Americanum. Plukenet. tab. 225. fig. 5. In Barbados & Caribeis Insulis inveni.

Solanum pomiferum tomentosum, fructu pyriformi inverso. Solanum Barbadense spinosum foliis villosis fructu aureo rotundiore, pyri parvi inversi forma & magnitudine. Pluk. tab. 226. fig. 1. An Jua Brasilienſibus Marcgr. p. 63? An Juabéba Pis. (ed. 1658.) p. 182? Circa urbem *Bridge Town* in Barbados copiosè crescit.

Solanum pomiferum quartum sive fructu oblongo. C. B. pin. p. 167. Raij hist. p. 673. Melongena. Math. ed. B. p. 760. Lugd. p. 626. Mala insana. Fuchs. p. 533. Lonicer. f. 75. Lacun. p. 424. Bot. Francof. p. 187. Trag. p. 894. Dod. p. 458. Tab. tom. 2. p. 494. Ger. emac. p. 345. Rawolfe cap. 2. Melanzane. Cast. Dur. p 279. Melongena, vel mala insana, exotica. Adv. p. 106. Melongena sive mala insana, vel melanzana. Icon. Lob. p. 268. Melongena vel mala insana. ejusd. obs. p. 138. Malum insanum & py-

rum

rum insanum. Cæsalp p. 210. Melongena (malum insanum aut Melanzanum vocant aliqui recentiores, simeon sethi forte Marinzenon.) Cord. hist. pl. p. 90. Malum insanum sive solanum pomiferum. Gesn. hort Germ. f. 266. Melanzana Punicea. ejusd. ib. p. 287. Malum insanum folio non spinoso. Munt. pl. cult. p. 517. Melongena Arabum melanzana solanum pomiferum. Chabr. p. 524. Melanzana aliis mala insana Cam. h. p. 99. Solanum pomiferum fructu oblongo, sive mala insana. Ambros. h. p. 59. Melongene ou belengene. Du Tertre. p. 138. Solanum pomiferum fructu rotundo. J. B. tom. 3. lib. 34. p. 618. Mala insana Syriaca. Park. p. 352. Belingela Lusitanis; Melongela Latinis; Tongu Angolensibus, Macumba Congensibus. Marcgr. p. 24. Belingela. Pis. (ed. 1658.) p. 209. An melanzana fructu pallido. Eyst? An solanum tertium pomiferum, diligentiùs in hortis excultum, cujus fructus oblongus durus ob suavitatem inter cibos Ægyptiis receptissimus. Vesling. obs. in Alp. p. 56? An melanzana melongena *or* Bedengian. Rawolfe. lib. 1. cap. 6? vel melantzana Arabum. Lugd. ap. p. 23? seu solanum pomiferum fructu incurvo. C. B. pin. p. 167? J. B. tom. 3. lib. 34. p. 619? Pluk. tab. 226. fig. 2? Raij hist. p. 674? *Mad Apples.* In horto Dom. *Harrison*, crescentem collegi.

Solanum secundum racemosum cerasorum forma: vel cerasa amoris racemosa rubra. C. B. prod. p. 90. Pin. p. 167. Pomum amoris minus sive mala Æthiopica parva. Park. par. p. 379. Theatr. p. 352. Solanum pomiferum fructu rotundo parvo molli. Hort. Blef. p. 93. Solanum pomiferum fructu rotundo parvo molli rubro plano. Morif. h. Blef. p. 310. Pomum amoris rubrum minus. Munt. pl. cult. p. 519. Capsicum sive piper Indicum undecimum Tomates. C. B. pin. p. 103 Tomates. Jos. Acosta. lib. 4. cap. 20. Miltomamæ. Hernandez. p. 295. Pomum amoris, cujus fructus colore, magnitudine, *&c.* plane similis erat Strychnodendro. ib. p. 296. An solanum pomiferum primum seu fructu rotundo striato molli. ejusd. C. B. pin. p. 167? Raij hist. p. 675? Aurea mala. Dod. p. 457? Pomi d'oro. Cast. Dur. p. 372? Mala insana rotundiora colore aureo. Cæsalp. p. 211? Poma amoris, pomum aureum, Lycopersicum an Glaucium Dioscoridis. Adv. p. 108? Lob. Icon. p. 270? obs. p. 140? Pomum amoris sive aureum. Lugd. p. 628? Pomum aureum vel amoris dictum, vel de altero mundo sive

solanum

ſolanum pomiferum alterum. Geſn. h. p. 273? Pomum amoris. ejuſd. ib? Tab. p. 493? Cam. h. p. 130? Ger. emac. p. 346? Schwenckf. p. 325? Licoperſico di Galeno. Ang. p. 217? Solanum pomiferum ſive pomum amoris Ambroſ. h. p. 59? Pomum amoris majus fructu rubro & luteo. Park. par. p. 379? Theatr. p. 352? An pomum amoris rubrum majus, fructu luteo majore, & minore. Munt. pl. cult. p. 519? Mala aurea odore fœtido, quibuſdam Lycoperſion. J. B. tom. 3. lib. 34. p. 620? Mala aurea. Chabr. p. 525? Xitomamæ. Hern. p. 295? *Tomato Berry.* Reperitur locis incultis & ruderatis circa urbem *St. Jago de la Vega* & locum *Guanaboa* dictum.

Solanum veſicarium erectum ſolani vulgaris foliis. Camaru planta dicta Braſilienſibus. Marcgr. p. 12. Camaru. Piſ. (ed. 1658.) p. 223. Tomatl ſeu planta acinoſa. Hernandez. p. 295. Solanum veſicarium Americanum, caule quadrangulo foliis ſtramoniæ. Herm. cat. p. 569. Halicacabum ſive Alkekengi Virginenſe. Park. p. 462. Solanum Virginianum fructu luteo. Hort. Reg. Par. Camapu Braſ. Mentz. p. ſeu ſolanum veſicarium Braſil. fructu & veſicis luteis. ejuſd. p. 286. An Inota Inodien ſeu Moetoe. Hort. Mal. part. 10. p. 139. Tab. 70? In locis humidioribus ad ripas fluvij *Cobre* circa urbem *St. Jago de la Vega* reperitur.

Piſum decimum ſive veſicarium fructu nigro alba macula notato. C. B. pin. p. 343. Piſum cordatum Lob. Icon. p. 67. Piſum cordatum, Iſopyrum. Adv. p. 397. Piſum cordatum, cor Indum Halicacabum peregrinum Fuchſ. veſicaria repens Math. perperam dorycnium Cord. Lob obſ. 516. Halicacabum peregrinum Dod. p. 455. Lon. f. 100. Fuchſ. p. 688. Ger. emac. p. 342. Tab. tom. 2. p. 591. bot. Francof. p. 175. Dorycnium Cord. hiſt. pl. fol. 89. veſicaria repens. Math. ed. B. p. 755. Veſicaria ſeconda. Caſt. Dur. p. 472. Faba inverſa Cæſalp. p. 382. Piſum cordatum. Adv. Schwenckf. p. 325. Halicacabum peregrinum ſeu veſicaria repens Fuchſ. Lugd. p. 598. Halicacabum peregrinum ſeu veſicaria repens. Ejuſd. ib. Halicacabum peregrinum ſive veſicaria peregrina. Cam. hort. p. 71. Caput Monachi in Gallia dictum: quod Fuchſius & alij ſolanum veſicarium peregrinum vocant. Geſn. h. Germ. f. 251. Halicacabus peregrinus à Fuchſio dictus, caput Monachi vulgo Gallis

Gallis quibusdam. Ejusd. ib. f. 261. Solanum peregrinum & aliud ex Provincia. Ejusd. ib. f. 282. Vesicaria nigra seu peregrina Trag. p. 897. Vesicaria Indica, pisum cordatum vel cor Indicum dicta. Col. phytobas. p. 4. Solanum vesicarium repens sive cordatum. Ambros. h. p. 59. Solanum vesicarium nigrum, pisum cordatum Munt. pl. cult. p. 519. Pisum cordatum vesicarium. Park. p. 1377. Raij hist. p. 487. Halicacabum peregrinum multis sive cor Indum. J. B. tom. 2. lib. 15. p. 173. Halicacabum peregrinum sive cor Indum. Chabr. p. 124. Halicacabum peregrinum vesicarium fructu nigro alba macula notato. Morif. hist. pl. p. 19. Ulinga. Hort. Mal. part. 8. p. 53. An Cor Indum sive halicacabum peregrinum multis minus. Herm. cat. p. 190? In frutetis ad ripam fluvij *Cobre* & copiosissime in Jamaicæ Insulæ parte septentrionale loco *the Thickets* dicto reperitur. Variat magnitudine.

Pisum cordatum non vesicarium. Cururu-ape. Pis. (ed. 1648.) p. 114. (ed. 1658.) p. 250. Marcgr. p. 22. Clematis pentaphylla, pediculis alatis, fructu racemoso tricocco & coccineo. Plumier. p. 76. fig. 91. An Arbuscula Barbadensis amplexicaulis triphylla Mail-elou Malabaricæ foliis tenerioribus & petiolis alatis. Plukenet. tab. 145. fig. 4? In sylvis tam ad dextram quam sinistram viæ quâ ab urbe *St. Jago de la Vega* versus *Passage-Fort* itur, & in collibus *Red Hills* dictis copiosè crescit.

Capsicum minus fructu rotundo, erecto, parvo, acerrimo Axi rotundum acre quod Caribe ab Indis nuncupatur. Martyr. Axi. Benz. lib 1. cap. 3. Laet. p. 280. Axi rotondo. Fernan. Colon. f. 74. Vasquez di Coronado Ramnus. part. 3. p. 354. Hakl. p. 363. Oviedo. Coronic. lib. 7. cap. 7. Axi especia de las Indias que los quemo la lengua. Lopes de Gomara. f. 22. Certaine espice qui est la graine d'une herbe ou arbrisseau de la hauteur de trois ou quatre pieds. Thevet. f 92. Queinapoua ejusd. Cosmogr. f. 938. Carive sive Axi Montense. Laet. p. 7. Axi ou poivre d'Inde fort caustique qu'ils appellent Caribe Jos. Acosta lib. 4. cap. 20. Piper sive Axi Laet. p. 610. Arbor lauri foliis, qualitate caustica, ut si quis manum qua frondes contrectavit ad oculos ferat, ingentes dolores patiatur & ad aliquot horas videndi facultate privetur. Ejusd. p. 601. Premier espece de Pyman. Rochef p. 111. Petit piment rond. Du Tertre. p. 95. *Guiney Pepper of* William Finch. Purchas lib. 4. cap. 4. sect.

sect. 1. p 415, & 416. Wilson. ib. p. 1264. Harcourt ib. lib. 6. p. 1274. *Red Pepper.* Carder. ib. lib. 5. p. 1189. Leigh. ib. lib. 6. cap. 11. p. 1251. *Sir* Walter Rawleigh. p. 95. Hakl. p. 660. *Earl of* Cumberland. Purchas. lib. 4. p. 1152. *Pepper of* Layfield. ib. p. 1157. *Pepper Trees.* Keymis. Hakl. part. 3. p. 675. *West Indian Pepper.* Masham. ib. p. 697. *A Fruit much like Barberries, which being beaten or bruised between the Teeth, sets all the Mouth on an extreme heat very terrible for the time, to avoid which, they are swallowed down whole, and found of the same or better operation than the Red Pepper, and thence borroweth the name.* Smith. *Summer Isles.* p. 171. *Small Red Pepper Tree or Bush.* Hughes. p. 52. *Small Red Berries called Red Pepper.* Park p. 1671. Capsicum, piper Indicum brevioribus siliquis. Lob. Icon. p. 317. Obs. p. 172. Siliquastrum rotundum angustifolium. Tab. tom. 2. p. 559. Capsicum minimis siliquis Dod. p. 717. Ger. emac. p. 364. Siliquastrum rotundum Cam. ep. p. 348. Pepe di India ritonde. Cast. Dur. p. 344. quoad fig. Capsicum Brasilianum. Clus. Nott. in Mon. p. 340. & cur. post. p. 55. Lugd. p. 633. Piper siliqua parva Brasilianum. J. B. tom. 2. lib. 22. p. 944. Piperis capsici varietas siliqua parva foliis & floribus solani hortensis. Chabr. p. 297. Capsicum seu piper Indicum septimum siliquis surrectis cerasi forma. C. B. pin. p. 103. Capsicum minus Brasilianum. Park. p. 356. Quiya-apuæ Lusitanis pimenta rotunda secunda species. Marcgr. p. 39. Quiya-apua sive pimenta rodonda. Pis. (ed. 1648.) p. 108. (ed. 1658.) p. 225. An solanum capsicum dictum fruticosum siliquis exiguis surrectum. Commelin. cat. Amst. p. 334? *Bird Pepper.* In *Madera* Jamaica & Caribeis Insulis, sylvis, frutetis, & sepibus ubique sponte oritur.

Capsicum minus fructu parvo pyramidali erecto. Piper Indicum minimum siliquis oblongis erectis. Eyst. Capsici seu piperis Indici vj^i. species 4^a. sive oblongum surrectum minus. C. B. pin. p. 103. Piperis Indici parvum genus siliquis oblongis. J. B. tom. 2. lib. 22. p. 945. Capsici siliqua 4^a, Ger. emac. p. 364. Piper 4^um. oblongum exiguum erectum pyramidale. Greg. de Regio Clus. cur. poster. p. 52. Raij hist. p. 677, Capsicum exiguum erectum pyramidale. Park. p. 357. Quiya 1^a. Pimenta Malagnetta Brasilienſibus Quiyaqui. Marcgr. p. 39. Quiyaqui. Pis. (ed. 1648.) p. 108. (ed. 1658.) p. 225. Piper Indicum surrectis corniculis

corniculis iisque parvulis Cam. h. p. 127? Capsicum Americanum perenne fructubus oblongis erectis minimis rubris & luteis. Hort. Beaumont. p. 12? Capsicum arboreſcens Orientale fructubus oblongis parvis erectis. Herm. par. Bat. pr. p. 310? Capo-Molago Hort. Mal. part. 2. p. 109. fig. 56? In hortis Insulæ Jamaicæ ubique reperitur.

Capsicum oblongum minus recurvis siliquis. Park. p. 358. Piper longum decimum minus siliquis recurvis. Greg. de Regio. Clus. cur. post. p. 53. Capsici siliqua 10ª. Ger. emac. p. 365. Poivre Indic cornu. Lery. p. 205. Axi longum acre. Martyr. Axi lungo. Fernan. Colon. vit. f. 74. Axi, *or West-Indian Pepper*. Purchas. p. 1100, & 1106. *White and Red long Pepper*. Carder. ib. p. 1190. *Pepper growing on Trees in a picked length running out*. Layfield ib. p. 1173. *Pepper growing in long Cods*. Smith's Obs. p. 54. *Red Pepper like a Child's Coral two Inches long*. Ligon. p. 79. Quein-boucoup. Thevet. cosm. p. 938. Piper Indicum minus recurvis siliquis. Eyst. Quiyaucæ secunda species. Marcgr. p. 39. An 2. espece de Pyman. Rochef. p. 111? An Capsicum seu piper Indicum secundum propendentibus siliquis oblongis recurvis. C. B. pin. p. 102? Piper nonum oblongum recurvis siliquis. Greg. de Regio Clus. cur. post. p. 53? Capsicum Indicum oblongum recurvis siliquis. C. B. Nott. in Math. p. 437? Siliquastrum. Lon. f. 261? Capsicum recurvis siliquis. Dod. p. 716? Piperitis sive siliquastrum Peruvianum. Cord. hist. pl. f. 88? Siliquastrum tertium Fuchs. p. 733? Tab. tom. 2. p. 559? Siliquastrum sive piperitis siliqua longa. Trag. p. 929? Piper Indicum vulgo dictum quod aliqui capsicum vel cardamomum Arabicum interpretantur siliquis longis gracilibus. Gesn. h. Germ. f. 272? Siliqua. Turner. part. 2. p. 136? quoad fig. Capsicum oblongius. Dod. Lugd. p. 632? Piper Indicum fructu longo Cam. h. p. 127? Capsici siliqua nona Ger. emac. p. 365? Piper Calecuticum sive Capsicum oblongius. J. B. tom. 2. lib. 22. p. 493? Capsicum Brasilianum fructu cornuto. Munt. p. 335? Piper Capsicum Chabr. p. 295? Piper Indicum siliquis recurvis. Ambros. h. p. 50? Capsicum oblongum majus recurvis siliquis. Park. p. 358? Solanum capsicum dictum propendentibus siliquis oblongis recurvis. Herm. cat. pl. p. 576? Piper Indicum longum maximum. Eyst? Axi con granos y vaynas tan grandes como un dedo de luengo

luengo y grueſſo. Ovied. coron. lib. 7. cap. 7? Cum priori.

Capſicum ſiliqua lata & rugoſa. Park. p. 358. Capſici ſiliqua octava Ger. emac. p. 365. Capſici tertii ſeu piperis Indici propendentibus ſiliquis rotundis differentia prima vel ſiliqua lata & rugoſa. C. B. pin. 102. Piper octavum cum ſiliqua lata ac rugoſa. Greg. de Regio. Cluſ. cur. poſt. p. 52. Siliquaſtrum tertium Tab. tom. 2. p. 559. Vallia-capo-Molago. Hort. Mal. part. 9. p. 65. Tab. 38. *Red Pepper, like the large Button of a Cloak.* Ligon. p. 79. *Pepper growing in a Red Husk as big as a Walnut.* Smith's obſ. p. 54. *Red Pepper Tree, or Buſh.* Hughes p. 50. Chile, Chille, *or* Chili. ejuſd. p. 120, & 157. An troſieſme eſpece de pyman. Rochef. p. 111? Solanum mordens ſeu capſicum latifolium mali Æthiopici fructu magno ſtriato compreſſo Americanum. Plukenet. Tab 227. fig. 1? *Bell Pepper.* Cum prioribus frequentiſſimè reperitur.

Capſicum ſiliqua lata non rugoſa. Quiya-cumari. Marcgr. p. 39. Piſ. (ed. 1648.) p. 108. (ed. 1658.) p. 225. Cum præcedentibus, ſed rariùs.

Capſicum cordatum propendens. Park. p. 357. Piper quintum vel cordatum. Greg. de Regio Cluſ. cur. poſt. p. 52. Capſicum rotundioribus ſiliquis Ger. emac. p. 364. Capſici ſiliqua quinta ejuſd. p. 365. Capſicum tertium ſeu piper Indicum propendentibus ſiliquis rotundis. C. B. pin. p. 102. Piper Indicum ſiliquis latis. ejuſd. Nott. in Math. p. 437. Capſicum latum. Fuchſ. Icon. p. 427. Siliquaſtrum quartum ejuſd. fol. p. 734. Piperitis ſive ſiliquaſtrum ſiliqua lata. Trag. p. 928. Capſicum ſiliquis latis. Dod. p. 717. Piper Indicum fructu cordato. Cam. h. p. 127. Piperitis ſive ſiliquaſtrum Peruvianum. Cord. hiſt. f. 88. Capſicum latum Dod. Lugd. p. 632. Piper Indicum vulgo dictum, quod aliqui capſicum vel cardamomum Arabicum interpretantur, rotundum. Geſn. h. German. f. 272. Capſicum ſiliqua latiore & rotundiore. J. B. tom. 2. lib. 22. p. 943. Piper capſicum ſiliqua latiore & rotundiore. Chabr. p. 297. Capſicum Braſilianum fructu cordato. Munt. pl. cult. p. 335. Solanum capſicum dictum propendentibus ſiliquis rotundis. Herm. cat. pl. p. 576. cum præcedentibus.

Aſparagus maritimus craſſiore folio. C. B. pin p. 490. Aſparagus marinus. Cluſ. rar. pl. hiſt. lib. 5. p. 179. J. B. tom. 3. lib 36. p. 725. Aſparagus marinus ſylveſtriſve.

Chabr.

Chabr. p. 550. Asparagus maritimus Dioscorid. Lob. Icon. p. 786. Adv. p. 753. Asparago palustre. Ang. p. 114. Asparagus palustris. Ger. emac. p. 1111. Tab. p. 425. Asparagus marinus crassiore folio. Park. p. 454. Asparagus marinus crassiore & magis cæsio folio, baccis plerunque trigeminis. Cam. h. p. 23. Asparagus maritimus molli & crassiore folio. Jonst. dendr. fol. 285. In Insula Madera sponte nascentem collegi. Ab Asparago sativo nihil vel parùm admodum differt.

Periclymeum rectum herbaceum gentianæ folio, folii pediculo caulem ambiente. An Acaxaxa. Hernandez. p. 347? In sylvis secus semitam quâ itur versus 16 *mile walk*, & partes Insulæ Jamaicæ septentrionales, observavi.

Violæ folio baccifera repens, flore albo pentapetaloide, fructu rubro dicocco. Une sorte de Violier de la Guadeloupe. Du Tertre. p. 111. Karinta-Kali. hort. mal. part. 10. p. 41. tab. 21. Violæ folio Malabarica baccifera. Comm. ib. In umbrosis, densis, opacis & humidioribus sylvis Jamaicæ Insulæ ubique reperitur.

Herbæ bulbosæ, bulbosis affines, Hexapetalæ & Polypetalæ.

NArcissus totus albus latifolius polyanthos major odoratus, staminibus sex è tubi ampli margine extantibus. Lys blancs des Isles. Du Tertre. p. 110. Lys blancs des Antilles. Rochef. p. 132. An Lilia Candida. Laet. lib. 15. cap. x. p. 567? *White Lilly of* Ligon. p. 99. In pratis & sylvis campestribus Jamaicæ, Sancti Christophori & Caribearum Insularum ubique inveni.

Lilio-narcissus polyanthos, flore incarnato, fundo ex luteo albescente. Lilium Americanum puniceo flore Bella donna dictum Herm. par. Bat. pr. p. 348. Lys rouge des Isles. Du Tertre. p. 110. Lys des Antilles pareils à nos Lys jaunes ou orangers. Rochef. p. 133. An Lilia rubra. Laet. lib. 15. cap. 10. p. 567? *Red Lilly.* Ligon. p. 99. In Insula Barbados copiosissimè crescentem collegi.

Aloe Dioscorid. & aliorum. Col. min. cognit. stirp. p. 40. Ane *Herb on* Zocotora, *like unto* semper viva, *which we have*

in Spain. Dounton. Purchas lib. 3. cap. 12. sect. 1. p. 280. *Alloes.* ejusd. ib. sect. 3. p. 293. & lib. 4. cap. 11. sect. 1. p. 501. Ane *Herb whereof the Alloes called* Alloes Socatrina *is made.* ejusd. ib. lib. 3. cap. 12. sect. 1. p. 277, & 279. *Alloe. Sir* Henry Middleton. Purchas lib. 3. cap. 11. sect. 1. p. 249. & sect. 5. p. 267. *Sir* Tho. Roe lib. 4. cap. 16. sect 1. p. 539. *Aloes.* Saris. Purchas lib. 4. cap. 1. sect. 3. p. 352. & sect. 6. p. 373. William Finch. lib. 4. cap. 4. sect. 2. p. 417, & 419. Payton. lib. 4. cap. 15. sect. 1. p. 529. *Mandelslo.* p. 206. Ligon. p. 98. Sempervivens. Hughes. p. 98. Keeling. Purchas cap. 6. sect. 3. p. 193. *Aloe of* Socotra. A Nubian. ib. lib. 9. cap. 8. p. 1496. *Green Aloes, the juice of which is brought from the East Countries, and which* Nicodemus *brought to bury Christ after the Jewish fashion.* Rawolfe part. 3. cap. 2. Aloes qui a ses fueilles attachées à la terre comme celuy de nostre Europe. Cauche. p. 156. An Arbre d'aloes ejusd p 154? Arbre d'aloe. Thevet. Cosmogr. f. 117. Aloe Linschot. Garciæ ab Ort. Christ. Acost. Bod. à Stapel. Nott. in Theophrast. p. 904. bot. Francof. p. 8. Fragos. f. 87. Adv. p. 161. Cord. Nott. in Dioscor. f. 51. Hist. pl. f. 210. Trag. p. 931. Fuchs. p. 138. Dorst. f. 25. Lonicer. f. 79. Dod. p. 359. Cæsalp. p. 417. *Math.* ed. B. p. 507. Lugd. p. 1693. Clus. rar. pl. hist. lib. 5. p. 160. Lac. p. 279. Cast. Dur p. 17. Lob. obs. p. 202. J. B. tom. 3. lib. 35. p. 697. Chabr. p. 541. Eyst. Turner p. 29. Aloe vulgaris. Tab. tom. 2. p. 404. C. B. pin. p. 286. Raij hist. p. 1195. part. 2. hist. *Morison.* p. 414. Ambros. h. p. 7. Schwenckf. p. 227. Aloe, sempervivum marinum. Bry. florileg. Lob. Icon. p. 374. Aloe vera. Icon. Rob. Aloe communis. Cam. h. p. 10. Aloe vulgaris sive sempervivum marinum. Ger. emac p. 507. Aloe vera vulgaris. *Munt.* Aloed. p. 17. Aloe Hispanica, sempervivum marinum, aloe vera. ejusd. pl. cult. p. 241. Aloe vulgaris herbe aloes sive sempervivum marinum. Park. p. 149. Kadanaku vel Catevala. Hort. *Mal.* p. 11, & 7. tab. 3. Aloe (Indica herba) Gesn. hort. Germ. f. 245. Caraguata Brasilienſibus, erva baboſa Lusitanis, Aloe latinis. *Marcgr.* p. 37. Caraguata tertia Pis. ed. 1658. p. 193. Aloe præstantissima in Insula Socotra. Ind. orient. part. 2. cap. 6. p. 26. Aloe Arabica serotina vulgaris. *Moris.* hist. p. 414. Granal Hollandorum inter Aeizoa reponenda. J. B. tom. 3. lib. 35. p. 702. An herba medica immortalis, Pusu in

Lienchen

Lienchen in Quangsi. Mirand. sin. & Europ. p. 684? vel herba admiranda nona seu Pusu Jonst. dendr. p. 472? *Sempervive.* In Barbados, Jamaica, & Caribeis Insulis ubique in campis aridioribus & saxosis reperitur.

Aloe secunda seu folio in oblongum aculeum abeunte. Morison. p. 415. C. B. pin. p. 286. Aloe tertia seu monstrosa Avenioni nata. ejusd. ib. Aloe. mucronato folio. ejusd. Nott. in Math. p. 507. Lob. Icon. p. 374. Ger. emac. p. 507. Aloes alterum genus nuper ex India occidentali advectum. Cæsalp. p. 418. Aloe spinosa sive America. Cam. h. p. 10. Aloe Americana Clus. rar. pl. hist. lib, 5. p. 160. Lugd. p. 1697. Cast. Dur. p. 18. Park. p. 150. Eyst. Aloe folio mucronato, aloe America. Clus. Lob. obs. p. 202. Aloes genus Americanum. Bod. à Stapel Nott. in Theoph. p. 904. Aloe Americana florida Ald. p. 94. Aloe spinosa. Schwenckf. p. 227. Aloe quædam quæ Avenione crevit. descript. à Fontano Clus. cur. post. Aloe quæ in Pisano Hetruriæ vireto & Massiliæ visebatur. Adv. p. 161. Aloe America. Tab. tom. 2. p. 404. Aloe mucronato folio Americana major. Munt. p. 3. Americana planta aloes facie maxima arboris instar caulescens. Col. min. cogn. stirp. p. 45. Caraguata guacu. *Marcgr.* p. 87. Pis. (ed. 1648.) p. 112. (ed. 1658) p. 192. Aloe Americana muricata. J. B. tom. 3. lib. 35. p. 701. *Maguey Mexiocanum* Bry. Ind. or. part. 4. tab. 19. Aloe sempervivum folio mucronato. Ejusd. florileg. Aloe Americana muricata. Aloe *Maguey Mexicanum.* Chabr. p. 541. Aloe Americana mucronato folio. *Munt.* pl. cult. p. 241. La principale Karata sauvage. Du Tertre. p. 105. An *Merl* seu *Maguei* Hernandez. p. 270? An *Metl* que quiere dezir *Maguei.* Xim? *Maguey.* Jos. Acost. lib. 4. cap. 23? Ind. occid. part. 9? Chilton. Hakl. part. 3. p. 462? Hawks. ib. p. 464, & 465? Horton ib. p. 492? *Mexican* Chron. Purchas 1085, 1105, & 1108? Nieremb. p. 300? Laet. p. 281? *Metl* de Lopez de Gomara cap. 213? Thevet cosmogr. f. 998? Galvanos. Purchas lib. 10. cap. 1. p. 1693? *Maguey Mexicanis.* Laet. p. 228? *Maguey Mexicanorum* Chucau Peruanis. Ejusd. p. 403? *Melt* ou *Maguey.* Duret. p. 201? quoad descr. vel papyrus & quæ pro papyro usurpatur undecima. C. B. pin. p. 20? An Tribuli qui aculeos ferunt oblongos instar digiti humani ita validos atque acutos ut acuum atque acicularum usum suppleant. Laet. p. 462? An

Caraguata

Caraguata *with Flag leaves.* Anonymus Portugal *of* Brasile. Purchas lib. 7. p. 1311? Guajaco viribus similis Indica. C. B. pin. p. 448? *Mangurie Tree, or* Cabuya Pedro ordonnez. ib. cap. 9. p. 1421? Cabuya de Oviedo lib. 7. cap. 10? summary. Eden. p. 211. Nieremb. p. 329? Laet. p. 448? 414? Aloe Americana flore luteo. *Morif.* hist. p. 415? Novæ Hispaniæ planta quam Indi vocant Allaguey, & nobis fil y agulla, dicitur. Fragos. p. 88? An fili tenuissimi glomus ex arboris cortice Clus. exot. p. 6? seu filum arboreum tenuissimum & candidissimum. J. B. tom. 1. p. 384? An planta instar aloes. Laet. p. 665? *Curaca.* In collibus saxosis sterilioribus & aridioribus Insulæ Jamaicæ frequenter nascitur.

Caraguata-acanga Pis. (ed. 1648.) p. 111. (ed. *1658.*) p. 191. Marcgr. p. 88. Raij hist. p. 1200. Caraguata. Anonymus Portugal *of* Brasile. Purchas lib. 7. cap. 1. p. 1311. Laet. lib. 15. cap. 10. p. 567. Karaouta ejusd. p. 614, & p. 665. Abbeville f. 184, & 228. Karata *a Fruit.* Du Tertre. p. 130. An Mexocotl seu Maguei prunorum. Hernandez. p. 272? Xim? Nieremb. p. 301? Aloe Americana fructu dulci & acido multiplici prunis simili Morif. hist. p. 418? Ananas sylvestris Brasiliana *Kerbita* vulgo Herm. par. Bat. pr. p. 311? *Penguins.* In Jamaica & Caribeis Insulis ubique reperitur.

Aloe Yuccæ foliis. Henequen. Oviedo Coron. lib. 7. cap. 10. Summary. Eden. p. 211. Laet. p. 237. Henechen. Laet. p. 348. Enequen. Portugal *of* Elvas. p. 151. Purchas p. 1555. Mexican Chronicle. ib. p. 1089. An Toucon. Lery. cap. 12, & 14? vel muscus terrestris repens tertius C. B. pin. 360? sive Toccon herba Brasiliana cortice cannabino. J. B. tom. 3. lib. 30. p. 450? Chabr. 645? An Tacori Clus. exot. p. 48? Draconi arbori affinis Americana. C. B. pin. p. 506? Tacori folia draconis arbori similia. J. B. tom. 1. p. 405? Tacori folia. Jonst. p. 288? An Pita. Laet. p. 340? 394? & 457? Pyte. Pagan. cap. ult. p. 139? Pitte Ahetz de Madagascins. Cauche. p. 58? An Flax. Masham. Hakl. part. 3. p. 694? Leigh. Purchas lib. 6. cap. 13. p. 1254? Smith. New-England. p. 216? Harcourt. Purchas. lib. 6. cap. 16. p. 1275? Carow, *called Flax of* Wilson. ib. p. 1262, & 1264? Cannabis sive lini species admodum elegans & tenuis ita ut byssum æmuletur. Laet. p. 644? Pis. mant. aromat. p. 171? An Pemmenaw Smith Virginia. p. 32, & 87? Park. p. 1671?

p. 1671? An *Grass of which is made cloathing.* Galvanos. Purchas lib. 10. cap. 1. p. 1689? Jo. de Verazzano Hakl. part. 3. p. 296? Ramnus. p. 420? An *Silk of Grass, or Grass-silk.* Hariot. Hakl. p. 267, & 268? An *Grass which they call* Yerva. Fitch. Hakl. p. 257? An Ane *Herb which they make Thread of.* Clappham. Boyle *of Air.* p. 178? An *Hemp like unto Steel Hemp.* Masham. Hakl. part. 3. p. 697? Jucca Du Tertre. p. 104? An une des deux dernieres pites qui n'a point des petits picquans aux feueilles comme l'ananas ejusd. ib. p. 105? An Pati seu Metl lenissimum. Hernandez. p. 275? Pati ou Magueis lenissimo. Xim? Aloe purpurea lævis. Munt. Aloed. p. 15? Aloe Americana foliis angustioribus ac minoribus seu tenuioribus absque spinis. Morif. p. 418? Juca Americana filamentosa. Munt. pl. cult. p. 467? seu Yuca foliis filamentosis. Mor. hist. p. 419? An Aloe Americana Juccæ foliis arboreſcens. Hort. Beaum. p. 5? Aloe Juccæ foliis caulescens ex vera cruce. Herm. Par. Bat. pr. p. 306? Aloe foliis Yucæ ex horto Fageliano. Hort. Reg. Par. sch. bot. p. 32? Yuccæ folia folio in longissimum filamentum abeunte. Herm. Par. Bat. pr. p. 386? *Silk Grass.* Ad margines viarum Insulæ Jamaicæ locis campestribus & sylvosis crescentem observavi.

Aloe viſci in modum arboribus innascens. Caraguata quæ viſci in morem arborum ramis & truncis innascitur. Pis. (ed. 1648.) p. 111. Quarta Caraguata. ejusd. (ed. 1658.) p. 193. Caraguata planta crescens in arboribus & putridis arborum caudicibus. Marcgr. p. 86. An Caravala *growing on Trees.* Knivet. Purchas lib. 6. cap. 7. sect. 2. p. 1210? An Pite qui croist sur les branches des arbres. Du Tertre. p. 104? Vetustioribus vel senio confectis arborum grandiorum ramis & truncis innascentem frequenter observavi.

Orchis elatior latifolia asphodeli radice, spica strigosa. In sylvosis, montis *Diablo* dicti, collegi.

Viscum radice bulbosâ majus & elatius, delphinij flore ferrugineo guttato. Arborum ramis & truncis innascitur viâ quâ ab urbe *St. Jago de la Vega* versus *the Salt-ponds* itur.

Viscum radice bulbosa minus, delphinij flore rubro speciosо. Chichiltic Tepetlauchxochitl. Hernandez. p. 368. Arboribus & palis in Insulæ Jamaicæ locis campestribus

bus ubique innaſcere hanc plantam pulcherrimam obſervavi.

Viſcum delphinij flore minus, petalis è viridi albicantibus anguſtioribus radice fibrosâ. Viſcum arboreum flore albo ſpecioſo Americanum foliis forma ſiliquarum nerij. Plukenet tab. 117. fig. 6. An Kayebaka. Cluſ. Exot. lib. 3. cap. 19. p. 73? Fructus nerij ſiliquæ figura. C. B. pin. p. 464? Nerij ſiliquæ effigie Kayebaka. J. B. tom. 2. lib. 15. p. 142? Cum præcedente.

Viſcum delphinij flore albo guttato, minus, radice fibrosâ. Cum prioribus.

Viſcum delphinij flore minimum. In montibus ſylvoſis *Red Hills* dictis, prope viam quâ ab urbe *St. Jago de la Vega* verſus *Guanaboa* itur Arboribus innaſcentem collegi.

Nymphæa alba major. C. B. pin. p. 193. Lugd. p. 1008. Munt. p. 538. Eyſt. Nymphæa alba. Ger. emac. p. 819. Adv. p. 257. Lob. obſ. p. 324. Icon. p. 595. & tom. 2. p. 279. Lon. f. 176. Dod. p. 585 Tab. tom. 2. p. 439. Thal. p. 80. J. B. tom. 3. lib. 38. p. 770. Tſerr. p. 372. bot. Francof. p. 90. Math. ed. B. p. 643. Cord. hiſt. f. 98. Nymphæa ejuſd. Nott. in Dioſc. f. 59. Lacun. p. 357. bot. Francof. p. 105. Nymphæa flore candido amplioreque Cæſalp. p. 568. Nymphæa candida. Fuchſ. p. 535. Trag. p. 695. Schwenckf. p. 145. Turner. part. 2. f. 65. Ninfea. Caſt. Dur. p. 310. Nenufar. Icon. Roeſl. f. 15. Nymphæa Ungula Caballina aquatica Nenufar flore albo Herm. com. Neven. Brunf. tom. 2. p. 122. Nenuphar. Dorſt. f. 199. Nymphæa nenuphar. Chabr. p. 561. Nimphea dal fiore bianco. Ang. p. 235. Nymphæa alba Iotus Ægyptia Alpini Cluſ. rar. plant. hiſt. p. 77. Aguape Braſilienſibus; *Golvaon* Luſitanis: Nymphæa flore albo. Marcgr. p. 23. Nymphæa Braſilienſibus Aguape dicta. Piſ. (ed. 1648.) p. 91. Aguape ſive Nymphæa ejuſd. (ed. 1658.) p. 219. An Nymphæa major flore albo pleno Ambroſ. h p. 44? An *Water-lily* Anonymus Portugal *of* Elvas. p. 34. Purchas p. 1533? *White Water-lily*. In ſtagno prope locum dictum *the Angels*, Lacunâ loco *Caymanes* vocato, nec non fluviis majoribus Inſulæ Jamaicæ copioſè oritur.

Nymphæa Indica flore candido folio in ambitu ſerrato. Hort. Mal. part. 11am. p. 52. Ambel. Commelin Nott. i. 11. p. 51. tab. 26. Lotus Ægyptia Hort. Malab. part. pt. p. 103. Exot. p. 213. Bod. à Stapel Alp. de plant. Ægy

Nott.

Nott. in Theophr. p. 450. Nymphæa seu Nusar Ægyptium Vesling. Nott. in Alp. p. 42. Nymphæa alba major Ægyptiaca sive lotus Ægyptia. Park. p. 1251. Loco *Caymanes* nuncupato, prope Lacunam magnam, fluvio aquæ dulcis innatantem observavi.

Nympheæ minoris affinis Indica flore albo piloso. Commelin. Nott. in 11^am^ part. Hort. Mal. p. 56. Nedel-Ambel. Hort. Mal, part. 11. p. 55. tab. 28. In pratis Insulæ Jamaicæ aquarum stagnantium minus profundarum superficiei incumbentem observavi.

Nympheæ affinis palustris, plantaginis aquaticæ folio, flore hexapetalo stellari cœruleo. In pratis locis ubi aquæ stagnarunt reperitur.

Canna Indica. Riv. p. 20. Gesn. h. Germ. f. 251. Clus. rar. plant. hist. lib. 4. p. 81. Cam. h. p. 33. Canna Indiæ Cæsalp. p. 420. Canna d'India. Cast. Dur. p. 88. Arundo Indica vel cannacorus Quorundam : à Camerario gladiolus Indicus vocatus Pon. Clus. p. 328. Arundo Indica florida Cannacorus Quorundam Icon. Lob. p. 56. obs. p. 29. Arundo seu canna Indica Clus. Lugd. p. 1001. Arundo seu Canna Indica Dalechamp. ejusd. ib. Arundo Indica florida adv. p. 28. Schwenckf. p. 236. Arundo Indica latifolia. C. B. Nott. in Math. p. 701. Theat. bot. p. 322. pin. p. 19. Tab. p. 597. J. B. tom. 2. lib. 18. p. 489. Canna sive arundo Indica Quibusdam flos cancri. ejusd. tom. 2. lib. 19. p. 752. Chabr. p. 247. Canna Indica rubro flore. Eyst. Park. par. p. 376. Arundo florida. Ger. emac. p. 39. Langoas. Bod. à Stapel Nott. in Theophr. p. 334. Canna Indica latifolia flore rubro. Munt. pl. cult. p. 285. Arundo Indica florida sive canna Indica rubra. Ambros. h. p. 11. Canna Indica latifolia humilior, flore saturatius rubente. Herm. cat. p. 113. Tozquitlapilxochitl Lithospermum arundinaceum aliud. Hernandez. p. 282. Tozquitlapil xochitl. Xim. Petits balisiers de fleurs rouges. Du Tertre. p. 126. Katu-bala. Hort. mal. part. 11. p. 85. tab. 43. Meeru Brasilianis dicta, Canna Indica. Marcgr. p. 4. Meeru sive canna Indica. Pis. (ed. 1648.) p. 116. Meeru. ejusd. (ed. 1658.) p. 212. An Canna Indica. Valerio di St. Gioseppe Zanon. p. 25? An *wild Plantine.* Ligon. p. 81? Locis lutosis humidioribus Jamaicæ & Caribearum Insularum ubique reperitur.

Canna Indica radice alba alexipharmaca. L'herbe aux fleches. Du Tertre. p. 90. Rochef. p. 130. An yerva que con el ſumo de ſu rayz remedia la ponſonna de las manſanillas ponſonnoſas, y reſtituye la viſta y cura todo mal de ojos. Lop. de Gomara. cap. 71. hiſt. gen. An Tupara. *Sir Walter Rawleigh.* p. 59? Hakl. p. 649? Bry Ind. occid. part. 8. p. 82? vel Cyperus longus inodorus quartus, ſeu radix contra venenatas ſagittas. C. B. pin. p. 14? An Uppee. Harcourt. Purchas lib. 6. cap. 16. p. 1276? Laet. p. 645? Piſ. mantiſs. aromat. p. 171? *Indian arrow root.* In hortis Jamaicæ & Caribearum Inſularum obſervavi. In Inſula Dominica ſponte provenire audivi.

Alſineſolia per terram ſparſa, flore hexapetalo purpureo. In pratis, locis aridioribus reperitur.

Herbæ flore Compoſito.

SOnchus Lævis Cord. hiſt. pl. f. 157. Geſn. h. Germ. f. 282. Math. p. 385. Lâc. p, 213. Thal. p. 107. Dod. p. 643. Lugd. p. 572. Park. p. 805. Ger. emac. p. 292. Raij hiſt. p. 222. Sonco liſcio. Caſt. Dur. p. 441. Sonchus non aſpera Fuchſ. p. 675. Son- Sonchus lævis alter flore luteo. Tab. p. 518. Sonchus lævis vulgaris. Schwenckf. p. 199. Munt. pl. cult. p. 620. Sonchus lævis vulgaris foliis laciniosis dentis leonis. Lob. obſ. p. 119. Icon. p. 235. Sonchus lævis primus ſeu laciniatus latiſolius. C. B. pin. p. 124. Sonchus laciniatus ſpinoſus & non ſpinoſus. J. B. tom. 2. lib. 24. p. 1015. Sonchus lævis laciniatus Ambroſ. h. p. 60. Sonchus quæ vulgo Cicerbita vocatur. Cæſalp. p. 511. Sonchus repens multis Quibuſdam hieracium majus. Chabr. p. 316. quoad figuram. Sonchus laciniatus lævis ſive non ſpinoſus. Ejuſd. ib. Sonchus lævis laciniatis foliis. Adv. p. 87. Lugd. p. 572. Andryala minor. Dalechamp. ejuſd. p. 563. An *Sow-thiſtle, Anonymus Portugal of Braſile.* Purchas lib. 7. cap. 1. p. 1312? *Common ſmooth Sow-thiſtle.* In Madera, Jamaica & Caribeis Inſulis, in agris cultis ubique luxuriat.

Sonchus

Sonchus asper laciniatus. Park. p. 804. Sonchus asper laciniatus & non laciniatus. C. B. pin. p. 124. Sonchus laciniatus spinosus. J. B. tom. 2. lib. 24. p. 1016. Sonchus asper. 1. Tab. tom. 1. p. 514. Sonchus laciniatus lævis sive non spinosus Chabr. p. 316. quoad fig. In colle prope domum Dom. *Batchelour* crescere observavi.

Hieracium stellatum J. B. tom. 2. lib. 24. p. 1014. Raij hist. p. 256. Hieracium Narbonense siliqua falcata. Lob. obs. p. 128. Lugd. p. 570. Hieracium Narbonense falcatum. Ejusd. Icon. p. 240. Hieracium decimum Tab. p. 508. Hieracium falcatum Lob. Ger. emac. p. 299. Hieracium cichoraceo folio semine adunco secundum seu siliqua falcatâ. C. B pin. p. 128. Hieracium falcatum sive stellatum. Park. p. 796. In Insula Madera hanc plantam collegi.

Hieracium fruticosum foliis tenuissimè coronopi modò divisis. An Hieracium fruticosum foliis angustissimis non descriptum. Hort. Lugd. Bat. Raii hist. p. 239? Hieracium fruticosum angustissimo incano folio. Herm. cat. pl. p. 316? In montibus sax osis prope urbem *Funchall* in Insula Madera collegi.

Hieracium fruticosum angustissimis gramineis foliis capitulis parvis. In Madera, Jamaica, vel una è Caribeis Insulis collegi, quânam autem earum non memini.

Hieracium minimum longis integris & angustis foliis. In Insulæ Jamaicæ locis campestribus arenosis & aridioribus ubique reperitur.

Dens leonis, folio subtus incano, flore purpureo. Yztac cihuatlis seu fœmina candida. Hernandez. Yztaccihvatl. Xim. In agris dom. *Cope*, loco Guanaboa dicto collegi.

Conyza major inodora, helenij folio integro sicco & duro, cichorij flore albo è ramorum lateribus exeunte. Cum præcedente, nec non prope fluvium *Cobre* dictum, & in prato *Moneque Savanna* vocato copiosè crescit.

Conyza inodora, helenij folio, integro, duro, angusto, oblongo, capitulis in lateribus ramorum conglomeratis. In monte *Diablo* dicto frequens & obvia est.

Conyza fruticosa, cisti odore, floribus pallide purpureis, summitatibus ramulorum insidentibus, capitulis & semine minoribus. Secus viam quæ ducit ab urbe *St. Jago de la Vega* versus *Guanaboa*, & in monte *Diablo* locis apricioribus reperitur.

Conyza fruticosa cisti odore, floribus pallide purpureis summitatibus ramulorum insidentibus, capitulis & semine majoribus. Cum priori.

Conyza fruticosa, folio hastato, flore pallide purpureo. Eupatoria conyzoides folio molli & incano capitulis magnis Americana Plukenet. tab. 177. fig. 3. An Axixpatlis Texaxahuacensis seu volubilis quinquelatera. Hernandez ? In omnibus pratis & collibus Insulæ Jamaicæ oritur.

Conyza fruticosa flore pallide purpureo, capitulis è lateribus ramulorum spicatim exeuntibus. Tremate Brasilienfibus. Marcgr. p. 61, & 81. Tremae. Pis. (ed. 1658.) p. 176. In frutetis & sylvis apertioribus Jamaicæ & Caribearum Insularum nascitur.

Conyza major odorata seu baccharis, floribus purpureis nudis. In maritimis paluſtribus prope domum Dom. *Delacree*, loco *Liguanée* dicto inveni.

Conyza urticæ folio. In Jamaica & Caribeis Insulis collegi.

Conyza folio hastato seu triangulari serrato glabro. Loco 16 *mile walk* dicto in agris Dom. *Nedham* oritur.

Conyza minor procumbens fœtida, flore luteo, seminibus tomento obductis. In sylvosis apricioribus Insulæ Jamaicæ ubique reperitur.

Aster folio oblongo integro incano flore pallide cœruleo. In locis humidioribus pratorum, circa urbem *St. Jago de la Vega* observavi.

Aster Canadensis annuus non descriptus. Brunyer. Hort. Blef. p. 10. Aster Canadensis annuus flore papposo. Hort. Reg. Par. p. 27. Virga aurea Virginiana inſuta annua di fiore pallido. Zan. p 204. Senecio Canadensis acris alba. Morif. hort. Blef. p. 190. Conyza acris annua alba. Ejusd. ib p. 256. Conyza Canadensis annua acris alba linariæ folio Bocc. pl. sic. p. 85. Raij. Hist. p 271. Eupatorium Cannabinum Americanum angusti-folium. Park p 595. In Jamaica & Caribeis insulis ubique oritur.

Alypum sive Herba terribilis procerior, cortice cinereo scabro, folio acuminato longiore. Prope urbem *Funchall* in insula Madera Collegi.

Senecio major florum calice purpureo. In agris Dom. *Nedham* præsertim cultis, loco 16 *mile walk* dicto, provenire observavi.

Senecio minor bellidis majoris folio. Ad ripas fluvij *Cobre* vocati, prope urbem *St. Jago de la Vega* nascitur.

Virga aurea major sive herba Doria folio sinuato hirsuto. Crescit secus viam quâ ab agris Dom. *Cope* versus *Mountain River* itur.

Helichrysum caule alato, floribus spicatis. In pratis Insulæ Jamaicæ locis ardioribus copiosè provenit.

Helichrysum 2um seu Helichryso Sylvestri flore oblongo similis. C. B. pin. p. 265. prod. p. 123. Stæchadi citrinæ alteri modoræ Lobelij affinis capitulis brevioribus J. B. tom. 3. lib 26. p. 157. Raij. p. 282. Stæchas citrina Sylvestrior. Park. p. 688. Prope urbem Funchall in insula Madera Collegi.

Gnaphalium ad Stæchadem citrinam accedens. J. B. tom. 3. lib. 26. p. 160. Raij. hist. p. 284. Gnaphalium ad Stæchadem accedens. Chabr. p. 371. An Helichrysum 8um seu Sylvestre latifolium capitulis conglobatis. C. B. pin. p. 264? Heliochrysum Sylvestre. Ger. emac. p. 647? Chrysocome & Heliochrysos Sylvestris. Lob. icon. p. 485? vel An Gnaphalium Plateau. 2^{um} Clus. rar. plant. hist. p. 263? seu Gnaphalium 9^{um} sive majus lato oblongo folio. C. B. pin. p. 263? Plukenet. tab. 31. fig. 6? Gnaphalium supinum oblongo folio. Park. p. 686? Gnaphalium oblongo folio. Ger. emac. p. 643? Raij hist. p. 296? Cum priore ubi proceritate, foliorum angustiâ, longitudine, frequentiâ, & capitulorum elegantiâ mire ludit.

Chrysanthemum fruticosum maritimum, foliis glaucis oblongis, flore luteo. Chrysanthemum ex Insulis Charibæis leucoii incanis & sericeis foliis argenteis crassis. Plukenet. tab. 115. fig. 4. Ad littus marinum Saxosum, prope Insulæ Jamaicæ urbem, olim Hispanis *Sevilla* nuncupatam, provenire observavi.

Chrysanthemum Salviæ folio rugoso scabro oblongo. In Jamaica vel Caribearum insularum una hanc plantam Collegi & inter siccas reposui, sed quânam non memini.

Chrysanthemum trifoliatum scandens, flore luteo, semine longo rostrato bidente. An Chrysanthemum Americanum ciceris folio glabro, flore bellidis majoris. Herm. par. Bat. pr. p. 323? Reperitur in sylvis Mediterraneis Insulæ Jamaicæ ubi aliquando folia alata sunt.

Chry-

Chryſanthemum cannabinum Americanum alatum flore aphyllo globoſo aurantio baccharidis foliis. Breyn. prod. 2. p. 32. Chryſanthemum Americanum bidens alatum flore parvo aurantiaco. Plukenet. tab. 84. fig. 3. Chryſanthemum Conyzoides caule alato Curaſſavicum Herm. par. Bat. pr. p. 323. An Chryſanthemum Conyzoides Curaſſavicum abrotani fæminæ flore aurantio. Ejuſd. ib. add. In paſcuis Inſulæ Jamaicæ prope *Blackriver Bridge* in *St. Dorothies* copioſum obſervavi.

Chryſanthemum Conyzoides nodiflorum ſemine roſtrato bidente. In Mediterraneis Inſulæ Jamaicæ Collegi. Reperitur etiam in Inſula Barbados.

Chryſanthemum paluſtre, repens, minus, odoratum, folio ſcabro trilobato. In pratis humidioribus & ad ripas fluvij *Cobre* ubique reperitur.

Chryſanthemum ſylvaticum repens minus, Chamædryos folio, flore luteo nudo, ſemine roſtrato. In Sylvis Mediterraneis opacis Inſulæ Jamaicæ naſcitur.

Chryſanthemum paluſtre minimum repens, apij folio. In Pratis Jamaicæ & Caribearum inſularum, locis humidioribus frequenter oritur.

Chryſanthemum aquaticum Cannabinum folio tripartito diviſo. Herm. cat. pl. p. 146. Bidens foliis tripartito diviſis. Cæſalp. p 488. Hydropiper pſeudo-eupatorium fæmina Dod. Lugd. p. 1039. Eupatorium 2^um^. ſeu Cannabina aquatica folio tripartito diviſo. C. B. pin. p. 321. Hepatorium aquatile Dod. p. 595. Pſeudohepatorium alterum Dodonei ſeu fæmina. Thal. p. 85. Verbena ſupina Dioſcoridis. Trag. p. 211. Verbenaca recta. Cord. in Dioſc. p. 66. Forbeſina Bononiæ vulgo, Conyza paluſtris quidam. Geſn. hort. f. 259. Verbeſina Italis dicta paſſim hic in paluſtribus emicans. Ejuſd. Ib. f. 296. Eupatorium cannabinum fœmina. Ger. emac. p. 711. Raij hiſt. p. 360. Verbeſina, ſive Cannabina aquatica, flore minus pulchro, elatior ac magis frequens. J. B. tom. 2. app. p. 1073. Eupatorium aquaticum foliis diviſis. Park. p. 597. An Eupatorium Cannabinum Americanum flore aureo. Brunyer. hort. Bleſ. auct. p. 35? Moriſ. p. 72? Chryſanthemum Cannabinum Americanum. Moriſ. hort. Bleſ. p. 251? *Water-hemp Agrimony with a yellow flower.* In Inſula Madera, circa urbem *Funchall* locis paluſtribus Collegi. Inter ſiccas plantas

tas ex Insula *Bermuda* ad diligentissimum botanicum Dom. Jacobum Pettiver Missas, hanc observavi.

Planta de qua moxa colligitur, forte artemisia vulgaris. J. B. tom. 3. lib. 26. p. 184. An Artemisia Chinensis cujus mollugo moxa dicitur, forte Ytzecuinpatli Mexic. Hernandez an artemisia Virginiana. Park. Plukenet. tab. 15. fig. 1? In insula Barbados plantam habui ex horto viri in rebus naturalibus admodum curiosi, qui illam pro moxæ planta alebat, & referebat se ab India Orientali accepisse, quam, quantum ex specimine mihi communicato & cum artemisia vulgari comparato vix ab ea differre comperio.

Artemisia humilior flore majore albo. Matricariæ Achoavan dictæ similis, erisymi foliis, absinthij sapore Jamaicensis. Plukenet. tab. 45. fig. 3. *Wild Wormwood.* In pratis campestribus circa urbem *St. Jago de la Vega* dictam locis glareosis ubique crescit.

Scabiosæ affinis anomala sylvatica, enulæ folio. singulis floseulis albis in eodem capitulo perianthia habentibus, semine papposo. In sylvis secus viam quæ ab urbe *St. Jago de la Vega* versus agros Dom. *Cope* in *Guanaboa* ducit & in aliis sylvis Mediterraneis Jamaicæ Insulæ reperitur.

Eryngium foliis angustis serratis fætidum. Eryngium Americanum fætidum Itubu Surinamensibus. Herm. cat. pl. p. 236. Cohayelli seu Chichicahoarton seu herba serratorum foliorum. Hernandez. p. 143. Cohvayelli tritricahuazton, que es yerva que tiene las ojas aserradas à manera de peyne. Xim. In agris humidis & pinguioribus circa Domum Dom. *Bourden* & locum *the Crescent Plantation* dictum, abundat.

ARBO-

ARBORES

Flore à fructu ſejuncto.

NUX juglans trifolia, fructu magnitudine nucis moſchatæ. Ad ripas fluvij *Cobre* dicti, & in pratis circa urbem *St. Jago de la Vega* locis ſylvoſis copioſe creſcit.

Alni folio, arbor, folio ſubrotundo ſerrato. Ad Margines viæ quâ verſus Jamaicæ partem ſeptentrionalem itur, circa montem *Diablo* dictum, collegi.

Juniperus maxima Cupreſſi folio minimo, cortice exteriore in tenues philyras ſpirales ductili. An Cipreſſi alti. di Verazzano Ramnuſ. part. 3. p. 420? Hakl. part. 3. p. 296? *Cypreſſes of Sparrey.* Purchas lib. 6. cap. 11. p. 1248? Champlain. ib. p. 1611? Cupreſſus Chiapæ. Laet. p. 323? *Cipres of Ligon.* p. 14? *Smith Suummer Iſles.* p. 216? *firſt Voyage to Virginia* Hakl. p. 246? Laudonniere p. 3? Hakl. p. 305? Hawkins. ib. p. 519? *Savine Trees.* Alvaro Nunnez. Pur- Purchſ. lib. 8. cap. 1. p. 1502? Oracautin eſpece de cedre. Thevet. Coſmogr. f. 959? In montibus Mediterraneis *blew Mountains* dictis prope agros Dom. *Hariſon* & Dom. *Mc. Gragh* naſcitur.

Morus fructu viridi, ligno ſulphureo tinctorio. Tataiiba-Braſilienſibus. Marcgr. p. 119. Tatai-iba. Piſ. (ed. 1658.) p. 163. Jonſt. dendrol. p. 64. Lignum flavum quod vocant *Tata-youba.* Laet. p. 603. *Fuſtick Trees. Smith's Obſerv.* p. 56. Park. p. 1671. *Fuſtick Wood of* Ligon. p. 24. Bois jaune ou fuſtok Rochef. p. 91. An certa arbor gummi fundens, quod pannos eleganti & pertinaci colore flavo tingit. Laet. p. 645? Bois jaune. Abbeville. p. 208? Gacirma.

cirma. Nieremb. p. 295? Lignum buxi colorem imitans. Ler. part. 3. Ind. occid. p. 297? Laet. p. 562? Bouix. Linschot? Buxei coloris lignum Americanum. J. B. tom. 1. p. 498? Chabr. app. p. 598? Presilium citrinum id est Bugia. Cord. hist. pl. f. 191? *Fustick Wood.* In Insulæ Jamaicæ locis campestribus apertioribus ubique crescit.

Juglandi affinis arbor julifera, lacteſcens, venenata, pyrifolia, *Mancanillo* Hispanis dicta. Ciertas Mancanillas. Lopes de Gomara. cap. 46. Arbol que produze Mancanas Ponconosas. Ejusd. cap. 71. Arbol O Mancanillo con cuya fructa los Indios Caribes flecheros hazen la yerva con que tiran que es inrrediable. Oviedo Coron. lib. 9. cap. 12. *Trees bearing venemous Apples, wherewith the* Cannibal *Archers poyson their Arrows, and which infect Land-crabs feeding on them, so as to poyson those eating them, being otherwise not poysonous.* Ejusd. Summary. Eden. p. 209. *Manchinelo-Tree.* Hughes. p. 86. Mantionell. Ligon. p. 68. Espece d'arbre portant fruit de la grosseur d'une esteuf, beau à voir toutes fois veneneux. Thevet. sing. f. 121. Fruit comme pommes bien odoriferantes & fort petites. Ejusd. Cosmogr. p. 458. Arbrisseau portant le fruit resemblant nos neffles tresdangereux à manger. Lery. p. 190. Pommes fort belles à voir qui ne valent rien à manger. Linschot. Arbor dulcium pomorum sed maxime noxiorum ferax. Martyr. Arbor. cujus folia si nudum alicujus corpus tetigerint vibices elevant ingentes. Ejusd. Arbor cujus succus perimit si eo illinita sagitta quis pericutietur. Ejusd. ib. Arbor alia Pomifera perimens. Ejusd. Nocivæ Arbores Nieremb. p. 331. Pomum. Benz. lib. 1. cap. 4. Le Mancenilier. Rochef. p. 104. Arbol Macanillo con que los Indios Caribes Flecheros hazen la yerva con que tiran que es ynremediable. Xim. Arbre tresbeau ayant les fueilles approchantes à celles de laurier que si de cas fortuit vous les touches de main & par apres vous les porties aux yeux vous perdez l'usage de veve pour 3 ou 4 heures. Abbeville. p. 53. *Apples which are very fair and red of colour, but are a strong poyson.* Hawkins. Hakl. part. 3. p. 508. *The* Caribe Indian *Arrows are so poysoned, that if they do but draw blood, the hurt is incurable.* Smith's *Obs.* p. 52. Hanno veneno & questo è d'una sorte d'arberi della grandezza di pomari & non bisogna se non cogliere il frutto & ungere la frezza con esso & se non ha frutti ne rompono un ramo & con certo latte

che ha, fanno il medeſimo. Vi ſono molti di queſti arbori che ſono tanto venenoſi, che ſe le foglie loro ſi peſtano in qualche acqua raccolta & non corrente, tutti i cervi & qual ſi voglia altro animale che ne beva ſubito crepano. Alvaro Nunnes. Ramnuſ. p. 327. Purchas. 1525. Mancinell *Apple of* Smith's *Obſ.* p. 55. *Whether it was the dew of thoſe Trees* (the Mangroves in Mevis) *or of ſome others I am not certain, but many of our men became ſo tormented with a burning ſwelling all over their Bodies, they ſeemed like ſcalded men, and near mad with pain. Here we found a great Pool, wherein bathing themſelves, they found much eaſe,* Smith's *Obſ.* p. 57. *At our firſt landing on this Iſland* (Santacruz) *ſome of our Women and Men by eating a ſmall Fruit like green Apples, were fearfully troubled with a ſudden burning in their Mouths, and ſwelling of their Tongues ſo big, that ſome of them could not ſpeak: Alſo a Child ſucking one of thoſe Womens Breaſts, had at that inſtant his mouth ſet on ſuch a burning, that it was ſtrange to ſee how the Infant was tormented for the time, but after 24 hours it wore away of it ſelf. Fourth Voyage to* Virginia. Hakl. p. 281. Herba avelenata per le freccie. Fernan. Colon. f. 160. Manſamillias *like to a wheaten Plum, very dangerous, as are likewiſe the Boughs of the Tree full of ſap, perilous to the Sight if it ſhould haply fly in.* William Finch Purchas. lib. 4. cap. 4. ſect. 1. p. 415. *Trees like Apple-trees of* Anafega, *bearing ſmall Apples, like Apples of* Anaſega, *which do not eat well.* Purchas. lib. 10. cap. 9. ſect 1. p. 1786. Pommes de Mancenille. Dutertre. p. 191. Macanillo. Laet. p. 2, & 26. Arbor vocata Aguapam cujus umbra ita noxia eſt ut ſi quis Hiſpanus ſub illâ ſomnum capiat, ſupra modum infletur, ſi vero nudus aliquis barbarus, diſrumpatur. Ejuſd. p. 382. Fructus Braſilienſis meſpilo ſimiils. Ejuſ. p. 562. Jonſt. dendrolog. p. 46. Arbor venenata 4ª. Macanillo Ejuſd. ib. p. 466. Arbor venenata 6ª. Aguapam. Ejuſ. ib. p. 467. Arbor venenata innominata 1ª. fructu pilæ palmaris magnitudine, Ejuſ. ib. Arbor venenata innominata 4ª. ſeu arbor pomis venenatis in Darien. Ejuſd. ib. Arbor venenata innominata 5ª. ſeu foliis & ligno venenatis in Hiſpaniola. Ejuſd. ib. Arbor venenata innominata 6ª. ſeu fruticeta in Inſula S. Johannis de portu Ricco. Ejuſd. ib. Arbor venenata innominata 7ª. ſeu Arbor in Inſulis Cannibalium. Ejuſd. ib. Fructus orbicularis venoſus novem venis diſtinctus minor. Ejuſd. ib. p. 101. Arbor fructum

ferens

ferens pilæ magnitudine. Lugd. p. 1834. Arbor venenata 2ª. seu fructu pilæ magnitudine. C. B. pin. p. 512. Arbor venenata alia. J. B. tom. 1. lib. 4. p. 505. Baxanæ arbori simulis si non eadem. Ejusd. ib. Mespilo similis fructus Americanus. Ejusd. lib. 1. p. 72. Fructus peregrinus orbicularis novem nervis distinctus minor cum Osficulo anguloso. J. B. tom. 1. lib. 3. p. 327. Orbicularis fructus nervis distinctus 2us. Clus. exot. lib. 2. cap. 10. p. 30. Fructus orbicularis sulcis nervisque distinctus 9us. seu orbicularis minor novem venis, ut & semen, distinctus. C. B. pin. p. 405. Aliæ arbores venenatæ. Chabr. app. p. 599. Mespilo similis fructus venenatus C. B. pin. p. 454. Arbor venenata Mancinello dicta. Raij hist. p. 1646. Arbor venenata pomifera limoniæ folio Americana Mancinello dicta Araticu pana. Pis. Commel. cat. Amst. p. 35. Massinilia arbor Americana pomifera venenata pyri foliis fructu orbiculari compresso odorato. Hort. Beaumont. p. 29. Massinilia major. Par. Bat. pr. p. 352. Arbor Americana Mancinello dicta fructu pomi venenato nucleis septenis & pluribus in osficulo muricato totidem loculis dispertito inclusis. Plukenet. tab. 142. fig. 4. An fructus exoticus 2us à Jacobus Plateau acceptus. Clus. exot. lib. 2. cap. 19. p. 45? An Fructus orbicularis sulcis nervisque distinctus 6us seu arantium siccum referens, quatuor venis distinctus. C. B. pin. p. 405? seu Fructus orbiculatus venosus 1us seu quatuor venis distinctus. Jonst. Dendr. p. 101? Fructus malo aurantio reficcato similis lævis aurei coloris octo nervis distinctus. J. B. tom. 1. p. 329? An Guchon. Nieremberg. lib. 14. cap. 105. p. 331? vel Arbor venenata 2ª. Guchon. Jonst. Dend. p. 466? Guao. Laet. p. 2? An Araticu-pana. Marcg. p. 94? Pis. (Ed. 1658.) p. 142? & 306? Red. esperienz. nat. p. 46? exper. nat. p. 64? *The Mancaneel Tree.* In locis campestribus arenosis ubi aquæ stagnarunt, versus littus Marinum, & rivulorum vel stagnorum ripas aridiores Jamaicæ & Caribearum insularum ubique observavi.

Ricini fructu glabro, arbor, julifera, lactescens folio myrtino. Ad ripas rivuli inter *two mile Wood*, & *the Town Savanna*, in fruticeto copiosè crescentem collegi.

Arbores fructu ſicco.

PAlma Indica nucifera coccus dicta. Raij hiſt. pl. p. 1356. Palma nucifera Indica major. Jonſt. dend. p. 145. Palma nucifera Americana major 1ª. Cocoeire ceu Coqueiro. Ejuſd. p. 149. Cocos *of May*, Hackl. part. 3. p. 572. *Sir Francis Drake*, ib. p. 731, 738, 741, & 742. Ind. occident. part. 8. p. 49. Pretty. Hakl. p. 817, 818, & 821. Purchas. lib. 2. p. 285. *of David Middleton*, ib. lib. 3. cap. 8. p. 226. *of Saris* ib. lib. 4. cap. 1. ſect. 1. p. 336. & ſect. 5. p. 360. Beſt. ib. cap. 7. ſect. 1. p. 457. & ſect. 2. p. 461. *of Elkington.* ib. cap. 12. ſect. 1. p. 515. *of Milwad.* ib. cap. 14. p. 525. *of Payton* ib. cap. 15. ſect. 1. p. 529. *of Child.* ib. lib. 5. cap. 2. p. 606. *of Pring.* ib lib. 5. cap. 7. ſect. 1. p. 633. *of Sir Thomas Roe.* ib. lib. 4. cap. 16. ſect. 1. p. 536, 537. *of Ferdinando Giros.* ib. lib. 7. cap. 10. p. 1424. *of the ſecond Duch Voyage,* ib. lib. 5. cap. 15. p. 709. *of Pagan.* cap. uit. de Lop. Gomara. cap. 91. de Pyrard. cap. 1. p. 11. cap. 4. p. 32. cap. 5. p. 40, 46, 52, 53, 65, 70, 72. cap. 10, p. 85, 89. cap. 11. p. 103, 128, 134. cap. 17. p. 165, 172. cap. 24. p. 232. cap. 27. p. 286, 289, 290. part. 2. p. 18. 88, 100, & 148. de Dutertre. p. 185. Rochef. p. 82. Loubere. tom. 1. p. 35, 284. & tom. 2 p. 54, & 72. Abbeville. p. 220. *of Sir Richard Hawkins's Obſ.* p. 30. Mandelſlo p. 179, & 206. de Molinet. p. 208. Ligon. p. 9, 14, 18, & 71. *of* Hernan Lopez de Caſtagneda. cap. 22. Linſchot. cap. 25, & 56. Coco nutt. *of May* Hakl. part. 3. p. 571. *of Jones* ib. lib. 3. cap. 9. ſect. 1. p. 228, & 229. Anonymus Portugal *of Braſile* Purchas lib. 7. cap. 1. p. 1307. Raveneau de Luſan. p. 78. *of Grew.* p. 197. *of Sir Henry Middleton* Purchas lib. 3. cap. 11. ſect. 2. p. 251. *of Dounton.* ib. cap. 12. ſect. 4. p. 298. ſect. 5. p. 302, & 304, & 306. *of Hoare.* ib. lib. 5. cap. 8. p. 657. Cocus *of Oviedo.* Summary. Eden. p. 205. Cocus *or Coco Nut-tree of Hughes.* p. 60. *Cocoes of Fitch.* Hakl. p. 251. *Palmer Tree.* Ej. ib. p. 252. *Coquer Nuts of Terry.* p. 53, & 55. *of Payton.* Purchas lib. 4. cap. 9. ſect. 1. p. 489, & 490. *Coker Nut-trees of Layfield* Purchas lib. 4. p. 1165. *Coker Trees.* Ej. ib. p. 1173. Cochars, *or Cockos*

Cochos Nuts of Cates. Hakl. part. 3. p. 537. *A Tree which beareth the Fruit Coccos of Cliffe.* ib. p. 749. Arbre admirable qui porte la noix d'Inde appellè Cocos de Pyrard part. 3. p. 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, & 33. *Palmer Tree, or Indian Nuts of Mr. Cæsar Frederick.* Hakl part. 2. p. 218, & 219. *Nuts.* Ejus. ib. p. 227. Palme qui porte les noix des Indes. Linschot. descr. de la Guinee cap. 5. Palma quæ nuces Indicas coccos fert. Pigafetr. seu Ind. or. 1. part. p. 29. *Palm-trees for Wine* & Cocos *of* Jo. dos Sanctos Purchas lib. 9. cap. 12. sect. 4. p. 1554, & 1555. *Palm Trees or wild Date Trees.* Ejusd. ib. *Date Trees which bear the Fruit Cocos.* Purchas. lib. 2. cap. 2. p. 37. *Cocos Trees of Davis.* ib. lib. 3. cap. 1. sect. 4. p. 119, & 134. *Coco Tree of Lancaster* ib. cap. 3. sect. 2. p 151. *Cocus Nuts of Keeling.* ib. cap. 6. sect. 5. p. 203. *Palm Trees of Salbank.* ib. cap. 9. sect4. p. 238. *of Duart de Menefes* ib. lib. 9. cap. 10. sect. 1. p. 1506, 1511. *of Jo. Dos Sanctos* ib. cap. 12. sect. 1. p. 1536, 1537. *of Galvanos* ib. lib. 10. cap 1. p. 1682, & 1689. *Indian Nuts of Polo.* ib. lib. 1. p. 103. Arbor quæ cocos nuces fert. Laet. p. 559. Inajaguacu. Morisot. nott. in Baro. p. 298. Palme ou noix Indique autrement Coccos. Duret. p. 126. Arbre portevin nomme Chicorin. Ejus. p. 213. Arbre qui porte le Chicorin que nous disons noix d'Inde de Thevet. p. 43. Palme d'Inde qui porte les noix de Coccos. Linschot. *Palm-tree which bears Cocos. of* Hieronimo de Lobos. p. 58. Tenga ou Cochi de Thevet. p. 396. Coco ou palme d'Inde de Joseph Acosta lib. 4. cap. 26. Nux Indica. Lob. Icon. tom. 2. p. 237. obs. p. 641. Adv. p. 451. Bot Francof. p. 92. Garc. ab Ort. Clus. p. 189. Cord. hist. pl. f. 192. Dorst. f. 204. Lon. tom. 2. f. 12. Cæsalp. p. 82. Math. ed. B p. 224. Lugd. p. 1761. Nux Indica arbor. Ger. emac p. 1522. Nux Indica 1ª. & 2ª. Tab tom. 2. p. 648. Palma Indica quæ & elephantis Acostæ & Cuciophera Math. Lugd. app. p. 8. Noce d'India Cast. Dur. p. 312. Cocus Indicus Fragos. p. 46. Lac. p. 114. Palma Indica Christ. Acost. Clus. p. 269. Nux Indica Coquo Lusitanis dicta. Bont. hist. nat. & med. nott. in Garc. p. 45. Nux Indica & Cocci vocati arbor. Hernandez. p. 71. Palmas que crian los cocos que los Mexicanos Llaman Coyolli. Xim. Palma nucifera arbor J. B. tom 1. p. 375. Palma Indica nucifera. Chabr. p. 27. Nux Indica. Ejusd. p. 28. Palma elephantis Acostæ Ejusd.

Ejuſd. ib. Coccus. Nieremb. p. 296. Palma ſive nux Indica vulgaris ferens coccos. Park. p. 1596. Inajagacuiba cujus fructus Inajaguacu Braſilienſibus. Marcgr. p. 138. Cocoeiro Indica, quæ à Braſilianis vocatur Inajaguacuiba & fructus illius Inajaguacu. Piſ. (ed. 1648.) p. 63. Inajaguacuiba, vulgo Cocos. Ejuſd. (ed. 1658.) p. 130. Palma Indica arbor di Matteo di S. Gioſeppe Zan. p. 18. Coccus major oculatus di Valerio di S. Gioſeppe. ib. p. 25. Nux Indica vulgaris. Clut. Piſ. Mantiſſ. aromat. p. 205. Tenga Hort. Mal. part. 1. p. 1. Palma Cocoihne. Roelſ. epiſt. Cluſ. p. 317. Palma major coccifera. hort. Beaumont. p. 33. Papyrus & quæ pro papyro uſurpatur 7ª. C. B. pin. p. 19. Palma nucem ferens 1ª. ſeu palma Indica coccifera anguloſa. Ejuſd. p. 508. Raii hiſt. p. 1356. An Arbre Goan des Javiens Nutact. Thevet. coſmogr. f. 386? An Kocus inſularum di Valerio di S. Gioſeppe. Zan. p. 26? An *Palm-tree, on whoſe Leaves thoſe of* Calicut *do uſe to write matters that ſhall endure a long time.* Hernan Lopez de Caſtagneda. cap. 23? An *Palm-trees of which are made Barks.* Pigafetta *of* Congo. Ind. or. part. 1. p. 8? An *Trees yielding* Toddie *of* Copland Purchas. lib. 4. cap. 8. ſect. 1. p 467? An *Toddie-tree of Terry.* p. 97, & 353? An Les plus grandes palmites de Cauche p. 146? *The Coco-tree.* In locis aridioribus & arenoſis Jamaicæ & Caribearum inſularum ubique reperitur.

Cacao. Ger. emac. p. 1550. Raij hiſt. p. 1670. *of Chilton.* Hakl. part. 3. p. 457, & 461. *of Hawks.* ib. p. 464. *of* Hakl. ib. p. 496,497. *of Pretty.* ib. p. 814. Laet. p. 276, 277, & 281. D'Acugna. Joſeph. Acoſta. lib. 4. cap. 22. Lugd. p. 1857. Linſchot. deſcript. de L'Amerique. Tab. tom. 2. p. 651. Duret. p. 197. Rochef. p 84. Raveneau de Luſſan. p. 182. *Cacao-tree of Hughes* p. 102, 117, 119, 121, 122, 125, 128, 129, 152 & 157. Cacava-quahuil. Ejuſd. p. 157. Eſpece de fruit nomme cacao de Linſchot. deſcr. de L'Amerique cap. 5. Cacavate Benz. lib. 2. cap. 16. Cacau. Dutertre. p. 184. Quelle Mandorle, che hanno quelli della Nuova Spagna per moneta. Fern. Colon. f. 200. Amygdala pecuniaria Cachaus nuncupata. Martyr. Cacava-quahuitl ſeu arbor cacari cacavifera. Hernandez. p. 79. Arbol de cacao que llaman cacahvaquahuitl Xim. Cacaoaquahuitl ſeu arbor cacai Nieremb. p. 344. Cacavaquahuitl ſeu arbor Cacavifera Mexicanorum Jonſt. Dendr. p. 124. *Almonds of Cacao.* Mexican Chronicle Purchas. p. 1080, *Cacaw-nut of*

Grew.

Grew. p. 204. Amygdalus 6ª. seu Amygdalis similis Guatimalensis. C. B. pin. p. 442. Cacao fructus. Clus. exot. lib. 2. cap. 28. p. 55. Laet. p. 318. Cacao Americæ seu avellana Mexicana. J. B. tom. 1. p. 291. Cacao Americæ seu avellana Mexicana, Cacavate Quorundam Chabr. p. 19. Cacao sive Cacavate Park. p. 1642. Arbor cacavifera Pl. Mantiss. aromat. p. 197. An *Almonds, their small Money which they eat.* Fitch. Hakl. part. 2. p. 257? An Nux Portoricensis amplissimis foliis venosis & læte virentibus. Plukenet. tab. 208, fig. 2? *The Cacao-tree.* In locis umbrosis pinguioribus Insulæ Jamaicæ colitur & abundat.

Cacao affinis, frutex spinosus, lycij facie jasmini flore albo, fructu in dispares particulas inter se arcte hærentes diviso. An Jasminum spinosum Americanum folio lucido subrotundo. Herm. Par. Bat. pr. p. 342? An Lycium majus Americanum Jasmini flore foliis subrotundis lucidis. Plukenet. tab. 97. fig. 6? Secus viam quæ ab urbe *St. Jago de la Vega* versus *Guanaboa* ducit, Collibus *Re dHills* nuncupatis, crescentem observavi.

Melanomma & melanoxylon arbor laurifolia nucifera gemmis nigricantibus Americana. Plukenet. phyt. tab. 205. fig. 3. An Andira. Ibaiariba sive Angelin. Pis. (ed. 1648.) p. 81? Andira vulgo Angelyn. Ejusd. (ed. 1658.) p. 175? Andira Ibiariba. Marcgr. p. 100? Arbor Brasilienſis nucifera, fructu ovi figura & magnitudine. Raij hist. p. 1687? In insula Barbados collegi.

Alni fructu, laurifolia arbor maritima. Frutex innominatus 2us. Marcgr. lib. 2. cap. 13. p. 76. Salix Brasilienſis 2ª. capitulifera. Jonst. Dendr. p. 446. An Alno similis fronde & ligno Adv. p. 453? vel Alno similis arbor. J. B. tom. 1. lib. 8. p. 155? An Alnus maritima myrtifolia Coriariorum. Plukenet. tab. 240. fig. 3? *Button Tree.* In arenosis maritimis prope *Passage fort* & *Old habour* copiose crescit.

Alni fructu, morifolia arbor, flore pentapetalo Flavo. Arbor Americana morifolia, vasculo seminali verrucoso coni æmulo ovali balsamum olente, cedrus spuria Jamaicensibus nostratibus dicta. Plukenet. tab. 77. fig. 2. *Bastard Cedar Tree.* Locis campestribus Insulæ Jamaicæ in sylvis apertioribus ubique abundat.

Tilia forte arbor racemosa, folio longiori subtus albicante nervis purpureis insignito, flore pentapetalo purpureo. In Sylvis Insulæ Jamaicæ collegi & inter plantas siccas reposui.

Tiliæ

Tiliæ affinis Laurifolia, arbuti floribus albis racemosis odoratis, fructu pentagono. In montibus loco *Liguanee* dicto prope agros Dom. *Elletson* crescentem inveni.

Laurifolia arbor flore tetrapetalo, fructu racemoso rotundo cannulato & coronato. In partibus Jamaicæ septentrionalibus hanc arborem inveni.

Caryophyllus spurius inodorus, folio subrotundo scabro, flore racemoso hexapetaloide coccineo speciosissimo. In colle saxoso prope domum Dom. *Batchelour* pulcherrimam hanc arborem observavi.

Laurus folio longiore, flore hexapetalo racemoso, fructu humidiore. An Evedexylum Americanum folio magis mucronato. Pluk. phytogr. tab. 176. fig. 2? *Sweet wood.* Ad ripas Fluvij *Cobre* nec non in collibus Sylvosis *red hills* dictis reperi.

Laurus folio breviore, flore racemoso minore. In Insulæ Jamaicæ partibus septentrionalibus crescentem collegi.

Evedexylum seu lignum odoratum Americanum folio amplo subrotundo profunde venoso fructu glandiformi beretini instar nullo calice donato. Plukenet. phytogr. tab. 176. fig. 1. In Insula Barbados observavi & collegi.

Laurifolia arbor venenata, folio acuminato copiosum lac præbens, ex quo inspissato viscus aucupum paratur. Otro arbol que echa liga con que toman paxaros y con que se untan y empluman Lop. de Gomar. cap. 81. Espece d'arbre d'ont procede la glus à prendre des oyseaux. Linschot. descr. Amer. Arbor quæ tenacissimum viscum fundit quo in aucupiis uruntur, & cutem suam inungunt, quum plumulas afflare desiderant. Laet. p. 673. Viscum 5^um^. seu arbor viscifera Brasilienſis. Jonst. Dendr. p. 201. Galactoxylon seu arbor Americana baccifera lacteum liquorem ex ligno fundens qui durus instar gummi evadit. Plukener. tab. 185. fig. 1. An Curupicaiba *of Anonymus* Portugal *of Brasile* Purchas lib. 7. cap. 1. p. 1208? Laet. lib. 15. cap. 8. p. 560? Jonst. Dendr. p. 74? An arbre laiteux. Du Tertre. p. 153? Rochef. p. 103? *Milk-wood.* In Insula Jamaica prope dom. Dom. *Bourden* in *Guanaboa*, nec non urbem *St. Jago de la Vega* in sylvis & in omnibus Insulis Caribeis ad sepes ubique reperitur.

Laurifolia venenata, folio leviter serrato oblongo obtuso, copiosum lac præbens. Tetlatia seu urens arbor. Hernandez. p. 98.

p.98? Nieremb. p.340? Jonst.Dend.p.65? Tithymalus arbor Americana mali medicæ fol. amplioribus tenuissime crenatis, succo maxime venenato. Plukenet. tab. 229. fig. 8. *Poyson-wood of* Ligon. p. 68. In sepibus Insulæ Barbados collegi.

Laurifolia arbor folio latiore longo mucronato lævi splendente, cortice interiore in telas plurimas linearum æmulas extensili. An *Trees whose inner Rinds make Mantles.* Anonymus Portugal *of* Elvas. p. 43. Purchas 1536? *Trees whose Bark is made into Clothes.* Polo. ib. lib. 1. p. 94? An *Trees whose inner Rinds make Cloath.* Keeling Purchas. 192? Wm. Finch. ib. lib. 4. cap. 4. sect. 2. p. 417? Payton. ib. cap. 15. sect. 1. p. 529? *Lagetto.* In montibus mediterraneis Insulæ Jamaicæ loco *Luidas* dicto reperitur.

Lauro affinis, Terebinthi folio alato, ligno odorato candido, flore albo. An Alberi di legno aloe. Fernan. Colon. f. 56, 60, 96, & 104? Lignum quod aloes esse dicunt. Martyr? bois de senteur des roses. De Lery. p. 189? Arbor roseo odore Brasilienſis. Jonst. dendr. p. 408? An bois de Sandal Du Tertre. p. 146? Sandale Rochef. p. 99? *Lignum rorum.* In sylvis saxosis & montosis Insulæ Jamaicæ ubique reperitur.

Lauro affinis arbor, foliis latioribus ex adverso sitis, Cortice cannabino, ligno moschum olente. *Alligator or Musk-wood.* Ultra locum *Guanaboa* dictum secus semitam quæ ducit versus agros Dom. *Bourden* crescentem observavi.

Lauro affinis Jasmini folio alato, costâ mediâ membranulis utrinque extantibus alatâ, ligni duritie ferro vix cedens. An *Iron Wood of Ligon.* p. 74, & 41? An bois de fer. de Loubere tom. 1. p. 35? *Iron Wood.* In Jamaicæ, Insulæ sylvis campestribus ubique nascitur.

Paliuro affinis Liguſtrifolia spinosa, flore monopetalo difformi, fructu sicco subrotundo. In Jamaica, multis pratorum locis, reperitur.

Paliuro affinis arbor spinosa, flore racemoso herbaceo pentapetaloide, fructu sicco: nudo cannulato lappaceo. Rhamnus an potius Lycium Fingrigo Jamaicensibus dictum forte Katu-Karu-Walli. Hort. Mal. Plukenet. tab. 108. fig. 2. *Fingrigo.* Locis campestribus sylvosis Insulæ Jamaicæ ubique crescit.

Acer scandens foliis laurinis. Acer Bengalense foliis laurinis. Raij hist. pl. p. 1801. Acer Benghalense laurinis

foliis fructu tergemino totidem membranulis extantibus alato. Plukenet. tab. 3. fig. 1. In Insula Jamaica locis sylvosis campestribus ubique reperitur.

Acer Scandens minus, apocyni facie, folio subrotundo. In Collibus *red hills* dictis, secus semitam quâ itur versus *Guanaboa* ubique oritur.

Aceri vel paliuro affinis, angusto oblongo ligustri folio, flore tetrapetalo herbaceo. Frutex innominatus 1^us^. Marcgr. lib. 2. cap. 13. p. 76. Salix Brasilienſis folliculifera Jonst. Dendr. p. 446. An palmæ sanctæ similis arbor. Adv. p. 440? & 456? Lugd. p. 1750? J. B. tom. 1. p. 499? Chabr. p. 37? Indiæ occiduæ palmæ sanctæ similis arbor. Lob. icon. p. 187? Guajaco occiduo similis arbor. Park. p. 1587? Lotus 4^a^. seu loti Africanæ similis Indica. C. B. pin. p. 448? An Arbuscula viscosa æleagui foliis læte virentibus Americana tricoccos, alias ricini fructu arbuscula Bermudensis foliis longioribus viscosis. Plukenet. phyt. tab. 141. fig. 1? Ad littus maritimum prope locum *Old harbour* dictum, & in collibus *Red hills* vocatis, copiose crescit. Staturâ, cortice, foliorum angustiâ & figurâ multùm variat.

Aceri aut paliuro affinis arbor caudice non ramoso, foliis Sorbi sylvestris, floribus pentapetalis racemosis speciosis purpureis, fructu sicco tribus membranulis extantibus alato. Prope *Hope-River*, loco *Liguanee* dicto, in collibus saxosis sylvosis crescit.

Evonymo affinis arbor spinosa, folio alato, fructu sicco pentagono & pentacocco, ligno flavo santali odore La premiere sorte de bois epineux jaune. Du Tertre. p. 156. *Prickly yellow wood of* Ligon. p. 14, 41, & 73. An Sandali Fernan. Colon. f. 96? An Zanthoxylum aculeatum fraxini sinuosis & punctatis foliis American. fructu evonymi. Plukenet. tab. 239. fig. 4. quoad fructus figuram. An Zanthoxylum pyrifolium stipite spinoso, Americanum. Ejusd. ib. fig. 5? An Zanthoxylum Americanum seu Hercules arbor aculeata major juglandis foliis alternis parum sinuosis. Ejusd. ib. fig. 6? *Prickly yellow wood.* In sylvis campestribus Insulæ Jamaicæ ubique abundat.

Thymeleæ facie frutex maritimus tetraspermos, flore tetrapetalo. Arbor Americana salicis folio frondosa. Plukenet. tab. 241. fig. 5. Ad littus maritimum septentrionale, Insulæ Jamaicæ loco *St. Anns* dicto, & in insulâ parvulâ arenosâ

nosâ *House Cayos* dictâ, prope *Port Royal*, florentem & fructum ferentem collegi.

Verbasci folio minore arbor, floribus spicatis luteis tetrapetalis, seminibus singulis oblongis in singulis vasculis siccis. Ad ripas fluvij *Cobre* dicti nec non torrentium Jamaicæ & Caribearum Insularum reperi.

Verbasci folio majore odorato arbor, floribus pentapetalis albis. Cum præcedente inveni.

Mali folio arbor, artemisiæ odore, flore pentapetalo spicato. In sylvula inter *the Town Savanna*, & locum 2 *mile Wood* dictum, abunde crescit.

Mali folio arbor artemisiæ odore & flore. Cum præcedente, à qua vix vel parùm admodum differre credo.

Spireæ congener spinosa, folio subrotundo acuminato integro, pulegij odore, fructu parvo oblongo cannulato coronato. Locis campestribus sylvosis Insulæ Jamaicæ observavi.

Erica folio coridis 6ª. seu major scoparia foliis deciduis. C. B. pin. p. 485. Erica coris folio 4ª. Clus. rar. plaut. hist. p. 42. Erica scoparia flosculis herbaceis. Erica 4ª. Clus. Lob. *Obs.* p. 622. icon. p. 215. Erica 4ª. Monspel. Lugd. p. 187. Erica 4ª. Clus. Ejusd. ib. p. 189. Tab. tom. 2. p. 833. Erica pyramidalis. Ger. emac. p. 1381. Erica major sive scoparia. Ambros. h. p. 26. Erica scoparia. Park. p. 1482. Erica major scoparia foliis deciduis. Jonst. Dendr. p. 450. Erica arborescens floribus luteolis vel herbaceis minimis. J. B. tom. 1. lib. 10. p. 357. Chabr. p. 26. Raij hist. p. 1714. In Insula Madera prope urbem *Funchall* collegi.

Arbores siliquosæ.

LAburnum humilius, siliquâ inter grana & grana junctâ, semine esculento. *Another kind of Peason called Wandos. of Battell.* Purchas lib. 7. cap. 3. sect. 7. p. 985. Arbor trifolia Indica J. B. tom. 2. lib. 17. p. 386. Chabr. p. 160. Phaseolus arbor Indica incana siliquis torosis Kayan dicta. Raij hist. p. 1722. Herm. cat. pl. p. 694. Anagyris Indica leguminosa siliquis torosis. Ejusd. par. Bat. pr. p. 311.

Pois d'Angole. Rochef. p. 128. Autre ſorte de pois d'Angole. Du Tertre. p. 87. Thora-paerou. Hort. Malab. part. 6. p. 23. Cajan arbor Indica, foliis trifolij bituminoſi, ſiliquis orobi. Breyn prod. 1. p. 20. Phaſeolus erectus incanis ſiliquis toroſis Cayan dictus. Plukenet. tab. 213. fig. 3. An Yztactlalamatl. Hernandez. p. 452? Jonſt. Dendr. p. 365? *Pigeon Peaſe.* In Jamaica & Caribeis inſulis, ubique locis ſterilioribus colitur, & provenit.

Geniſta non ſpinoſa 1ª. ſeu anguloſa & ſcoparia. C. B. pin p. 395. Jonſt. Dendr p. 372 Geniſta non ſpinoſa anguloſa trifolia Bauhini. Ejuſd. ib. Geniſta. Cord. Nott. in Dioſc f. 74. Geſn. hort. Germ. f. 260. Fuchſ. p. 218. Dorſt. f. 138. Trag. p. 960. Dod. p. 761. Tab. tom. 2. p. 823. Ger. emac. p. 1311. icon. Roeſlin. f. 21. Chabr. p. 83. Jacob. de Manliis Brunfelſ. tom 2. p. 180. *of Turner.* p. 1. cui & Spartium quoad fig. part. 2. f. 144. Spartium geniſta ſcoparia vulgi. Adv. p. 407. Lob. Obſ p. 531. Geniſta ſcoparia vulgi, geniſtella ſparthum. ejuſd. icon. p. 89. Geniſta quadrato junco. Cæſalp. p. 115. Geniſta anguloſa. Cord hiſt. f. 189. quoad. deſcr. Geniſta anguloſa ſeu vulgaris. Lugd. p. 172. Geniſta vulgaris. Munt. pl. cult. p. 134. Cluſ. rar. pl. hiſt. p. 103. Geniſta fruticoſa. Schwenekf. p. 82. Geniſta anguloſa trifolia. J. B. tom. 1. lib. 11. p. 388. Raij hiſt. p. 1723. Geniſta vulgaris ſive ſcoparia. Park. p. 228. Geniſta ſcoparia. Eyſt. An Chamægeniſta Anglica. Ger. emac. p. 1313? *Common Broom.* In Inſula Madera ſponte provenientem obſervavi & collegi.

Aſpalathus arboreus, ſeu pſeudo-ebenus buxi folio, flore luteo parulo, ſiliquâ, latâ, brevi chartaceâ ſemen exiguum reniſorme complectente. An Ebano Fernan. Colen. f. 124? Bois de qualite & de couleur excellente comme l'ebene Joſeph Acoſta lib. 3. cap. 22? Ind. occid. part. 9. lib. 3. cap. 22? An lignum ebeni ſylveſtre J. B. tom 1. lib. 3. p. 394? An Guira pariba. Marcgr. lib. 3. cap. 9. p. 108? Jonſt. Dendr. p. 424? An *Ebony of Count Pagan of* Amaz. p. 138. cap. ult? An bois verd. Du Tertre. p. 162? Ebene verte Rochef. p. 92? Ebenus Jamaicenſis arbuſcula buxi foliis ſpinoſa flore luteo papylionaceo ſiliquifera. Plukenet. tab. 89. fig. 1? *Ebony.* In ſylvis campeſtribus Inſulæ Jamaicæ ubique creſcit.

Geniſtæ

Geniſtæ affinis Anonyma arbor, flore coluteæ, buxi folio. In Insula Jamaica inveni & inter herbas ſiccas repoſui.

Cytiſus arboreus, foliis obtuſis glabris, foliorum pediculis alatis. Ad ripas fluvij *Cobre* & in collibus *Red hills* dictis naſcentem inveni.

Cytiſus arboreus bituminoſus, hederæ foliis non angulosis. Collibus *Red hills* dictis in ſylvis collegi.

Crotalaria trifolia fruticoſa, foliis glabris, flore è viridi-luteo minore. An Crotalaria Americana trifolia rotunda glabra. Herm. Par. Bat. pr. p. 329? In ſylvula inter *the Town Savanna* & 2 *mile Wood* frequenter oritur.

Crotalaria trifolia fruticoſa, foliis rotundis incanis, floribus ſpicatis è viridi-luteis, fructu pubeſcente. Anil ſeu Indigo Guadalupenſis. Hort. Reg. Pariſ. app. Crotalaria Guadalupenſis annua trifolia ſubhirſuta. Schol. bot. p. 241. In agris ſterilioribus & apertis Jamaicæ & Caribearum inſularum obvia & frequens eſt.

Coluteæ affinis fruticoſa, floribus ſpicatis purpuraſcentibus, ſiliquis incurvis, è cujus tinctura Indigo conficitur. Indico. *of Robert Tomſon.* Hakl. part. 3. p. 454. *of Polo:* Purchas lib. 1. p. 106. *of Saris.* ib. lib. 4. cap. 1. p. 347, & 349. *of Salbank.* ib. lib. 3. cap. 9. ſect. 4. p. 236. *of* Sir *Henry Middleton.* ib. cap. 11. ſect. 3. p. 259, & ſect. 6. p. 271. *of Dounton.* ib. cap. 12. ſect. 2. p. 281. & ſect. 5. p. 303. *of Whithington* ib. lib. 4. cap. 8. ſect. 3. p. 483, & 485. *of Payton.* ib. cap. 10. ſect. 3. p. 488, 504, & 529. *of Dodſworth.* ib. cap. 12. ſect. 2. p. 518. *of Biddulph.* ib. lib. 8. cap. 9. p. 1341. *of Mun.* Purchas. lib. 5. cap. 17. p. 734. *of Smith of Virginia.* p. 149, & 171. *of Rawolfe* lib. 1. cap. 8. *of Terry.* p. 113, 192. *of Mandelſlo.* p. 206. *of Davis* Purchas lib. 3. cap. 1. ſect. 4. p. 121. *of Hawkins* ib. cap. 7. ſect. 3. p. 214. *Anile of Mr. Richard Hakluyt.* part. 2. p. 160. *of Chilton.* ib. part. 3. p. 458, & 461. *of Pretty.* ib. p. 814. *of Fitch.* ib. part. 2. p. 262. & Purchas lib. 10. cap. 6. p. 1741. *Herb. Nill of William Finch* Purchas lib. 4. cap 4. ſect. 5. p. 429. Color Azul. Lopes de Gomara. cap. 26. Anil. ou Indique de Pyrard part. 2. p. 158. & part. 3. p. 13. de Duval nott. in Pyrard. p. 129. *Anil or Indigo of Jo. dos Sanctos.* Purchas lib. 9. cap. 12. ſect. 4. p. 1554. Arboriſſeau Indigo de Cauche. p. 150. Le paſtel ou anir de Madagaſcar. Ejuſd. p. 151. Indigo de Lambert. p. 7. Dutertre, p. 107, Rochef, p. 114. Anil, Laet. p. 267, 272.

272. Anir ſive glaſtum. Ejuſd. p.330. Anir Joſeph. Acoſt. lib. 4. cap. 23. Anil ou Indigo. Linſchot. Bernier. p. 90. Anil. Garc. ab. Ort. Nil. di Fra. Valerio St. Gioſeppe. Zanon. p. 27. Agnir. Fragoſ. f. 56. Nil ſive Anil. Cam. h. p. 106. Xiuhquilitl Pitzahac ſeu Anir tenuifolia. Hernandez. p.108. quoad deſcr. Nieremb. p.339. Xiuhquilitl Pitzahuac que los Eſpannoles llaman anir. Xim. Coluteæ foliis anil nominatum. J. B. tom. 1. lib. 11. p. 384. Anil ſive Nil. Indorum color. Ejuſd. tom. 2. lib. 22. p. 945. Indigo folio rotundo Munt. pl. cult. p. 178. An Indigo folio cordato. Ejuſd. ib? Iſatis Indica foliis roriſmarini glaſto affinis. C. B. pin. p. 113. Phaſeolus Americanus vel Braſilianus 6us. ſive ſiliqula anguſta, &c. Ejuſd. p. 342. Herba d'anir Marcgr. p.57. Caachira 1a. Piſ. (ed. 1658.) p. 198. Nil. ſive anil, Indigo ſive Indiga Moriſon. hiſt. pl. part. 2. p. 202. Coluteæ foliis anil Chabr. p. 82. Nil ſive anil glaſtum Indicum Park. p. 600. Raij. hiſt. p. 926. Ameri. Hort. Malab. part. 1. p. 101. Polygala Indica fruteſcens, ex cujus foliis anil ſive Indigo conficitur. Herm. ib. p. 102. Colutea Indica herbacea ex qua Indigo. Ejuſd. cat. p. 168. Colutea Indica humilis ex qua Indigo folio viridi. Ejuſd. par. Bat. pr. p. 325. An Colutea Indica humilis ex qua Indigo ex Vera Cruce foliis argenteis anguſtis & latis Ej. ib? *Indigo* In locis aridioribus & ſterilioribus. Jamaicæ & Caribearum Inſularum ubi pluviæ rariùs cadunt, ſeritur & provenit.

Coluteæ affinis fruticoſa argentea, floribus ſpicatis è viridi purpureis, ſiliquis falcatis. An herba è qua glaſtum vulgo anil exprimitur, in regno novo Granatenſi ſponte creſcens. Laet. p. 380? An Colinil Hort. Mal. part. 1. p. 103? ſeu polygala indica minor ſiliquis recurvis. Syen. ib. p. 104? An Colutea Curaſſavica argentea anguſtifolia. Par. Bat. pr. p. 325? *Wild Indigo.* In locis apertioribus & ſterilioribus Jamaicæ & Caribearum Inſularum ubique ſponte nata reperitur.

Coluteæ affinis fruticoſa pimpinellæ folio, ſiliquis falcatis bovinorum cornuum in modum diſpoſitis. Inter plantas ſiccas in Caribearum inſularum una collectas, invenio, qualem vero florem ferat, quamve proceritatem attingat non memini.

Coral arbor Cluſ. rar. plant. hiſt. app. p. 253. Ger. emac. p. 1613. Breyn. prod. 1. p. 18. Ceratia ſive ſiliqua ſylve-

sylvestris spinosa arbor Indica. C. B. pin. p. 402. Arbor Corallij. Ferrar. flor. p. 380. Sandali rubri semina Cæsalp. p. 116. Arbor fabifera 1ª. Boatsinking dicta Bont. p. 135. Siliquosa & spinosa trifolia Indica arbor dicta, seu phaseolus spinosus flore corallino. Park. p. 1551. Coral arbor siliquosa. J. B. tom. 1. lib. 12. p. 426. Chabr. p. 90. Coralli arbori similis. Eorundem. ib. Mouricou. Hort. Mal. part. 6. p. 13. Tuinamtiiba Brasilienſibus Marcgr. p. 136. Boatsinking Javanorum folio tiliæ Jonst. Dendr. p. 212. Siliqua Indica 2ª. seu spinosa ejusdem. p. 382. Siliqua Indica arboris corallii similis. Ejusdem ib. Coral arbor occidentalis fructu intensius rubente, & semine miniato hilo nigro notato. Herm. par. Bat. pr. p. 327. Coral arbor spinosa orientalis fructu obscure rubente. Ejusd. ib. *The Bean-tree.* In sepibus Insulæ Jamaicæ nihil frequentius, ubique enim plantatur, & provenit.

Coral arbor non spinosa, flore longiore & magis clauso. An coral arbor Americana maxima. Herm. cat. plant. p. 189? An Coral arbor Americana non spinosa seminibus rubris. Ejusd. par. Bat. pr. p. 327? In sepe hortum Dom. *Canning* circumdante, in urbe *St. Jago de la Vega* crescebat ubi collegi.

Coral arbor polyphylla non spinosa fraxini folio, siliquâ alis foliaceis extantibus, rotæ molendinariæ fluviatilis, vel seminum laserpitij instar, auctâ. Coral arbor polyphylla non spinosa. Herm. par. Bat. prod. p. 328. An Ayard *a Wood*, &c. *of Leigh.* Purchas. lib. 6. cap. 11. p. 1251? Ligni quoddam genus *Ayauw* dictum. Laet. p. 637? *A kind of Wood with which the* Indians *take their Fish*, &c. *of Wilson.* Purchas. lib. 6. p. 1264? *of Robert Harcourt.* ib. p. 1276? Radix qua pisces veluti soporantur Laet. p. 374? Radix quædam quam vocant Barbasco. Ejusd. p. 683? Arbor quam Barbari maximi faciunt & plerumque juxta domicilia sua colunt, ob insignem in piscatione usum. Ejusd. lib. 17. cap. 14. p. 645? Pis. Mantiss. aromat. p. 171? Arbor venenata innominata 3ª. in Orellana pisces soporans. Jonst. Dendr. p. 467? Euue arbre la racine de laquelle enyvre les poissons. Abbeville. f. 182? Arbre à enyvrer les poissons. Dutertre. p. 151? Arbre dont la racine etant broyee & jette dans les rivieres enyvre les poissons. Rochef. p. 103? Baygua de Oviedo Coron. lib. 13. cap. 1? Inecou. D'Acugna?

Doggs-wood

Doggwood Trec. In Insulæ Jamaicæ sylvis campestribus ubique crescit.

Arbori Coral affinis non spinosa, fraxini folio rotundiore, foliis & ramulis pubescentibus. An phaseolo affinis arbor Indica coral dicta, polyphyllos non spinosa foliis mollibus subhirsutis. Plukenet. tab. 104. fig. 3? In mediterraneis Insulæ Jamaicæ collegi.

Lobus Echinatus fructu flavo foliis rodundioribus. Herm. par. Bat. pr. p. 348. Pisum ochræ colore. Clus. exot. lib. 3. cap. 15. p. 71. Bonduch Indiano di color citrino. Pon. Ital. p. 34. Bonduch pianta Indiana di color citrino. Zan. p. 44. Fructus omnino rotundus luteus non splendens J. B. tom. 1. p. 311. Fructus peregrinus tanquam torno elaboratus flavus. Ejusd. ib. Fructus rotundus lævis qua coronatus flavus Jonst. Dendr. p. 99. An fructus peregrinus 6us. Clus. exot. lib. 2. cap. 29. p. 58? Lugd. 1860? Tab. tom. 2. p. 651? Fructus rotundus & orbicularis 5us. seu flavus macula subfusca notatus. C. B pin. p. 405? Fructus orbicularis lævis flavus macula subfusca notatus. Jonst. Dendr. p. 100? *The yellow Nickar Tree.* In Jamaica Insula circa urbem *St. Jago de la Vega* in frutetis ubique nascitur.

Lobus echinatus fructu cæsio foliis longioribus. Herm. par. Bat. pr. p. 348. Bonduch Indiano. Pon. Ital. p. 32. Fructus peregrinus prior. Clus. exot. lib. 2. cap. 30. p. 58. Lugd. p. 1860. Tab. tom. 2. p. 651. Lobus ἐχινώδης Clus. exot. lib. 3. cap. 15. p. 70. Lobus echinatus. Ger. emac. p. 1553. Inimboy Brasilienfibus Marcgr. p. 12, & 56. Inimboja sive silva de praya Lusitanis. Pis. (ed. 1648.) p. 95. (ed. 1658) p. 205. Inimboy Brasilianorum frutex spinosus spicatus, platylobis echinoidibus, glycyrrhizæ foliis. Breyn. prod. 1. p. 40. Arbor exotica spinosa foliis lentisci. C. B. pin. p. 399. Raij hist. p. 1743. Lobus ἐχινώδης cum piso duro cinerei coloris. J. B. tom. 1. lib. 12. p. 439. Fructus peregrinus tanquam torno elaboratus argenteus. Ejusd. ib. p. 311. Lobus alius exoticus hirsutus, cum piso duro cinerei coloris. Chabr. p. 92. Bonduch pianta Indiana di colore cinereo. Zan. p. 44. Fructus rotundus lævis quasi coronatus argenteus. Jonst. Dendr. p. 99. Bonduch Indorum. Ejusd. p. 300. Rhamnus myrtifolius ex Insula Sancti Christophori. Cornut. p. 83. Park. p. 1007. Arbor spinosa Indica muricatis siliquis. Ejusd. p. 1551. Acacia glorioſa lentisci foliis spinosa, flore spicato luteo, siliqua magna muricata.

muricata Plukenet. tab 2. fig. 2. Caretti. Hort. Mal. part. 2. p. 35. An fructus Indicus tanquam torno elaboratus viridis. J. B. tom. 1. p. 312? Fructus rotundus lævis quasi coronatus viridis. Jonst. Dendr. p. 99? *The Ash-colour'd Nickar Tree.* Locis campestribus circa *Blewfields Bay* in Insula Jamaica copiose crescentem collegi.

Cassia nigra seu fistulosa 1ª. sive Cassia fistula Alexandrina. C. B. pin. p. 403. Raij hist. p. 1746. Arbores quæ Cassiam fistulam producunt. Pigafett. Ind. or. part. 1. p. 30. Cassia fistula de Linschot. descr. de Guinee & de L'Amerique cap. 5. *Cassia of Oviedo in his Summary.* Eden. p. 207, & 221. Lambert. p. 24. Arboles de Canna fistola de Oviedo. Coron. lib. 8. cap. 1. Cany fistola *of Hernan* Lopez de Castagneda cap. 40. Cassia *growing in Canes of Terry.* p. 118. Canna fistula *of White; fifth Voyage to Virginia. of Robert Thompson.* Hakl. p. 449. *of Hawks.* ib. p. 466. *of Phillips.* ib. part. 3. p. 486. *of Anonymus Relator of Cumberland's Voyage.* Purchas vol. 4. p. 1147. *Cassia Trees of the Arabians.* Purchas lib. 9. cap. 9. p. 1503. *of Sanderson* ib. lib. 9. cap. 16. sect. 1. p. 1615, 1617, & 1645. L'arbre de la Casse. Pyrard. part. 3. p. 14. Casse de Loubere. tom. 1. p. 288. Cassia fistula *of Robert Harcourt.* Purchas lib. 6. cap. 16. p. 1276. *of Anonymus Portugal.* Ib. lib. 7. cap. 1. p. 1308. *of Bermudez.* ib. lib. 7. cap. 7. sect. 2. p. 1156. *of Ligon.* p. 14, & 68. Casse fistule. *Joseph Acosta* lib. 3. cap. 22. & lib. 4. cap. 29. Cassia Benz. lib. 1. cap. 28. Cæsalp. p. 111. Cassy de Seguezi. p. 86. Arbres de Cassia Albert. p. 72. *Fistule-cane of Pagan.* cap. ult. Canna fistolos de Pepitas de Boticarios. De Lop. de Gomara. f. 29. Cassia occidentalis Nieremb. p. 327. Arbre Cassier. Thevet. Cosmogr. f. 979. La Casse Abbeville. p. 208. Cassia solutiva. Laet. p. 289. Monard. Garc. ab Ort. Christ. Acost. C. B. Nott. in Matth. p. 50. Cassier ou Caneficier second. ou de Levant. Dutertre. p. 176. Cassier ou Caneficier. Rochef. p. 95. Cassia fistula. Fragos. p. 43. Cast. Durant. p. 97. Tab. tom 2. p. 746. Ger. emac. p. 1431. Bod. à stapel Nott. in Theoph. p. 294. Fuchs. Annot. Brunf. tom. 2. p. 131. Dorst. f. 68. quoad descript. Lon. f. 266. Lac. p. 22. Canna fistula. Linschot. *of Jo. dos Sanctos* Purchas lib. 9. cap. 12. sect. 3. p. 1547. Siliqua Indica, id est, Cassia fistula quam Veteres fabam Indicam vocarunt. Cord. hist. pl. f. 194. Cassia fistula seu nigra Alexandrina. Gesn. hort. Germ. f. 251.

Siliqua ſive Caſſia Cathartica Lugd. p. 116. Caſſia Ægyptia ſive purgans Cam. h. p. 36. Caſſia fiſtula Chaiarxambar vocata Alp. Veſling. Quauhayohuatli 2 ſeu Caſſia fiſtula. Hernand. p. 87. Canna fiſtola que Ilaman Quauhayohuachtli. Xim. Caſſia ſolutiva vulgaris. Park. p. 234. Caſſia fiſtula Indica di Valerio di St. Gioſeppe. Zan. p. 25. Caſſia fiſtula & Caſſia ſiliqua purgatrix Lob. in pharm. Rond. p. 40. Arbor Caſſiam ſolutivam ferens. Bont. p. 101. Siliqua & Caſſia purgatrix, Arabum Carobiis ſimilis Adv. p. 414. Lob. icon. tom 2. p. 104. Caſſia purgatrix. Ejuſ. obſ. p. 541. J. B. tom. 1. lib. 12. p 416. Chabr. p. 89. Caſſia nigra. Dod. p. 787. Caſſia fiſtula purgatrix Alexandrina. Jonſt. Dendr. p. 383. Caſſia fiſtula purgatrix Americana. Ejuſd. p 384. Conna. Hort. Mal. part. 1. p 37. *The ordinary purging Caſſia.* In Jamaica & Caribeis inſulis ubique in hortis & agris reperitur.

Caſſia minor fruticoſa hexaphylla ſenæ foliis. An ſene *of Robert Harcourt.* Purchas lib. 6. cap. 16. p. 1276? Caſſia Americana fabacea. Syen. Nott. in Hort. Mal. part. 1. p. 38? In fruteris Jamaicæ & Caribearum Inſularum paſſim naſcitur.

Caſſia nigra ſeu fiſtuloſa 2ª ſive Caſſia fiſtula Braſiliana. C. B. pin. p 403. Munt. pl. cult. p. 79. Raij hiſt. p 1746. Canna fiſtolos ſalvajes de Oviedo Coron. lib. 8. cap. 1. Canna fiſtolos naturales empero vanos o malos Lopez de Gom. f. 29. Arbores nativæ caſſiam fiſtulam gignentes. Martyr. Arbre portant caſſe de Thevet. f. 97. Caſſia ſolutiva ſponte naſcens. Laet. p. 673. Caſſier ou Caneficier de L'Amerique Dutertre. p. 175. Caſſia ſiliqua Braſiliana purgatrix compreſſa. Lob. in pharm. Rondelet. p. 41. Caſſia Braſiliana Park. p. 234. Bod. à ſtapel Nott. in Theophr. p. 295. Tapyracoaynana Braſilienſibus. Marcgr. p. 134. quoad deſcr. Tapyracoana. Piſ. (ed. 1648.) p. 80. Caſſia arbor cujus fructus canna fiſtola Luſitanis & aliis. Ejuſd. (ed. 1658.) p. 157. quoad deſcript. & fructûs figuram. Caſſia fiſtula non purgans Braſilienſis Jonſt. Dendr. p. 384? quoad. deſcr. Caſſia fiſtula Braſiliana flore incarnato. Breyn. cent. 1. p. 58. An arbor quæ Caſſiæ quandam ſpeciem producit verum ſylveſtrem. Laet. lib. 17. cap. 28. p. 665? ſeu Caſſia fiſtula non purgans inſulæ Tabago. Jonſt. Dendr. p. 384? *Horſe Caſſia.* In ſylvis campeſtribus Jamaicæ Inſulæ ad rivulorum ripas obvia & frequens eſt pulcherrima hæc arbor.

Tama-

Tamarindus. Ger. emac. p. 1607. Raij hist. p. 1748. Garc. ab Ort. Christof. Acost. Dorst. f. 280. Cæsalp. p. 112. Matth. ed. Bauh. p. 190. Lugd. app. p. 9. Cam. h. p. 166. Fragos. p. 55. Park. p. 237. Herm. cat. p. 588. Ferrar. fl. p. 385. Bont. p. 93. Thamarindi. Adv. p. 439. Lob. obs. p. 602. icon. p. 184. Thamarindus, id est, acacia Indica Cord. hist. pl. f. 197. Tamarin. Linschot. de Pyrard. part. 3. p. 14. de Loubere. tom. 1. p. 288. & tom. 2 p. 70. de Cauche. p. 152. Tamera *of Payton.* Purchas lib. 4. cap. 15. sect. 1. p. 529. *Tamaryn Tree of Davis.* Purchas lib. 3. cap. 1. sect. 4. p. 118. *Tamarins of Sir Thomas Roe* ib. cap. 16. sect. 7. p. 562. *of Dounton* ib. lib. 3. cap. 12. sect. 1. p. 277. & sect. 5. p. 304. *Indian Dates of Bermudez* ib. lib 7. cap. 7. sect. 2. p. 1156. Tamarinheiro, *Tamarind or Date-tree of Jo. dos Sanctos* ib. lib. 9. cap 12. sect. 3. p. 1547. *Tamarine Trees of Terry.* p. 103. *of Ligon.* p. 69. Tamarinde de Linschot. descr, de la Guinee. cap. 5. *Tamarinds of Mandelslo.* p. 149. *Tamarind Trees of William Finch.* Purchas lib. 4. cap. 4. sect. 2. p. 417, & sect. 4. p. 426. Tamarindos *of Hernan Lopez* de Castagneda cap. 40. Xim. Lac. p. 97. Tamarinhennes *of Saris* Purchas lib. 4. cap. 1. sect. 1. p. 336. Palma sylvestre Cast. Dur. quoad descr. Oxyphænix palma sylvestris. Lon. f. 18. Tamarindus arbor Oxyphœnix, palma sylvestris. Munt. pl. cult. p. 78. Tamarindifera arbor Rœlsij Clus. p. 317. Tamarindus, Oxyphœnicum perperam creditum Lobellij. Lugd. p. 1690. Tamarindus Derelside appellata. Prosp. Alp. Tamarindus vel Derelside Ægyptiorum Excellentissimo Prosp. Alp. Pon. p. 328. Arbre qui à une tresgrande sympathie ou amitie secrette avec le soleil & ses rayons. Duret. p. 248. Tamarindi Valerio di St. Gioseppe. Zan. p. 28. Cassia nigra seu fistulosa 3ª. vel siliqua Arabica quæ Tamarindus. C. B. pin. p. 403. Tamarindi J. B. tom. 1. lib. 12. p. 422. Tamarindi, Tamarindorum arbor. Chabr. p. 90. Tamarindus, Derelside, Prosperi Alpini. Breyn. prod 1. p. 51. Thamarindus. Hernandez. p. 83. Nieremb. p. 342. Tamarindi Lusitanis Tamarazecla. Marcgr p. 107. Jutay sive tamarindus Pis. (ed. 1658.) p. 157. Balam-pulli seu Maderam pulii. Hort. Mal. part. 1. p. 39. Tamarindus Arabica. Jonst. Dendr. p. 386. Tamarindus Brasilienfis. Ejusd. ib. Tamarindus Mexicana. Ejusd. p. 387. Tamarindus occidentalis siliquâ subrotundâ, Carandas forte.

Bont. Raij hiſt. p.1800. Tamarindus ſiliquis brevibus monococcos Americana, an Tamarindus occidentalis ſiliqua rotunda Raij Comm. cat. Amſt. p. 341. Tamarindus Americanus ſiliqua fere orbiculata monoſpermos Muſ. Courten. Plukenet. tab. 64. fig. 4. lit. a. Tamarindus Biſnagaricus ſiliqua productiori diſpermos ſeminibus veluti iſthmo interceptis. Ejuſd. ib. lit. b. *The Tamarind Tree.* In omnibus hortis & agris apertioribus Jamaicæ & Caribearum Inſularum creſcit.

Senna (2ª.) Italica ſeu foliis obtuſis. C. B. pin. p.397. Moriſon. hiſt. pl. part 2. p.201. Jonſt. Dendr. p. 379. Sena herba. Cæſalp. p. 118. ſena noſtras Ejuſd. p. 249. Sena Italica Tab. tom. 2. p. 231. Cam. h. p. 158. Park. p. 225. Icon. Rob. Sena foliis obtuſis. Ger. emac. p.1297. Colutea Theophraſti vulgo ſena. Trag. p. 964. Sena foliis rotundioribus & brevioribus Adv. p. 406. Sena. Matth. (Ed. B.) p. 571. Lac. Caſt. Dur. p. 427. Lob. *Obſ.* p. 530. icon. tom. 2. p. 88. Lon. f. 40. Fuchſ. p. 447. Dorſt. f. 267. Dod. p 361. quoad icon. Cord. hiſt. pl. f. 88. Senna. Lugd. p. 218. Sene bot. Francof. p. 227. Sena communis & vilior. Geſn. h. p. 280. Altra ſena. Ang. p. 229. Sena Florentina. J. B. tom. 1. lib. 11. p.337. Sena rotundi-folia Chabr. p.81. *Round-leav'd Sena.* Loco *Half-way Tree* dicto in horto Dom. *Berrie* creſcentem obſervavi.

Sena minor herbacea, plerumque hexaphylla, folio obtuſo. Senna occidentalis, odore opii minus viroſo foliis glabris obtuſis Herm. cat. p. 556. Pagimirioba poſterior. Piſ. (ed. 1648.) p.86. Pajomirioba 2ª. (ed. 1658) p.185. Tareroqui Braſilienſibus, Matapaſto Luſitanis. Marcgr. p. 10. An Tagera. Hort. Mal. part. 2. p. 103? *Wild Indigo.* Poſt pluvias in pratis circa urbem *St. Jago de la Vega* copioſe & paſſim luxuriat.

Senna occidentalis, odore opii viroſo, orobi pannonici foliis mucronatis, glabra. Herm. cat. pl. p. 556. Pagimirioba prior. Piſ. (ed. 1648.) p.86. Pajomirioba 1ª. Ejuſd. (ed. 1658.) p. 185. Pajomirioba, Orobus Braſilienſis flore loti luteo. Marcgr. p. 9. An Pojomirioba. Dutertre. p. 93? Ecapatlis ſeu parva ſambucus. Hernandez. p. 112? Ecapatli. Xim? Ecapatli altera. Hernandez. p. 376? Acapatli. Jonſt. Dendr. p. 392? An ſophera. Alp? ſofera. Veſling? Bell. epiſt. ad Cluſ. p. 307? Hoxocoquomaclit.

Cam.

Cam. h. p. 75? Clus. cur. poster? Taxocoquamoclit Indicum. J. B. tom. 1. lib. 11. p. 384? Chambr. p. 83? Sophera Alpini. Eorund ib? Sophera sive securidaca Ægyptiaca vitiosa. Park. p. 1089? Morison. hist. pl. part. 2. p. 78? Galegæ affinis sophera dicta. C. B pin. 352? Sophera Indiæ Orientalis, ponnam-tagera Malalabaris dicta. Breyn. prod. 1. p. 51? Ponnam-tagera Hort. Mal. part. 2. p. 101? Senna orientalis fruticosa sophera dicta. Herm. cat. pl. p. 557? Cum priore in Jamaica & in omnibus insulis Caribeis passim reperitur.

Sena spuria tetraphylla, siliqua lata compressa. Secus viam quæ ab urbe *St. Jago de la Vega* versus *Guanaboa* ducit locis *red hills* dictis copiose provenire observavi.

Sena spuria arborea spinosa foliis alatis ramosis, seu decompositis, flore ex luteo & rubro speciosо. Poincyllane ou fleur de S. Martin. Dutertre p. 154. *St. Jago flower of Ligon.* p. 15, & 99. Colutea Indica platicarpos, flore pavonino, sive flos Indicus pavoninus, Monazamal Zingalensibus Herman. Breyn. prod. 1. p. 35. Frutex pavoninus sive crista pavonis. Ejusd. cent. 1. p. 61. Raij hist. p. 981. Erythroxylum Indicum minus spinosum coluteæ foliis siliquis angustioribus, flore ex luteo & rubro eleganter variegato. Herm. par. Bat. pr. p. 333. Tsetti-mandarum. Hort. Mal. part. 6. p. 1. An Tlacoxiloxochitl seu flos barbatus Hernandez. p. 104? Tlacoxiloxochitl o flor. barbada. Xim? *Flour fence of Barbados. Wild Sena or Spanish Carnations.* In Insulæ Jamaicæ agris humidioribus, & ad torrentium & fluviorum ripas ubique spontanea reperitur. In insulis Caribeis satam in sepibus vivis passim luxuriare observavi.

Sena spuria arborea spinosa, foliis alatis ramosis seu decompositis, flore luteo, siliquis brevibus sulcatis nigris, sabinæ odore. *Indian Savin Tree.* Circa locum *Passage fort* dictum & secus viam quâ inde versus urbem *St. Jago de la Vega* itur copiose provenit.

Senna occidentalis, siliqua multiplici foliis herbæ mimosæ. Herm cat. pl. p. 558. Chamæcrista pavonis Americana siliqua multiplici Breyn. prod. 1. p. 22. cent. 1. p. 66. Yztacpatlis Tepexicensis, Hoximo. Hernandez. p. 106. Iztecpatli de Tepexic. Xim. Herba innominata 1ª. Marcgr. p. 18. An sena humilis Americana foliis herbæ mimosæ siliquis erectis. Plukenet. tab. 223. fig. 3? Ad margines viæ quâ itur versus *Guanaboa* copiose crescit. Magnitudine multùm variat.

Senna

Senna occidentalis siliqua singulari foliis herbræ mimosæ. Herm. cat. pl. p. 558. Chamæcrista pavonis Brasiliana siliqua singulari Breyn. cent. 1. p. 65. An sensitive sauvage. Dutertre. p. 110? Prope urbem *St. Jago de la Vega* locis pratorum arenosis reperitur.

Senæ spuriæ aut Aspalatho affinis arbor siliquosa foliis bifidis, flore pentapetalo vario. Velutta-Mandaru Hort. Malab. part 1. p. 61. tab. 34. Arbor siliquosa Malabarica foliis bifidis flore candido striato. D. Syen. ib. p. 62. Raij 1751. Thomæa Arbor siliquosa foliis bifidis minor, flore candido. Herm. par. Bat. pr. p. 380. An Flos S. Thomæ. Valerio di S. Gioseppe. Zan. p. 25? Assitra, over arbore di S. Tomaso in lingua arabica detto Ketteſnar. Zan. p. 46? An Chovanna-Mandaru. Hort. Mal. part. 1. p. 57? vel siliquosa arbor Malabarica foliis bifidis flore purpurascente striato. D. Syen? ib. Raij. p. 1751? *Mountain Ebony.* In montibus sylvosis Insulæ Jamaicæ ubique abundat, foliorum magnitudine & florum colore mire varians.

Urucu, *of Knivet.* Purchas lib. 6. cap 7. sect. 4. p. 1228. Anato *of Leigh.* ib. cap. 12. p. 1251. *of Wilson.* ib. cap. 14. p. 1264. Annoto *Berries of Robert Harcourt* ib. cap. 16. P. 1275. Anotto *of Ligon* p. 14 Annotto *of Smith's Obs.* P. 54. *The Maucaw Tree of Hughes.* p. 55. Notty. Ejusd. p. 119, & 132. Achiote *or* Achiotl. Ejusd. p. 120, & 156. *A kind of red Earth with which they of the River* Amazons *do use to anoint their Bodies, because the Muskitas or Flies shall not offend them.* Davies. Purchas lib 6. cap. 18. p. 1287. *Painting of a reddish tawney colour.* Cates Hakl. part. 3. p. 539. *Red paint of Duddeley.* ib. p. 575. Roucou. Dutertre p. 149. Rochef. p. 92. Laet. p. 610, 619, & 620. De Raveneau de Lussan. p. 29. D'Acugna. Abbeville. p. 208. Ouroucou. Ejusd. p. 226. Laet. p. 645. Achiotl. Ejusd. p. 224. Uracou de Morisot. nott. in Roulox Baro. p. 275. Bixa de Oviedo. Lopez de Gomara. f. 35. Orock *of Pagan.* cap. ult. Terra simile al cinabro, con cui si dipingono quelli genti i corpi. Fernan. Colon. vit. f. 54. Frutices quæ tincturam illam ferunt quam vulgo vocant Orellanam. Laet p. 637. Fructus piro similes in hortis summo studio ab Indis ad sese colore coccineo depingendos enutriti. Martyr. Annotto vel Coutsauwe. Laet. p. 641. Ajuratibira. Ejud. p. 561. Arbor finium regundorum Scalig. p. 244. Lugd. p. 1834. Chabr. app. p. 604. Daburi

buri Clus exot. p. 48. Folliculus echinatus sive Daburi Ejusd. lib. 3. cap. 19. p. 73. Oviedi Bixa. Ejusd. ib. cap. 20. p. 74 Succus X^us. Ejusd. ib. lib. 4. cap. 8. p. 82. Arbor Mexicana fructu castaneæ coccifera. C. B. pin. p. 419 Jonst. Dendr. p. 119. Succus atrorubescens inodorus. Eorund. p. 497, & 339. Succus rubro colore inficiens an Oviedi Bixa. J. B. tom. 1. p. 405. Daburi folliculus Americanus, ad daturam accedens semine rubro. Ejusd. ib. lib. 12. p. 439. Oviedi Bixa. Ejusd. ib. p. 440. Arbor finium regundorum fructu castaneæ echinato. Ejusd. tom. 1. lib. 7. p. 130. Achiotl seu medicina tingendo apta Hernandez. p. 74. Nieremb. p. 353. Achiotl o medezina buena para tennir. Xim. Daburi folliculus Americanus. Chabr. p. 94. Oviedi Bixa. Ejusd. ib. Urucu Brasilienfibus. Marcgr. p. 61. Urucu. Pis. (ed. 1648.) p. 65. (ed. 1658.) p. 133. Annotto Ejusd. mantiss. aromat. p. 171. Achiote arbor ab Oviedo & Clusio Bixa à Brasilianis Urucu dicta. Ejusd. ib. p. 199. Fructus tingens Orellanæ seu fluminis Amazonum I^us. Annotto dictus. Jonst. Dendr. p. 104. Achiotl Novæ Hispaniæ. Ejusd. p. 119. Fructus Guianæ Annotto aliis Orellana. Ejusd. p. 459. Ajuratibira. Ejusd. p. 255. *Rocour Tree.* Grew Mus. p. 185. Urucu. Ejusd. p. 217. Notta. Ejusd. p. 218. Daburi. Ger. emac. p. 1554. Orleana seu Orellana folliculis lappaceis. Herm. cat. pl. p. 464. Orleana seu Orellana seu Urucu Marcgr. & Pis. Plukenet, tab. 209. fig. 4. An Viga Nieremb. p. 328? *Arnotto.* In agris pinguioribus & hortis Jamaicæ & Caribearum insularum nihil frequentius occurrit.

Acacia arborea maxima non spinosa, pinnis majoribus, flore albo, Siliquâ contortâ coccinea ventriosâ elegantissimâ. Ad torrentium & fluviorum ripas, nec non in agris humidioribus, Jamaicæ & Caribearum insularum nascitur.

Acacia arborea maxima foliis vel pinnis minimis flore adoratissimo flavo. An species mizquitl quam vocant Tzinizequam. Laet. p. 264? An Mizquitl Michucanensis. Hernandez. p 60? Mizquitl de Mehoacan. Xim? Acacia Americana Recci 2^a. non spinosa. Jonst. Dendr. p. 367? *Wild Tamarinds.* Circa urbem *S. Jago de la Vega* & ad margines viæ quâ versus *Passage fort* itur, locis campestribus apertis copiose crescit.

Acacia

Acacia Americana, siliquis teretribus ventriosis, floribus luteis. Herm. par. Bat. pr. p. 303. Acacia Indica Farnesiana Aldin. p. 2. Jonst. Dendr. p. 366. Raij hist. p. 977. Acacia Farnesiana. Col. Nott. in Hernand. p. 867. Acacia Indica siliqua tumida tuberosa. Breyn. prod. 2. p. 2. Acacia Americana Munt. pl. cult. p. 35. Bod. à stapel Nott. in Theophr. p. 320. Acacia Americana Farnesiana. Park. p. 1547. Arbol que en estas partes se tiene por Tharay. de Oviedo. Acacia Indica. Ferr. fl. p. 209. Acacia Indica foliis scorpioidis leguminosæ siliquis fuscis teretibus resinosis. Herm. cat. p. 5. In hortis & agris Jamaicæ & Caribearum insularum ubique sata provenit.

Acacia arborea major spinosa, pinnis, quatuor, majoribus, subrotundis, siliquis varie intortis. Abaramo-temo. Pis. (ed. 1648.) p. 77. Avaramo-temo. Ejusd. (ed. 1658.) p. 168. Brasilienſis siliquosa siliquis varie intortis. Raij hist. pl. p. 1764. Acaciæ similis spinosa ceratoniæ foliis geminatis, floribus albis lanuginosis, siliqua compressa corniculata seminibus nigerrimis splendentibus. Hort. Beaumont. p. 3. Unguis cati arbor Americana siliquosa spinosa. Herm. par. Bat. pr. p. 385. Acaciæ quodammodo accedens, Myrobalano chebulo Vesslingij similis arbor Americana spinosa, foliis ceratoniæ in pediculo geminatis, siliquâ bivalvi, compressâ, corniculatâ, seu cochlearum vel arietinorum cornuum in modum incurvatâ; sive unguis cati. Breyn. prod. 2. p. 7. Acaciæ quodammodo accedens, seu Ceratiæ & acaciæ media Jamaicensis spinosa bigeminatis foliis, fiſculis stamineis, atronitente fructu, siliquis parum intortis. Plukenet. tab. 1. fig. 6. In pratis & campis Jamaicæ & Caribearum insularum ubique frequens & obvia est.

Herba mimosa non spinosa πλαλυκέφαλ☉ seu βραχυπλατόλοβ☉ de Jamaica Patavina dicta. Morisi. hist. pl. p. 200. Mimosa di Jamaica. Zan. p. 149. frutex sensibilis herba mimosa dicta Park. p. 1617. Æschynomene mitis 1ª. vel potius herba casta Americana, foliolis acaciæ latioribus siliquis latis compressis majoribus. Breyn. prod. 1. p. 38. cent. 1. p. 46. Raij hist. p. 980. In Insula Jamaica crescit.

Mimosa arborea non spinosa foliis seu pinnis latissimis. An Acacia Americana non spinosa foliis scorpioidis leguminosæ flore albo globoso siliquis fuscis.

Comm.

Comm. cat. Amst. p. 4? Acacia Americana siliquis longissimis & angustissimis. Herm. par. Bat. pr p. 303? Acacia non spinosa minor & Quaracao seu Curassavica flore albo globoso forte Tehoaxin Mexicens. Hernandez Pluk. Tab. 2. fig. 3? *Sensible Tree.* Locis *Red hills* dictis copiose crescit.

Mimosa herbacea, non spinosa, minima, repens. In pratis *Moneque* & *Magotti Savannas* vocatis, passim reperitur.

Herba mimosa non spinosa λεπτομακρογλώχις & seu spuria de Pernambuca Morisi. hist. pl. tom. 2. p. 200. Mimosa spuria de Pernambuco detta mimosa Italica. Zan. p. 151. Mimosa Italica sive herba viva spuria. Ambrosin. phyt. p. 1. tom. 1. p. 360. Acacia herba Mich. de Camp. ib. Herba casta Americana foliolis acaciæ angustioribus siliquis longis angustis Semine quadrangulari. Breyn. prod. 1. p. 38. Æschinomene mitis Americana foliolis acaciæ angustioribus, siliquis longis angustis semine quadrangulari. Ejusd. cent. 1. p. 48. Raij hist. p. 981. In pratis circa urbem *St. Jago de la Vega* locis glareosis ubique abundat.

Arbor siliquosa Brasilienses foliis pinnatis, costâ mediâ membranulis utrinque extantibus alata. Raij hist. p. 1762. Inga species, Belgis vulgo hic lotus. Marcgr. p. 111. An Inga de Abbeville f. 226? In Insulæ Jamaicæ septentrionalibus, ad ripas fluvij *Rio Nuevo* dicti, copiose crescentem observavi.

Juglandis folio, fruticosa siliquosa foliis pinnatis costâ mediâ membranulis utrinque extantibus alata, siliqua quadrangula. In aggeribus prope locum *the Crawle Plantation* dictum, observavi.

Lauroceras foliis siliquosa fruticosa. In Caribeis Insulis collegi.

Acaciis affinis arbor siliquosa folio subrotundo singulari, flore staminео albido, siliquâ tereti ventriosâ, cujus interior tunica est mucosa & eleganter miniata. Cynophallophoros seu penis caninus Charibbæarum arbor foliis subrotundis rugosis clavos pulpiferos phalloides pro siliquis gerens. Plukenet. phyt. tab. 172. fig. 4. An frutex innominatus ultimus Marcgr. cap. 15. lib. 2. p. 82? In campestribus sylvis Insulæ Jamaicæ circa urbem *St. Jago de la Vega* provenit.

Ceratoniæ affinis arbor siliquosa oleæ folio, flore tetrapetalo albido, siliquâ tereti ventriosâ, cujus interior tunica

eſt mucoſa & eleganter miniata. Salix arbor folliculifera obtuſis foliis candicantibus Americana. Plukenet. tab. 221. fig. 1. Cum priori.

Ceratoniæ affinis ſiliquoſa lauri folio ſingulari, flore pentapetaloide purpureo ſtriato, ſiliqua craſſa brevi, pulpa eſculenta & purgante ſemina ambiente. *The Bichy Tree.* In agris Dom. *Bourden* plantatam hanc arborem reperi.

Nerium arboreum altiſſimum, folio anguſto, flore albo. Nerium Americanum lacteſcens, longiſſimo folio, flore albo odoratiſſimo. Hort. Beaumont. p. 31. Nerium Americanum maximum folio nonnihil mucronato. Herm. par. Bat. pr. p. 357. *The wild Jaſmin Tree.* In ſylvis Jamaicæ Inſulæ, loco *Liguanee* dicto copioſe creſcentem obſervavi.

Nerium arboreum, folio maximo obtuſiore, flore incarnato. Quauhtlepatlis ſeu arbor ignea Hernandez. p. 67. Quauhtlepatli, o arbol de fuego. Xim. Quautepatli Mexicanis. Laet. lib. 5. cap. 23. p. 264. Arbor Exotica ad laurum ſpectans 1ª. ſeu Quautepatli Mexicanorum. Jonſt. Dendr p. 231. Nerion 3um. ſeu Americanum Ejuſd. ib. p. 389. *Jeſſamine Tree or Buſh of Hughes.* p. 100. Jaſminum novum latifolium. Raij hiſt. p. 1602. Nerio affinis Barbadenſis arbor latifolia, flore purpureo Jaſmini odore. Plukenet. tab. 207. fig. 2. An Jaſmin. Dutertre. p. 154? Rochefort. p. 110? Nerium Americanum maximum folio obtuſo. Herm. par. Bat. pr. p. 357? *Jaſmin Tree.* In hortis Inſulæ Jamaicæ ubique provenit.

Nerium arboreum folio latiore obtuſo, flore luteo minore. Prope ripas fluvij *Cobre* Appellati circa urbem *St. Jago de la Vega* frequenter creſcit.

Nerio affinis arbor ſiliquoſa folio palmato ſeu digitato flore albo. Leucoxylum arbor ſiliquoſa, quinis foliis, floribus nerij, alato ſemine Americana pſeudo-apcyni genus quinquefolium. Plukenet. tab. 200. fig. 4. An nerij facie arbor. Adv. p. 452, & 456? Lob. icon. p. 239? J. B. tom. 2. lib. 15. p. 142? Lugd. p. 1831? quoad. deſcr. Nerium 3um. ſeu Nerio ſimilis arbor. C. B. pin. p. 464? Raij hiſt. p. 1768? Tab. tom. 2. p. 780? Nerii facie arbor Indica. Park. p. 1470? Arbor nerio ſimilis 1ª. Jonſt. Dendr. p. 389? *White wood.* In agris humidioribus, ad fluviorum ripas & littus maritimum Jamaicæ & Caribearum inſularum copioſe naſcitur.

Nerio

Nerio affinis arbor, versicolora materie, laurifolio lucido, flore pentapetaloide sulphureo amplo. An Arbores quibus versicolor est materies. Laet. p. 328? An Xylocistе arbor Americana. Plukenet. phyt. tab. 239. fig. 2? *Spanish Elm or Prince Wood.* In tractibus septentrionalibus Insulæ Jamaicæ frequens est. Crescit etiam copiose prope domum Dom. *Batchelor* collibus *red hills* dictis.

Mangle pyri foliis cum siliquis longis ficui Indicæ affinis. J. B. tom. 1. lib. 12. p. 415. Raij hist. p. 1772. Mangle de Oviedo. Coron. lib. 9. cap. 6. Nieremb. p 313. de Raveneau de Lussan. p. 152. Chabr. app. p. 612. Clus. Lugd. p. 1855. Laet. p. 395, 396. Mangua. Ejusd. p. 575, 605, & 634. Arbor Manguium Appariturіers. Ejusd. p. 609, Manglares Ejusd. p. 367. Appariturіers. de Abbeville. p. 179. Arbor in mari genita quæ ramos ad profundum incurvat radices creantes. Martyr. Arbores sub aqua manglæ dictæ Pigafett. Congo part. 1. Indr. or. p. 8. *Trees having store of Oysters on their branches*, &c. *of Sir Walter Rawleigh. of Guiana.* p. 2. Hakl. part. 3. p. 601. *of Rob. Harcourt.* Purchas lib. 6. cap. 16. p. 1275. *Trees with Oysters upon them of Hortop.* Hakl. part. 3. p. 488. *One kind of Trees with Oysters upon them of Sir Francis Drake*, ib. p. 742. *Trees growing by the water-side with the stalks hung full of Oysters of Ward.* ib. p. 758. *I told you once I do remember, how in my travail into* Africa *and* America, *I found Trees that bare Oysters, which was strange to you till I told you that their boughs hung in the water, on which both Oysters and Muskles did stick fast, as their property is, to Stakes and Timber.* Parkhurst. ib. *in a Letter to Mr. Hakl.* p. 133. *In most places* (of Mevis) *the Wood groweth close to the water-side at a high-water mark, and in some places so thick of a soft spungy wood, like a wild Figg-tree, you cannot get through it, but by making your way with Hatchets or Faulchions. Smith. Obs.* p. 57. *Mangrove-tree of Hughes.* p. 95. *Mangrave of Ligon.* p. 14, & 72. *Mangue casting twigs from their tops to the water of Anonymus Portugal of Brasile*, lib. 7. cap. 1. p. 1318. *Trees like Willows, on which grow Oysters. William Finch*, ib. lib. 4. cap. 4. sect. 1. p. 415, & 416. Paretuvier Dutertre. p. 167. Rochefort. p. 100. Garofano Indiano Velenoso. Zan. p. 98. Guapereiba Brasilіensibus; Lusitanis Mangue Vereaideiro. Marcgr. p. 118. Tertia & postrema mangue Guaparaiba dicta. Pis. (Ed.

1648.) p. 114. (Ed. 1658.) p. 204. Arbor admiranda 15ª. Oſtreiſera. Jonſt. Dendr. p. 470. Lignum duriſſimum 1um. Mangles. Ejuſd. ib. p. 425. Arbor Braſilienſis 6ª. Guapereiba. Ejuſd. ib. p. 464. Pee-Kandel. Hort. Mal. part. 6. p. 61. Candela Indica fructu longiore & craſſiore flore tetrapetalo. Raij hiſt. p. 1779. *The Mangrove Tree.* Ad littora in paluſtribus maritimis Jamaicæ & Caribearum inſularum ubique naſcitur.

Mangle lauroceraſi foliis flore albo tetrapetalo. An Arbor Braſiliana foliis ſalicis in quibus ſal concreſcit floribus tetrapetalis. Raij. hiſt. p. 1772? Cereiba Braſilienſibus. Marcgr. p. 127? Prima Cereiba quæ mangue eſt alba, Piſ. (Ed. 1658.) p. 204? An Karii-Kandel ſeu Kanil-Kandel. Hort. Mal. part. 6. p. 59? ſeu Candela arbor floribus in eodem pediculo ternis, fructu anguſtiore. Raij hiſt. p. 1770? *Mangue Trees of Ane Anonymus Portugal of Braſile.* Purchas lib. 7. cap. 1. p. 1316? Cum priori.

Mangle Julifera foliis ellipticis ex adverſo naſcentibus. An Cereibuna. Piſ. (Ed. 1648.) p. 113? (Ed. 1658.) p. 204? Kada-Kandel. Hort. Mal. part. 6. p. 67? Loco *Old harbour* dicto ad littus maritimum inter cæteras hujus generis arbores creſcentem obſervavi.

Mangle foliis oblongis integris, Utrinque molli lanugine holoſericeâ obductis. Cum priori.

Mangle Julifera foliis ſubrotundis verſus ſummitates latiſſimis, confertim naſcentibus, cortice ad coria denſanda utili. *Olive Bark-tree.* Ad ripas fluvii *freſh River* dicti loco *Caymanes* nuncupato creſcit.

Goſſipium Braſilianum flore flavo. Herm. par. Bat. pr. p. 337. Amonyiou. Abbeville. p. 226. Cotton. Ejuſd. p. 52. & 208. Arbuſculæ quæ goſſipium ferunt. Laet. p. 644. Bont. mantiſſ. aromat. p. 171. Cottonier. Rochef. p. 99. Coton Dutertre. p. 150. Cauche. p. 147. Goſſipium. Laet. p. 610. & lib. 1. cap. 15. Bambagia Fern. Colon. vita di Chriſt. p. 51, 55, 59, 74, & 94. *Cotton of Mexican Chron.* Purchas. p. 1090. Raveneau de Luſſan. p. 29. *of Carder.* Purchas lib. 6. cap. 5. p. 1189, & 1190. *of Sparrey.* ib. cap. 11. p. 1248. *of Galvanos.* ib. lib. 10. cap. 1. p. 1684, 1687, & 1695. *of Wilſon.* ib. lib. 6. p. 1264. *of Turner.* ib. p. 1265. *of Rob Harcourt.* ib. cap. 16. p. 1275. *of Schnirael.* ib. lib. 7. cap. 4. p. 1351. Oviedo. *Summary Eaen.* p. 221.

of

of Smith's Virginia. p. 149. *Obs.* p. 54. Pagan. cap. ult. *of Leigh* Purchas lib. 6. cap. 12. p. 1251. *of Ligon.* p. 22. *of Clappham of Tenariffe. Boyle of Air.* p. 178. *of Sir Walter Rawleigh.* p. 34, & 95. Hakl. 641, & 660. *of Keymis.* Hakl. part. 3. p. 675. *of Chilton.* ib. p. 456, 459, & 461. *of Hawks.* ib. p. 465. *of Masham.* ib. p. 694. *of Martin* Fernandez de Enciza ib. p. 699. Lopez. Vaz. ib. p. 787. *Bombasin Cotton Trees of Pretty.* ib. p 813. *Gossampine Trees of Oviedo Summary Eden.* p. 205. Plantas del Algodon. de Oviedo. Coron. lib. 10. cap. 5. *Cotton Bushes or Shrubs, of Hughes,* p. 70. Algodon. Lopez de Gomara. hist. gen. cap. 20, 26, & 48. Bombaso di Nunno di Gusman Ramnus. part. 3. p. 332. Purchas p. 1557. di Fernando Alarchon Ramnus. part. 3. p. 367. Hakl. p. 433. Bombaso che è chiamata Acucu di Vasquez di Coronado Ramnus. part. 3. p. 362. Hakl. p. 378. Bambagia arborea di Pernambuco. Zan. p. 40. Ameni jou arbre portant le Cotton. de Lery. p. 169. Petit arbre qui porte le Cotton. de Thevet. sing. p 84. Cosm. p. 929. Arbrisseaux de Cotton. Joseph. Acosta lib. 4. cap. 21. Ychcaxihuitl seu gossipium. Hernandez. p. 308. Aminiju Brasilienssibus, Lusitanis Algodon & frutex Algodaon, Gossypium. Marcgr. p. 59. Aminiju sive Gossypium. Pis. (Ed 1658.) p. 186. Gossipium arboreum ex Pernambuco. Zan. Breyn. p. 1. p. 37. Xylon Brasilianum. J. B. tom. 1. p. 347. Lanifera arbor peregrina & Xylon Brasilianum. Chabr. p. 26. quoad descr. Gossipium arboreum caule spinoso minus. Jonst. Dendr. p. 133. An *Cotton or Bombast of Marco Polo.* Purchas lib. 1. cap. 4. p. 70, 74, 94, & 106? *of Sebastian Biscaino.* Hakl. part. 3. p. 560? *of Rawolfe,* lib. 1. cap. 3, 5, & 8? & part. 2. cap. 1. & 4? & part. 3. cap. 2? *of Terry.* p. 111, 114, 192, 392? *of Jobson.* p. 125? *of Mandelslo.* p. 160, & 206? *of Sir Thomas Roe.* Purchas lib. 4. cap. 16. sect. 7. p. 562? *of Biddulph* ib. lib. 8. cap. 9. p. 1334? de Pyrard. cap. 1. p. 11. & cap. 4. p. 33? Duval nott. in Pyrard. p. 129? *of Newberry.* Purchas lib. 9 cap. 3. p. 1414? *of Benjamin.* ib. lib. 9. cap. 5. sect. 5. p. 1458? *of Jo. dos Sanctos* ib. lib. 9. cap. 12. sect. 1. p. 1540, & 1547? *of William Finch,* ib. lib. 4. cap. 4. sect. 1. p. 414, 415, & 419? *of Davis* ib cap. 6. sect. 1. p 445? *of Salbank.* Purchas lib. 3. cap. 9. sect. 4. p. 236? *of Dounton* ib cap 12. sect 5.

ſect. 5. p. 306? *of Saris.* ib. lib. 4. cap. 2. p. 390, 392, & 395? *of Whithington.* ib. cap. 8. ſect. 3. p. 483? *of Dounton,* ib. lib. 4. cap. 11. ſect. 1. p. 504? *of Elkington.* ib. cap. 12. ſect. 1. p. 514? *of Payton.* ib. cap. 15. ſect. 1. p. 530? *of the firſt Dutch Voyage to the Indies.* ib. lib. 5. cap. 15. p. 708, & 711? *of Swan.* ib. p. 726? Gottoni di Aloiſio di Cadamoſto. Ramnuſio. f. 109, 112, & 117? Arbre qui porte le Cotton de Pyrard. cap. 24. p. 60. cap. 26, & 27. p. 236, 264, & 286? part. 2. p. 77, & 158? part. 3. p. 16, & 28? Duval nott. in Pyrard. p. 103? Arbre portant le Cotton. Linſchot? *Algadon of Hernan* Lopez de Caſtagneda cap. 42? Cotonier du Loubere du Siam. tom. 1. p. 32, & 36? de Tachard. *ſecond Voyage* de Siam? An Coton herba lanigera. Cord. var. *Obſ.* ſylv. fol. 221? Xylon. Fuchſ. p. 581? Lon. tom. 2. fol. 7? Lac. p. 175? bot. Francof. p. 190. Geſn. hort. Germ. f. 287? Goſſipium. Tab. tom. 2. p. 476? Cam. hort. p. 68? Turner. part. 2. f. 13? Veſling? Bombax. Dorſten. f. 51? icon. Roeſlin. f. 25? Xylon ſive Goſſipium. Math. (Ed. B.) p. 334? Lugd. p. 221? Dod. p. 65? Lob. *Obſ.* p. 370? icon. p. 650? Ambroſ. hort. p. 30. Ger. emac. p. 900? Goſſipium vulgo autem Bambagia Cæſalp. p. 565? Bambagia Caſt. Dur. p. 61? Xylon Goſſipium. Bod, à Stapel nott. in Theophr. p. 425? Goſſipium arboreum Cotnemſegiar. Alp? Xylon ſive Goſſipium herbaceum. J. B. tom. 1. p. 343? Xylon arboreum. Ejuſd. ib. p. 347? An Goſſipium arboreum. Park. p. 1552? Goſſipium fruteſcens annuum. Ejuſd. p. 1553? Goſſipium fruteſcens ſemine albo. C. B. pin. p. 430? Jonſt. Dendr. p. 133? Goſſipium arboreum caule levi. Eorundem ib? Goſſipium ſive Xylon, Bombax. Adv. p. 291? An Kotton ſeu Goſſipium Indicum arbor. di Valerio di S^t. Gioſeppe. Zan. p. 46? *Cotton Shrub called* Xylon herbaceum *of Grew.* p. 218? Arbre portelaine. Duret. p. 142? Xylon ſive Goſſipium herbaceum. Chabr. p. 25? Xylon ſive Goſſipium arboreum. Ejuſd. ib? Goſſipium arbor Munt. pl. cult. p. 90? Goſſipium herba. Ejuſd. ib? Goſſipium arboreum flore atropurpureo. Herm. cat. p. 294? par. Bat. pr. p. 337? An Goſſipium fruteſcens annuum folio trilobato Barbadenſe. Plukenet. phyt. tab 188. fig. 1? An Goſſipium fruteſcens annuum folio vitis Ampliori quinquifido inſulæ Providentiæ, Ejuſd. ib. fig. 2?

Un

Un pomme de coton. de Molinet. p. 208? *Cotton.* In agris Jamaicæ & Caribearum insularum ubique seritur & luxuriat. Spontanea etiam in sepibus & fruticetis invenitur. Culturâ, loco natali, ætate, &c. multùm variat.

Gossipium arboreum maximum spinosum folio digitato, lanâ sericeâ griseâ. Ceyba de Oviedo lib. 9. cap. 11. Lopes de Gomata. cap. 205. Laet p. 280, 341, & 380. Arbores ex quibus vellera colliguntur. Martyr. Arbor lanigera. Ejusd. Arbor moro major gossampium generans. Ejusd. Ceivas de Joseph Acosta lib. 4. cap. 30. Arbor Ceiba maximæ altitudinis & crassitudinis. J. B. tom. 1. p. 503. Chabr. app. p. 599. Ceiba seu Cerba arbor. Jonst. Dendr. p. 469. Rubi facie senticosa planta Adv. p. 452. Park. p. 1629. Lob. icon. p. 239. J. B. tom. 2. lib. 13. p. 63. Chabr. p. 110. Rubus Exoticus. C. B. pin. p. 479. Jonst. Dendr. p. 272. Palmacea seu arundinacea pinnata spinosa 2ª. Lugd. p. 1831. quoad descr. Nerii facie arbor Penæ. ib. quoad fig. Moul-Elavou. Hort. Mal. part. 3. p. 59. *Cotton Trees and Silk Cotton, of Smith's Observ.* p. 54. Houatte. Molinet. p. 209. Bois epineux premier & plus grand Des tous appelle fromage de Hollande Dutertre. p. 155. Lanigera arbor spinosa Guineensis salicis foliis digitatis. Hort. Beaumont. p. 26. Zamouna. Pis. (Ed. 1648.) p. 81. Jonst. Dendr. p. 464. Saamouna. Pis. (Ed. 1658.) p. 175. An Alicunde *or Elicondy. of Battell.* Purchas lib. 7. cap. 3. sect. 7. p. 985? Licondo. Pigafett. Ind. or. part. 1. p. 10? de Linschot. descr. de la Guinee. cap. 3? Jonst. Dendr. p. 470? Et dismontati in terra, vedemmo gli habitatori habitar nelle cime de gli alberi, come uccelli, &c. Fernan. Colon. f. 213? Arbores quibus ædiculæ superstruuntur. C. B. pin. 513? Arbres ayans le trone en ovalles. Cauche. p. 160? Autre espece de coton. Ejusd. p. 149? de Pyrard. part. 3. p. 16? Arbor vasta & patula. Laet. p. 561? vastissimæ arbores. Ejusd. ib? Arbore grandissimo di Cadamosto. Ramnus. p. 117? Arbres propres à faire des Canots. de Raveneau de Lussan. p. 27? Capoquier de Loubere tom. 1. p. 32? Certa lana che colgono da certi arbori di Alvaro Nunez. Ramnus. p. 318? Purchas lib. 8. p. 1510? *Trees whereon in Winter the Tivitivas live, of Sir Walter Rawleigh of Guiana*, p. 42? Hakl. part. 3. p. 644? *Silk of Keymis.* Hakl. part. 3. p. 675? *A certain Tree very great and broad,*

broad, having holes in the branches full of Water, growing in dry places, affording drink to Travellers, and harbour 500 persons. Anonymus Portugal of Braſile. Purchas. lib. 7. cap. 1. p. 1309? *Tree whereof is made canoas.* Davie Hakl. part. 3. p. 579? Oviedo Summary. Eden. p. 206? *Rotten Trees whereon groweth the fine Bombaſt of Davis.* Purchas lib. 3. cap. 1. ſect. 5. p. 132? *Silk Cotton of Saris.* ib. lib. 4. cap. 1. ſect. 6. p. 373? *Tree called Memba of Battell.* Purchas lib. 7. cap. 3. ſect. 3. p. 979? Arbres portans fine laine. Linſchot. deſcr. D'Amerique? Arbor Lanigera. Bont. p. 105? Panja-Panjala. Hort. Mal. part. 3. p. 59? Lanifera arbor peregrina. Cluſ. exot. lib. 1. cap. 14? J. B. tom. 1. p. 347? Goſſipium Javanenſe ſalicis folio. C. B. pin. p. 430? Jonſt. Dendr. p. 133? Lanifera arbor peregrina & Xylon Braſilianum Chabr. quoad fig? Arbor lanifera. Ger. emac. p. 1552? Goſſipium Indicum ſpinoſum. Park. p. 1553? Goſſipium Javanenſe longifolium. Ejuſd. ib? Arbor Canoarum ſive navicularum Indorum. J. B. tom. 1 p. 505? Chabr. p. 48, & 600? Cacanquahuitl ſeu ſigni arbor. Nieremb. p. 326? Goſſipium arboreum caule ſpinoſo majus. Jonſt. Dendr. p. 133? Magnæ arbores. Nieremb. p. 332? Arbor admiranda 7ª. ſeu foraminulenta aquoſo humore plena. Jonſt. Dendr. p. 469? Kotton ſeu Goſſipium Indicum arbor. Valerio di S^t. Gioſeppe. Zan. p. 26? Mocarix Nieremb. p. 295? Bambage Indiano. Pon. Ital. p. 37? Goſſipium Indicum ſalicis folio fructu quinquecapſulari. Raij hiſt. p. 1899? Goſſipium arboreum orientale foliis ſalicis digitatis latioribus. Herm. cat. p. 294? Goſſipium Sericeum. Ejuſd. par. Bat. pr. p. 377? Goſſipium ſeu Xylon arbor orientale digitatis foliis levibus fructu quinquecapſulari alba & nitente lanugine farcto. Plukenet. phyt. tab. 188. fig. 4? Goſſipium ſeu Xylon arbor occidentale foliis digitatis per marginem crenatis fructu quinquecapſulari conoide lanugine leucophæa referto. Ejuſd. tab. 189. fig. 1? *The Cotton Tree.* In Jamaicæ & Inſularum Caribearum ſylvis tam campeſtribus quam montoſis ubique creſcit. Multum variat hæc arbor, truncus enim junioris ſpinis admodum ferocibus armatur, quas ætate provectior amittit.

Arbores

Arbores bacciferæ Umbilicatæ, & Calyculatæ.

MYrtus 7ª. seu sylvestris foliis acutissimis. C. B. pin. p. 469. Jonst. Dendr. p. 241. Myrti majoris 5ª. species Lob. Obs. p. 559. icon. p. 126. Myrtus Boetica sylvestris Clus. rar. pl. hist. p. 66. Ger. emac. p. 1413. Park. p. 1454. Myrtus vulgaris nigra & alba sativa & sylvestris. J. B. tom. 1. lib. 5. p. 510. An myrtus Cord. nott. in Dioscor. f. 23? Gesn. hort. Germ. f. 268, & 297? Lugd. p. 237? Lac. p. 99? Tab. tom. 2. p. 782? Cam. ep. p. 132? Schwenckf. p. 309? Bod. à stapel nott. in Theoph. p. 380? Casalp. p. 127? Myrtus 1ª. seu communis Italica. C. B. pin. p. 468? An myrtus lanifolia vulgaris. Park. p. 1452? Ad viarum margines & in sepibus Insulæ Maderæ copiose provenientem collegi.

Myrtus arborea aromatica foliis Laurinis. Cariophyllus aromaticus Americanus lauri acuminatis foliis, fructu orbiculari. Pluk. tab. 155. fig. 4. Arbres ou croissoit du poivre de Joseph Acosta lib. 4. cap. 30. *Sweet scented Pepper, or Jamaica Pepper of Hughes.* p. 53. Pimienta *or* pimenta. Ejusd. p. 158. *The Bay Tree, or spicy piemento of Trapham.* p. 38. Cocculi Indi aromatici *of Grew* Mus. p. 211. Pimienta de chapa. Redi Esp. p. 94. tav. 1. Piper Chiapæ. Ejusd. lat. p. 132. An Amomum quorumdam an Garyophyllon Plinij Clus. exot. p. 17? Ger. emac. p. 1610? Amomum Clusij Chabr. p. 127? Amomum quorumdam odore Caryophylli. J. B. tom. 2 p. 194? Caryophyllus aromaticus fructu rotundo. C. B. pin. p. 411? Jonst. Dendr. p. 176? Amomum aliud quorumdam & Caryophyllon Plinij à Clusio suspicatum. Park. p. 1567? Amomum Bauhini odore Caryophylli. Jonst. Dendr. p. 187? Amomum Sperlingij Ejusd. p. 186? Worm. Mus. p. 182? Xocoxochitl seu piper Tavasci. Hernandez. p. 30? Laet. p. 277? Arbor Chiapæ fructum ferens

inſtar piperis. Ejuſd. p. 323? Xocoxohtl ſeu flos acidus Jonſt. Dendr. p. 181? Xocoxochitl o pimienta de Tavaſco. Xim. f. 2. *Bay Trees of Ligon.* p. 73? An Anhuiba-miri. Piſ. (Ed. 1648.) p. 98? (Ed. 1658.) p. 146? An Laureles de Lopez de Gomara. cap. 46? *Bays of Florida of Laudonniere* Hakl. p. 305? Bois d'Inde ou laurier aromatique Dutertre. p. 157? Bois d'Inde Rochef p. 89? Cariophyllus aromaticus Ind. occid. foliis & fructu rotundis dipyrene feminibus fere orbiculatis planis. Plukenet. tab. 155. fig 3? Cariophyllus Aromaticus Americanus folio & fructu oblongo polypyrene acinis angulosis uvarum vinaceis ſimilibus. Ej. ib. fig. 2? Cariophyllus folio & fructu rotundo. Breyn. prod. 2. p. 26? *Pimienta*, *Jamaica Pepper or All-ſpice Tree.* In montoſis ſylvis Inſulæ Jamaicæ ubique creſcit, præſertim locis ſeptentrionalibus; variat foliis latioribus & anguſtioribus quæ ſi diſtinctæ ſpecies ſint an vero ſolum varietates non auſim determinare; fructum arboris folio latiori nondum videre contigit.

Myrtus arborea inodora, foliis latis ſubrotundis, flore albo fructu monopyreno. Ad margines torrentis, in ſylvula inter urbem *St. Jago de la Vega* & locum *2 mile Wood* dictum creſcentem obſervavi.

Myrti folio arbor cortice argenteo foliis oblongis ad baſin latioribus, acuminatis, inodoris, ex adverſo ſitis, flore pentapetaloide pallide albicante. *Silver-wood.* In montibus ſylvoſis prope domum Dom. *Batchelour* copioſe creſcit.

Myrti folio arbor, foliis longiſſimis inodoris. Cum priore.

Myrti folio, arbor, foliis latis ſubrotundis flore albo racemoſo. In Inſula Jamaica collegi, ſed locum non memini.

Myrto affinis buxi foliis floribus pallide luteis. Prope domum Dom. *Batchelour* in ſylvis collegi

Myrto affinis arbor, foliis laurinis, flore albo tetrapetalo odorato. Prope urbem *St. Jago de la Vega* ultra locum *Troopers Quarters* dictum collegi.

Loti arboris folio anguſtiore, rubi flore, fructu polyſpermo umbilicato. Prope *The crawle Plantation* ad margines viæ quâ verſus Trajectum itur, & in agris Dom. *Cope* loco *Guanaboa* dicto collegi.

Loti

Loti arboris folio anguſtiſſimo arbor baccifera racemoſa fructu minimo croceo monopyreno. Dudhali. Valer. St. Gjoſeppe. Zan. p. 25. Mallam-Toddali Hort. Mal. part. 4. p. 83. tab. 40. Baccifera Indica racemoſa florum ſtaminulis binis, acinis monopyrenis. Raij hiſt. p. 1597. Ad ripas fluvii *Cobre* appellati prope urbem *St. Jago de la Vega*, nec non locum 7 *mile walk* dictum & ad viæ margines quæ verſus *Guanaboa* ducit, provenire obſervavi.

Periclymenum rectum, ſalviæ folio rugoſo majore oblongo bullato, flore albo, fructu longiore. Salvia Barbadenſibus dicta ſpica florum compactori. Plukenet. tab. 221. fig. 3. *The largeſt ſort of wild Sage.* Secus viam quâ *Guanaboa* itur, locis *red hills* dictis copioſe creſcit.

Periclymenum rectum ſalviæ folio rugoſo majore ſubrotundo bullato. In monte *Diablo* dicto collegi.

Periclymenum rectum, ſalviæ folio rugoſo minore bullato, flore albo. An *wild Sage of Anonymus Portugal of Braſile*, Purchas lib. 7. cap. 1. p. 1312? Frutices è ſalviæ ſylveſtris claſſe qui fragrantem odorem de ſe fundunt. Laet. lib. 18. cap. 15. p. 686? An ciſti folio arbor exotica. Lob. Obſ. p. 559? Adv. p. 387? Jonſt. Dendr. p. 412? C. B. pin. p 465? Ciſti ledi arbor peregrina Penæ. Lugd p. 232? Ciſtus exoticus Lobelij. Ger. emac. p. 1279? Ciſto ſimilis frutex exoticus. Park. p. 661? Ciſti folio arbor exotica, capitulis lanoſis platani. J. B. tom. 2. lib 13. p 21? Chabr. p 103? Camara 3ª. flore albicante. Piſ. (Ed. 1648.) p. 86? Camara flore albo Marcgr. p 5? Piſ. (Ed. 1658.) p 177? Raij hiſt. p. 993? Viburnum ſalviæ foliis obtuſis floribus albis. Herm. par. Bat. pr. p. 384? *Wild Sage.* Circa urbem *St. Jago de la Vega* & in omnibus pratis Jamaicæ & Caribearum Inſularum ubique occurrit.

Periclymenum rectum urticæ folio hirſuto majore, flore flavo. Camara flore flavo è ripa fluvii Sti. Franciſci. Marcgr. p. 5. An Camara-uuba Braſilianis. Marcgr. p. 6? Raij hiſt. p. 257? Camara-miri. Piſ. (Ed. 1648.) p. 87? Camara-uuba. Piſ. (Ed. 1658) p. 177? An Camara miri. Ejuſd. ib? Cayolizan ſeu Tepocan. Hernandez. p. 86? vel Tociz quiuh ſeu maizium torridum & calidum. Ejuſd. p. 115? Cayolizan. Xim? Viburnum ciſti fœminæ vel ſalviæ foliis mucronatis Americanum odoratum minus floribus luteis. Herm. par. Bat. pr. p. 384? Cum priore.

Periclymenum rectum humilius, ſalviæ folio rugoſo majore, flore purpureo, fructu oblongo eſculento purpureo. In agris humidioribus, foſſis, &c. Circa urbem *St. Jago de la Vega* reperi.

Periclymenum rectum urticæ folio, flore coccineo amplo. Camara flore rubro Marcgr. p. 5 Camara-juba. Piſ. (Ed. 1648.) Camara-tinga Ejuſd. (Ed. 1648.) p. 176. Viburnum Americanum odoratum foliis urticæ floribus miniatis. Herm. cat. p. 699. Pſeudo-viburnum Americanum. Riv. p. 21. An Camaracatimbae *of Anonymus Portugal of Braſile* Purchas lib. 7. cap. 1. p. 1311? Laet. lib 15. cap. 10 p. 567? Viburnum Americanum non ſpinoſum meliſſæ foliis floribus coccineis. Herm. par Bat. pr. p 383? Plukenet. tab. 114. fig. 4? In Jamaicæ Inſulæ parte ſeptentrionali, inter rudera templi à Petro Martyre extructi, prope urbem olim *Sevilla* Hiſpanis dictam, creſcere obſervavi.

Periclymenum rectum ſalviæ foliis majoribus oblongis mucronatis ſubtus villoſis alternatim ſitis, flore & fructu minoribus. In Inſulæ Jamaicæ partibus ſeptentrionalibus collegi.

Periclymenum rectum, ſalviæ folio rugoſo minore ſubrotundo. Viburnum Americanum odoratum folio parvo orbiculato floribus & baccis foliolis interceptis. Herm par. Bat. pr. p. 384. Plukenet. tab. 114. fig. 5. In Inſula *Barbados* reperi.

Periclymenum rectum ſalviæ folio rugoſo longo & anguſtiſſimo. In paſcuis montis *Diablo* dicti collegi.

Groſſulariæ fructu arbor maxima non ſpinoſa, Malabathri folio maximo inodoro, flore racemoſo albo. In Inſulæ Jamaicæ ſylvis mediterraneis montoſis frequenter reperitur.

Chriſtophoriana Americana Malabathri foliis acuminatis nervoſis dentata. Plukenet. tab. 159. fig. 1. In Inſula Barbados reperi.

Arbor Americana Malabathri ſubrotundis foliis, ſubtus lanugine ferruginea villoſis. Plukenet. tab. 249. fig. 3. Cum priore.

Groſſulariæ fructu arbor maxima non ſpinoſa malabathri folio integro minore ſubtus albido, fructu majore. Muiva Braſilienſibus. Marcgr. p. 117. Jonſtr. Dendr. p. 58. Arbor racemoſa Braſiliana foliis Malabathri. Breyn. cent. 1. p. 3.

p. 3. Pomifera Brasilienſis fructu rotundo, cum culpa molli, polypyreno. Raij hiſt. p. 1501, & 1648. In collibus ſylvoſis *red hills* dictis ubique provenit.

Groſſulariæ fructu arbor maxima non ſpinoſa Malabathri folio integro minore ſubtus ferrugineo. Cum priore reperitur à qua vix ſpecifice differt.

Groſſulariæ fructu arbor non ſpinoſa Malabathri folio maximo glabro & ſplendente. Cum præcedentibus reperitur.

Groſſulariæ fructu non ſpinoſa, Malabathri foliis longa & ruffa lanugine hirſutis, fructu majore cœruleo. Caaghiyuyo Braſilienſibus Marcgr. p. 59. Piſ. (Ed. 1658) p. 217. Jonſt. Dendr. p. 295. Frutex baccifer Braſilienſis, fructu racematim congeſto myrtilli. Raij hiſt. p. 1636. In montibus ſylvoſis inter locum *Guanaboa* dictum & agros Dom. *Bourden* abundat. Variat foliis oblongis & rotundioribus.

Groſſulariæ fructu non ſpinoſa, Malabathri foliis oblongis, floribus herbaceis racemoſis, fructu nigro. Aninga peri. Piſ. (Ed. 1648.) p. 116. (Ed. 1658.) p. 218. Jonſt. Dendr. p. 269. Ad ripas torrentium & rivulorum nec non in agris humidioribus Insulæ Jamaicæ ubique reperitur.

Groſſulariæ fructu non ſpinoſa, Malabathri foliis ſubtus niveis fructu racemoſo, in umbellæ modum diſpoſito. Sambucus Barbadenſibus dicta foliis ſubincanis. Plukenet. tab. 221. fig. 6. In Insula *Barbados* vel *Nieves* inveni.

Groſſulariæ fructu majore arbor ſpinoſa, fructu folioſo è viridi albicante. Prope ruinas monaſterii non procul ab urbe *St. Jago de la Vega* obſervavi.

Baccifera arbor calyculata foliis laurinis fructu racemoſo eſculento ſubrotundo monopyreno pallide luteo. *The baſtard Locuſt Tree.* In pratis loci *Liguanee* dicti, &c. reperitur.

Baccifera arbor calyculata, foliis integris oblongis acuminatis, fructu ruſeſcente. In partibus ſeptentrionalibus Jamaicæ Insulæ collegi.

Arbor baccifera, laurifolia, aromatica, fructu viridi calyculato racemoſo. Cortex cinamomi ſaporem, gingiberis amaritudinem & Caryophylli ſuavem odorem præ ſe ferens. Martyr. Arboles como granados donde crian las palomas, cuya corteza parece algo canela en el ſabor, gengibre en lo amargo,

amargo,& clavos en el olor pero noes eſpecia. Lop.de Gomara. cap.41. f. 33. Arbres ou les pigeons nichent, &c. Linſchot. deſcr. Amer. *Cinamon of Porto Rico given me as Fruit*, &c. *Layfield.* Putchas lib. 6. p. 1174. Canella fina di colore anchor che amara di ſapore. Fern. Colon. f. 124. Alcuni alberi che nel ſapore & odore parevano di Cannella. Ejuſd. f. 96. Alberi di Cannella ſelvatica. Ejuſd. f. 104. Lignum aromaticum Mon. Cluſ. exot. p. 323. Lugd. p. 1788. Lignum ſeu potius cortex aromaticus Cluſ. nott. in Mon. p. 324. Legno aromatico Caſt. Dur. p. 234. quoad deſcr. Canella alba quorumdam. Cluſ. exot. lib. 4. cap. 3. p. 78. J. B. tom. 1. p. 461. Lignum aromaticum ſeu potius cortex Monard. Ejuſd. ib. p. 460. Canella folio mali punicæ Ejuſd. ib. p. 455. Canella alba Park. p. 1581. Canella alba ex arbore Ejuſd. ib. Cinamomum ſive canella tubis minoribus alba. C. B. pin. p 409 *Winter Bark or Weſt-Indian Cinamon Tree of Trapham.* p. 38. Caninga. Hernandez p. 43. Xim. f. 9. Laet. lib. 1. cap 11. p. 13. Cortex Winteranus off. Lond. *of Berlu.* p. 34 Canella alba Chabr. p. 34. Canella Cubana. Jonſt. Dendr. p. 165. Lignum aromaticum Mon. Ej. ib. Lignum ligno Monardis Cluſii ſimile. Ejuſd. ib. Canella alba Cluſii duplex. Ejuſd. p. 166. Canella folio mali punicæ Ejuſd. p. 167. Arbor Jucaie. Ej. p. 203. Nieremb. lib. 14. cap. 3. p. 294. Arbor cujus cortex gingiber æmulatur. Laet. lib. 1. cap. 17. p. 24. Arbor & frutex Americanus tertius ſeu cortice Zingiberis inſtar acri Jonſt. Dendr. p. 464. Caſſia lignea Jamaicenſis, cortice acri candicante. Plukenet. tab. 81. fig 1. Canelle de Guadeloupe, Eſcorce d'Inde des Droguiſtes de Paris. Dutertre. p. 145. Bois de Canelle. Rochef. p. 98. An *Aſcopo of Hariot.* Hakl. part. 3. p. 275? Ind. occid. part. 1. p. 24? *Cinamon Tree of Pedro de Orſoua. Juan de Caſtellanos.* Hakl. p. 691? *A Tree which I verily believe to be the ſame ſort of Cinamon which is found in the Streights of Magellan of Keymis's ſecond Voyage to Guiana.* ib. p. 673? *The Tree that beareth the Rine of Black Cinamon, of which Mr.* Winter *brought from the Streights of Magellan, firſt Voyage to Virginia,* Hakl. p. 246, & 249? Cinamonum ſylveſtre Barbadenſium. Plukenet. fig. 7? *Wild Cinamon Tree.* In ſylvis Campeſtribus Inſulæ Jamaicæ ad viarum margines ubique creſcit.

Arbor,

Arbor, baccifera, laurifolia, fructu corallino ribium instar racemoso calyculato venenato. *Currans Trce.* In Jamaicæ septentrionalibus ad littus marinum inter agros Dom. *Abraham* & locum. *the Devil's Bowling-Green*, dictum collegi.

Arbores bacciferæ fructu nudo.

TErebinthus major, betulæ cortice, fructu triangulari. Therebinto desta Ysla Espannola. Oviedo Coron. lib. 9. cap. 10. An Mastice di Fernan. Colon. f. 58, & 60? An Arbor ex qua liquor manat oleaceus Codri. Martyr? Uraie baume comme en Arabie. Abbeville. p. 208? Cuitlacopalli seu stercus Copallis, Copallifera vi^a. leprosa. 2^a. Hernandez. p. 48? Laet. p. 223? Cuitlocapalli seu stercus copallis. Jonst. Dendr. p. 314? Cuitlocopalli, o estiercol de Copalli Xim? Cabueriba *of* ane *Anonymus Portugal of Brasile.* Purchas lib. 7. cap. 1. p. 1308? An Cabureiba Pis. (Ed. 1648.) p. 57? (Ed. 1658.) p. 119? Cabui-iba. Marcgr. p. 137? Jonst. Dendr. p. 309? Gabureiba Laet. p. 559? An Arbor Americana resinosa pistaciæ foliis & fructu. Hort. Beaumont. p. 9? Tacamahacca foliis non crenatis. Herm. par. Bat. pr. p. 379? Therebinthus Americana polyphylla palamalata dicta. Ejusd. p. 380? Plukenet. tab. 228. fig. 6? Betula arbor Americana seminibus lithospermi frumentacei æmulis. Ejusd. tab. 151. fig. 1? An Balsamo. Ovied. Coron. lib. 10. cap. 3? Balsamum ex S. Dominico Clus. nott. in Mon. de Balsamo? *The Birch Tree.* Hæc arbor ubique frequens & obvia est in Jamaica & Canbeis insulis.

Terebinthus maxima, pinnis paucioribus majoribus atque rotundioribus, fructu racemoso sparso. *Hog Doctor-tree or Boar-tree.* In sylvis densis & opacis mediterraneis Insulæ Jamaicæ provenit.

Terebinthus folio singulari non alato, rotundo, succulento, flore tetrapetalo pallide luteo, fructu majore monopyreno, Cenchramidea arbor saxis adnascens, obrotundo pingui

pingui folio fructu pomiformi in plurimas capsulas granula siculnea stylo columnari hexagono præduro adhærentia continentes diviso balsamum fundens. Plukenet. tab. 157. fig. 2. *The Balsam Tree.* In sylvis campestribus Jamaicæ & Caribearum insularum observavi.

Viscum. Ger. emac. p. 1350. Raij hist. p. 1583. Cord. nott. in Dioscor. f. 57. Gesn. hort. Germ. f. 280. Fuchs. p. 329. Lonicer. f. 55. Cæsalp. p. 94. Trag. p. 948. Dod. p. 826. Adv. p. 282. Lugd. p. 17. Lob. Obs. p. 361. icon. p. 336. Tab. tom. 2. p. 691. Lacun. p. 330. Schwenckf. p. 220. Thal. p. 133. Bot. Francof. p. 54. Turner. part 2. f. 165. Renealm. p. 22. Cam. ep. p. 555. Ixus seu Viscum. Fuchs. annot. Brunfels. tom. 2. p. 142. Viscum vulgare. Park. p. 1392. Viscum baccis albis. C. B. pin. p. 423. Jonst. Dendr. p. 199. Vischio Cast. Dur. p. 477. Viscus Quercinus. Jacob. de Manliis. p. 176. Viscus vel Viscum. Chabr. app. p. 661. Viscum quercus & cæterarum arborum. J. B. tom. 1. lib. 7. p. 89. An viscum polycoccon Cam. ep. p. 556? seu Viscum racemosum. C. B. pin. p. 423? Jonst. Dendr. p. 200? Park. p. 1393? Omnibus fere arboribus Insulæ Jamaicæ innascitur.

Viscum latioribus & subrotundis foliis, flore purpureo. Cum priore.

Viscum opuntioides ramulis compressis. Arbori innascentem observavi ad ripas fluvii *Hope River* dicti prope domum Dom. *Mc. Gragh* loco *Liguanee* vocato.

Viscum ramulis & foliis longis, densissimis, striatis & radiatis. In Jamaicæ Insulæ partibus septentrionalibus arboribus innascentem collegi.

Thymelæa humilior foliis acutis atrovirentibus. Prope *Port Royal*, loco *the Palisadoes* dicto, collegi.

Thymelæa maritima ericæ foliis, surculis tumidis & tomentosis. An Sanamunda Africana 5ª. seu ericoides major Breyn. plant. fasc. p. 25? vel an Sanamunda Africana 6ª. seu ericoides minor ramulis admodum lanuginosis. Ejib? In maritimis saxosis septentrionalibus Insulæ Jamaicæ prope ruinas urbis olim *Sevilla* Hispanis dictæ, loco Don *Christovals cove* vocato, observavi.

Laureola minor sylvatica foliis ex adverso nascentibus, baccis rubris. In sylvis densis & opacis, mediterraneis Insulæ Jamaicæ reperi.

Cerasa

Ceraso affinis arbor baccifera racemosa, flore albo pentapetalo, fructu flavo monopyreno eduli dulci. *Bastard Cherry-tree.* In sylvis campestribus prope urbem *St. Jago de la Vega* ubique reperitur.

Ceraso affinis arbor baccifera racemosa, flore pentapetalo herbaceo guttato, fructu coccineo monopyreno viscido, semine rugoso. Cerasa Americana rugosis foliis fructu viscoso. Plukenet. tab. 158. fig. 1. *Clammy Cherries.* Cum priore.

Ceraso affinis arbor baccifera racemosa fructu cœruleo, monopyreno, testiculato. In collibus sylvosis *red hills* dictis prope agros Dom. *Cope* crescentem & fructum ferentem observavi.

Ceraso forte affinis arbor racemosa, foliis laurinis ex adverso nascentibus subtus albicantibus, flore pentapetaloide. In Insulæ Jamaicæ sylvis collegi. Dubito an specie differat à præcedente, quia hujus fructum & illius florem nunquam videre contigit.

Jasminum, periclymeni folio, flore albo, fructu flavo, rotundo, tetrapyreno. In fruticetis & sylvis apertioribus campestribus circa urbem *St. Jago de la Vega* ubique crescit.

Jasminum laurinis foliis, flore pallide luteo, fructu atrocæruleo, polypyreno, venenato. Syringa laurifolia Jamaicensis floribus ex flavo pallescentibus forte totoncopatli Mexicensibus syringa lutea Hernandez. Plukenet. tab. 64. fig. 3. *Poyson Berries.* Cum priore.

Jasminum folio integro obtuso, flore cæruleo racemoso, fructu flavo. Circa urbem *St. Jago de la Vega* in sylvis campestribus reperitur.

Jasminum fortè, folio myrtino acuminato, aliorum adminiculo se sustentans, flore albicante racemoso. In sylvulâ inter urbem *St. Jago de la Vega* & locum *2 mile Wood* dictum, collegi.

Jasminum forte, arboreum, foliis laurinis ex adverso nascentibus oblongis acuminatis flore albo. In sylvis prope domum Dom. *Batchelor* observavi.

Jasminum forte, arboreum, foliis laurinis obtusis latioribus atrovirentibus, flore pentapetalo racemoso purpureo reflexo. In sylvis montosis prope agros Dom. *Ellctson* loco *Liguanee* dicto collegi.

Mali folio ſubtus albicante arbor baccifera, ligno duriſſimo, fructu monopyreno rubro, oſſiculo cannulato. *Iron wood.* Locis pratorum ſylvoſis circa urbem *St. Jago de la Vega* frequenter occurrit.

Baccifera racemoſa fruticoſa Buxi folio nervoſo ad ſummitates latiori, fructu amato monopyreno. In montibus ſylvoſis inter agros Dom. *Bernard* & Dom. *Freeman* obſervavi.

Salicis folio lato ſplendente, arbor, floribus parvis pallide luteis pentapetalis è ramulorum lateribus confertim exeuntibus. In collibus ſylvoſis *red hills* dictis ad viæ margines quæ verſus *Guanaboa* ducit, copioſe naſcitur.

Arbor Baccifera, flore luteo monopetalo difformi, fructu ſphærico nigricante monopyreno. Cum priori.

Berberis fructu arbor maxima baccifera racemoſa, foliis integris obtuſis, flore albo pentapetalo odoratiſſimo, fructu nigro monopyreno. An Citharexylon Arbor Americana foliorum venis læte candicantibus, ex cujus ligno citharæ & panduræ fiunt Pluken. tab. 162. fig. 1? *Fiddle Wood.* In ſylvis campeſtribus circa urbem *St. Jago de la Vega* ubique reperitur.

Berberis fructu, arbor baccifera racemoſa, foliis integris acuminatis, fructu rotundo monopyreno. In ſylvula inter urbem *St. Jago de la Vega*, & locum 2 *mile Wood* dictum, creſcentem reperi.

Baccifera Indica trifolia, fructu rotundo monopyreno Raij hiſt. p. 1593. Molago-Maram. Hort. Mal. part. 5. p. 49. tab. 25. In Jamaicæ Inſulæ ſylvoſis collibus ubique naſcitur.

Baccifera trifolia racemoſa, floſculis albis tetrapetalis, fructu nigro monopyreno fœtido. Arbor Jamaicenſis denſiori tiliæ folio triphyllos floribus coactius ſeu ſpiſſius diſpoſitis. Pluken. phyt. tab 147. fig. 5. Prope urbem *St. Jago de la Vega* ad ripas fluvii *Cobre* dicti, creſcit.

Baccifera fruticoſa, flore luteo pentapetaloide, fructu purpureo monopyreno. Prope urbem *St. Jago de la Vega* frequenter reperitur.

Berberis fructu fruticoſa racemoſa, fraxini folio alato, fructu nigro dipyreno. Secus viam quâ ab urbe *St. Jago de la Vega* verſus *paſſage fort* itur, abundè creſcit.

Buxi

Buxi folio majore acuminato arbor baccifera, fructu minore, croceo, dipyreno. In sylvis arenosis ad semitam qua à loco *the Crawle Plantation* dicto, versus *passage fort* itur, collegi.

Buxi folio minore integro rotundo baccifera arbor fructu minore dipyreno. In arenosis maritimis prope locum dictum *passage fort* reperi.

Myrti folio angusto acuminato, arbor racemosa baccifera, fructu sulcato seu cannulato dipyreno. In collibus sylvosis prope domum Dom. *Batchelor* observavi.

Lycium folio oblongo serrato acuminato spinis minoribus armatum. In insula Madera prope urbem *Funchall* in sepibus provenire observavi.

Lycium buxi folio rotundiore integro flore purpureo tetrapetalo, spinis validissimis & longis armatum. In prato prope urbem *St. Jago de la Vega*, loco *the Hog-holes* dicto crescit.

Lycium fortè, foliis subrotundis integris, spinis & foliis ex adverso sitis. Collegi in insula Barbados si memoria me non fallit.

Evonymus, caudice non ramoso, folio alato, fructu rotundo tripyreno. In sylvis circa locum *the Crawle Plantation*, dictum collegi.

Vitis, fructu minore, rubro, acerbo, folio subrotundo minùs laciniato, subtùs alba lanugine tecto. Parras salvajes. Oviedo Coron. lib. 8. cap. 1. *Great Trees with Vines, laden with black Grapes of pleasant taste.* Ejusd. *Summary Eden.* p. 206. Viti selvatiche di Fernan Colon. vit. p. 98, 104, & 106. Labruscæ per arbores serpentes. Martyr. Cevalchichiltic, seu vitis sylvestris lambruscave indigena. Hernandez. p. 128. Parras sylvestres desta nueva Espanna que Ilman Dehualchichiltic o Totoloctli Xim. Vides de la Isla Espannola Lop. de Gomara f. 29. Vites sylvestres Laet. p. 13, 43, 73, & 323. Parrales como los de Castilla de Juan Goncales de Mendoza. Hakl. p. 386. *Wild Vines of Chilton.* ib. part. 3. p. 460. *Wild Grapes which are of the Countrey, and are very small, of Hawks.* ib. p. 464. Uvas sylvestes de Lopes de Gomara hist. gen. cap. 28. Vitis vinifera sylvestris Americana foliis aversa parte densa lanugine tectis. Plukenet. tab. 249. fig. 1. An *Wild Grapes of Gaspar da Cruz.* Purchas lib. 1. p. 169? *Grapes of Hudson.* ib. lib. 3. cap. 16. p. 587?

p. 587? *of first Voyage to Virginia.* Hakl. p. 246? *Vines growing naturally, taking hold of the Trees as they do in Lombardie. John de Verazzano* Hakl. p. 297? Ramnuſ. p. 421? Vignes ſauvages les quelles montent au long des arbres & apportent des bons raiſins de Laudonniere. p. 3, & 41? Hakl. part. 3. p. 305, & 323? Vigne cariche di raſpi di uva. Jacques Cartier. Ramnuſ. f. 444? Hakl. p. 218? *Vines of Goſnoll. Smith's Virginia* p. 17? *of Smith.* ib. p. 26? *of Eſcarbot Nova Francia* p. 17, 93, & 276? *of Champlain* Purchas p. 1611? *Wild tall Vines of Anonymus Portugal of Elvas.* p. 66? Purchas p. 1540? *Small and ſowre Grapes of Hariot.* Hakl. p. 268? Oroba de Thevet. Coſmogr. f. 1014? *A Plant or Tree, or neither,* &c. *of Fitzherbert.* Purchas lib. 5. cap. 13. p. 698? An Vitis ſylveſtris Americana C. B. pin. p. 299? Vitis ſylveſtris Virginea. Ejuſd. ib? Labruſca Virginiana. Munt. pl. cult. p. 191? Vitis ſylveſtris Virginiana cærulea. Park. p. 1556? Vitis vinifera folio ſubtus incano fructu variegato. Commel. cat. Amſt. p. 368? *Wild Vine or Water-with.* In collibus ſylvoſis mediterraneis Inſulæ Jamaicæ, frequenter provenit, arbores in iiſdem creſcentes, operiens.

Arbor baccifera, folio ſubrotundo, fructu ceraſino ſulcato rubro polypyreno, officulis cannulatis. An prunes de Nicaragua. Joſeph Acoſta lib. 4. cap. 19? Ceraſus Hiſpanienſibus non abſimilis. Laet. p. 256? Ibipitanga, ſive ceraſus Braſiliana. Piſ. (Ed. 1648.) p. 121? (Ed. 1658.) p. 187? Marcgr. p. 116? Jonſt. Dendr. p. 95? *Cherry-tree of Ligon.* p. 69? Ceraſus Curaſſavica fructu tetrapyreno Indigenis Simmeroucke Hort. Beaumont. p. 12? Ceraſus Curaſſavica fructu tetrapyreno Scinmeraka Curaſſ. Herm par. Bat. pr. p. 321? Ceraſus Americ. myrti conjugatis foliis fructu acerbo tetrapyrene. Plukenet. phyt. tab. 157. fig. 4? *Cherry-tree or Barbados Cherries.* In Jamaicæ Inſulæ hortis ubique colitur.

Arbor baccifera, folio oblongo ſubtiliſſimis ſpinis ſubtùs obſito, fructu ceraſino ſulcato polypyreno, officulis cannulatis. *Cauhage Cherry.* Circa urbem *St. Jago de la Vega* prope ruinas monaſterii & ad ripas fluvii *Cobre* appellati in frutetis creſcit.

Arbor baccifera, myrti folio latiore, fructu nigro ceraſino dipyreno. An *Black Cherries of Tomſon.* Hakl. p. 454? Un

arbriſſeau

arbrisseau qui porte des petites cerises. Dutertre. p. 182? *Black Cherries.* In collibus sylvosis *red hills* dictis prope domum Dom. *Bachelour* observavi.

Solani fructu fruticosa, foliis laurinis oblongis integris subtùs hirsutis, flore minore purpureo. In Insula Jamaica hanc plantam collegi & inter herbas siccas reposui.

Arbor baccifera, foliis oblongis acuminatis, floribus confertim ex alis foliorum erumpentibus, fructu minimo croceo. An frutex innominatus 5^tus. Marcgr. lib. 2. cap. 15. p. 81? Jonst. Dendr. tab. 133? In sylvis & fruticetis campestribus prope ripas fluvii *Cobre* appellati infra urbem *St. Jago de la Vega* reperitur.

Agrifolium folio tenuiore magis acuminato & minus corrugato, spinulis gracilioribus & longioribus armato. An Houx de Laudonniere p. 3? Hakl. part. 3. p. 305? An *Holm Trees of Alvaro Nunnez.* Purchas lib. 8. cap. 1. p. 1502? In sylvâ, maritimâ, loco *Don Christopher's Cove* nuncupato, prope ruinas urbis olim *Sevilla* Hispanis dictæ, crescere observavi.

Heliotropii flore, frutex baccifer racemosus, folio rugoso, fœrido, maximo subrotundo, hirsuto, fructu albo. In locis apertioribus Insulæ Jamaicæ prope domum Dom. *Watson* eq. aurat. loco *the seven Plantations* dicto copiose crescit.

Heliotropii flore, frutex, folio maximo oblongo acuminato, glabro. Cum priore.

Rubus foliis longioribus subtus molli lanugine obductis & incanis flore & fructu minoribus. Carcamoras de la Ysla Espannola. de Oviedo. Serpentia rubeta mororum altricia. Martyr. dec. 3. cap. 8. Secus viam quâ versus *St. Anns* itur loco *the Moneque Savanna* dicto, collegi.

Frutex baccifer, folio oblongo integro, flore pentapetalo pallide luteo odoratissimo. *Cloven Berries.* In collibus sylvosis *red hills* dictis, nec non loco *Caymanes* nuncupato observavi.

Frutex baccifer, flore pentapetalo cæruleo fructu violaceo. In collibus saxosis prope domum Dom. *Batchelor* reperi.

Arbores

Arbores pruniferæ.

PAlma dactylifera major vulgaris. Jonſt. Dendr. p. 138. *Date Trees of William Finch.* Purchas lib. 4. cap. 4. ſect. 2. p. 418, 419. & ſect. 6. p. 436. *of Heynes.* ib. lib. 5. cap. 5. p. 628. *of Swan.* ib. lib. 5. cap. 16. p. 724, & 727. *of John Sanderſon* ib lib. 9. cap. 16. ſect. 1. p. 1617. *of Balbi.* ib. lib. 10. cap. 5. p 1722. *of Turner.* part. 2. p. 74. *of Rawolfe*, part. 1. cap. 2, & 9. & part. 2. cap. 4, & 5. *of Pretty*, Hakl. part. 3. p. 823. *of Ligon.* p. 72. *of Mandelſlo*, p. 206, & 216. *Dates of Dounton.* Purchas lib. 3. cap. 12. ſect. 1. p. 280. *of Saris*, ib. lib. 4. cap. 1. ſect. 2. p. 339. *of Salbank*, ib. lib. 3. cap 9. ſect. 4 p. 237. *of Sir Henry Midleton*, ib. lib. 3. cap. 11. ſect. 3. p. 254. & lib. 4. cap. 9. p. 492, & 493. *of Steel*, ib. cap. 13. p. 523. *of Sir Thomas Roe*, ib. lib. 4. cap. 16. ſect. 1. p. 539. *of Don John de Caſtro*, ib. lib. 6. cap. 1. ſect. 1. p. 1123, 1141. *of Newberry*, ib. lib. 9. cap. 3. p. 1411, & 1413. *of Cartwright*, ib. lib. 9. cap. 4. ſect. 2. p. 1431. *of Fitch.* Hakl. p. 251. *of Hernan Lopez de Caſtagneda*, cap. 6. *of Terry.* p. 96. *Palm-trees of Furer.* Purchas lib. 8. cap. 13. p. 1378. *of Belion.* ib. p. 1379. *of Benjamin Tudel.* ib. lib. 9. cap. 5. ſect. 3. p. 1452. *of a Nubian.* ib. cap. 8. p. 1497. *of the Arabians*, ib. cap. 9. p. 1503. *of John Sanderſon*, ib. cap. 16. ſect. 1. p. 1615. *of Polo.* ib. lib. 1. p. 71. *of Rawolfe*, part. 3. cap. 21, & 22. *Palms of Clappham*, *Boyle of Air.* p. 178. Dattes Shirley Cauche. p. 100. Datiers. ejuſd. ib. p. 118. Lambert. p. 29. Dutertre p. 175. Arbre des dates. Albert. p. 80. Palme qui porte les dattes des Indes. Linſcot. deſcr. de la Guinee. cap. 5. Dates de Pyrard. part. 2. p. 152, & 153. Palmiers ou datiers Ejuſd. part. 3. p. 63. palme de Thevet. Sing. p. 19. Palmiers de Nicolai. p. 37. La palma de Lop. de Gomara. f. 29. Oviedo. Coron. lib. 8. cap. 1. Dattili. di Aluiſe di Cada Moſto. Ramnus. part. 1. p. 107. Cariotæ. Ejuſd. lat. p. 11. Palma quæ fert fructus noſtris officinis Dattili dictos. Pigafett. Ind. or. part. 1. p. 29. Vera palma. Laet. p. 324. palma dactylifera. Linſchot. Ind. or. part. 4. fig. 14.

fig. 14. *Palm-tree called Cajuri which bears Dates of Hieronymo de Lobos of River Nile.* p. 62. Palma Arabica seu dactylifera. Valerio di St. Gioseppe. Zan. p. 27. Palma. Ger. emac. p. 1517. Raij hist. p. 1352. Adv. p. 451. Gesn. hort. Germ. f. 270. Dod. p. 819. Lac. p. 96. Cast. Dur. p. 327. Cam. h. p. 116. Lob. Obs. p. 637. icon. p. 234. J. B. tom. 1. p. 351. Chabr. p. 26. Bod. à Stapel Nott. in Theophr. p. 99. Cord. Nott. in. Dioscor. f. 22. Trag. p. 1052. quo ad descr. Math. ed. B. p. 189. Anguill. p. 69. Palma phœnix. Lon. f. 17. palma Dachel. Alp. Dactylus. Dorst. f. 103. icon. Roeslin. f. 36. Bot. Francof. p. 91. palma vulgaris. Park. p. 1545. Palma major. C. B. pin. p. 506. Tab. tom. 2. p. 687. Munt. pl. cult. p. 45. Dattoli. Cast. Dur. p. 156. Palma quæ in Italia feritur ex fructibus peregrinis quos dactylos vocant. Cæsalp. p. 80. Palma arbor. Lugd. p. 362. Palma Tamara. Roelf. epist. ad Clus. p. 317. Spatha. Ang. p. 70. palma quæ dactylos fert. Nieremb. p. 333. palma dactylifera major vulgo. Herm. par. Bat. pr. p. 360. An *Sandalos or Dates of Bermudez.* Purchas lib. 7. cap. 5. sect. 3. p. 1167? Dattes qui proviennent des palmes de Laudonniere. p. 73? *Palm Trees said to bear Dates.* Ejusd. Hakl. p. 338? *The Date Tree.* In agris Dom. *Bourden* ultr *Guanaboa*, & loco *the Crescent Plantation* dicto, nec non in hortis & agris cultis Insulæ Jamaicæ frequenter crescit.

Palma, foliorium pediculis spinosis, fructu pruniformi luteo oleoso. Palma Ady Roelf. Clus. p. 318. Chabr. p. 28. *Palm-tree from which the Oyl, of* Battell Purchas lib. 7. cap. 3. sect. 1. p. 971, 974, 975, & 976. *Palm-tree yielding Wine and Oyl of Ligon.* p. 51, & 69. Palmito *Trees of Sir Jon Hawkins* Hakl. part. 3. p. 504, & 505. *of Hortop.* ib. p. 488. *of Jobson.* p. 131. Palmitas. Ind or. part 6. p. 23. 67, 70, & 73. Palma ex cujus fructibus oleum. Pigaf. Ind. or. part. 1. p. 22. 11. Palma ex qua oleum, vinum, acetum, &c. Ejusd. ib. p. 29, & 51. Palme de la quelle on tire de lhuile du vin & du vinaigre du fruict & du pain. Linschot descr. de la Guinee. Arbre de la grosseur de nos arbres à glan lequel aporte un fruict gros comme dattes Thevet. sing. f. 23. Oglio di tre virtue. Aluise di Cada Mosto. Ramnus. p. 112. lat. p. 28. Arbor tinctoria. Lugd. p. 1832. J. B. tom. 1. lib. 3. p. 254. Palma

15ª. seu arbor exotica fructu dactylis simili. C. B. pin. p. 508. Arbor tinctoria Theveti. Jonst. Dendr. p. 145. Palma Guineæ Penini. Clus. Nott. in Garc. p. 194. quoad descr. J. B. tom. 1. lib. 3. p. 369. Palma Ady insulæ S. Thomæ & fructus Abanga & Caryoces. Ejusd. ib. p. 386. Palma major dactylifera & vinifera Guineensis. Jonst. Dendr. p. 139. Palma nucifera Guineensis incolis palma Adyl Ejusd. p. 149. Nucula Indica altera. Park. p. 1598. quoad descr. An alia palma regni *Congo* Indicis persimilis. Nieremb. p. 333? An arbore della forma di quello che fa dattoli che da liquori che chiamamo Mignol. Aluise di Cadamosto. Ramnus. p. 112? lat. p. 28? palmes desquels les Noirs tirent certain suc appelle mignol pour leur depence & boisson ordinaire de Thevet. sing. p. 20? Palma vinifera Lugd. p. 1834? Palma vinifera Theveti. J. B. tom. 1. lib. 3. p. 369? C. B. pin. p. 507? *The Palm Oyl-tree.* Hanc palmam Juniorem è Guinea Jamaicam allatam, in agris Dom. *Collbeck* plantatam, luxuriare observavi.

Palma altissima non spinosa, fructu pruniformi, minore, racemoso, sparso. *Palm-trees yielding no fruit of profit, but wandering Christians feed on the Palmitos. Anonymus Portugal of Elvas.* p. 11. Purchas. 1529. Yri de Lery p. 188. Linschot. Laet. p. 559. Morisot. nott. in Roulox Baro. p. 288. Iry. de Thevet. f. 115. Yri se Yuri Jonst. Dendr. p. 144. Palma quæ grandes admodun palmitos fert adeo ut duobus ferendis vix unus vir sufficiat, candidos suaves & optimi nutrimenti. Laet. p. 368. Palmiti quorum cacumina manduntur. Ejusd. p. 663. Palma que tiene las hojas de la manera que las palmas de las datiles Yaun que estas no llevan datiles son buenos los palmites destas tales. de Oviedo. palmiste franc. Dutertre. p. 171. Rochef. p. 78. Palma Yri. J. B. tom. 1. lib. 3. p. 394. *Indian Cabbage-tree of Hughes.* p. 78. *Palmeto Royal of Ligon.* p. 14, 75, 76, 77, 78, & 79. *The Cabbage-tree of Boyle of Air.* p. 220. Palma 8ª. Iraiba. Pis. (Ed. 1658.) p. 129. Palma 5ª. seu Americana fructu racemoso. C. B. pin. p. 507. *Mountain Cabbidge of Dr. Grew.* Mus. p. 181. Palma nobilis seu regalis Jamaicensis & Barbadensis. Raij hist. p. 1361. Palma Americana non spinosa regia dicta, fructubus exiguis ramosis arctissime in unum compactis. Hort. Beaum. p. 32. An *palmeto of Sir Walter Rawleigh of Guiana*, p. 42? Hakl. p. 644?

p. 644? *of Knivet.* Purchas lib. 6. cap. 7. sect. 2. p. 1210? *of Layfield.* ib. lib. 4. p. 1173? *of Sir Richard Hawkins's Obs.* *Palmito Trees of Masham.* Hakl. part. 3. p. 695? *of Grigs.* ib. p. 705? *of Saris.* Purchas lib. 4. cap. 1. sect. 5. p. 364? Palme col pie verde & liscio. Fernan Colon. vit. f. 60? Palmetti di Nunno di Gusman. Ramnus. part. 3. p. 332? Purchas. p. 1557? Patmides *of* Schnidler ib. lib. 7. cap. 1. p. 1359? Palmetae *of Smith's Obs.* p. 54, & 55? *The Cabbage Tree.* In agris & montibus sylvosis Jamaicæ & Caribearum insularum ubique reperitur.

Palma non spinosa humilis fructu racemoso pruniformi, minimo, pisi magnitudine *Palmeto royal.* In montibus mediterraneis sylvosis ad amnium & torrentium ripas copiosè & ubique crescit.

Palma non spinosa humillima. An palma Jamaicensis non spinosa humilis folio multiscisso flabelli formi Ampanæ Malabar haud absimili. Plukenet. tab. 51. fig 1? Secus viam quæ ducit versus 16 *mile walk* observavi; staturâ solummodo forte non specie, à præcedente differt.

Palma non spinosa, foliis minoribus, fructu pruniformi minimo. *Palmeto the lesse of Ligon.* p. 74. An palma que haze tres differencias de su tronco. de Oviedo? Palma que parece en el tronco canna de cebolla, mas gordo en medio que à los extremos. Lop de Gomara. cap. 67? Palmiste franc second. Dutertre. p. 170? Rochef. p. 81? *The Palmetto Tree.* In Insulæ Jamaicæ prato *Palmetto savannæ* dicto, copiosissime provenit, nec non inter urbem *Bridgtown* vocatam & *Fontabelle* in insula Barbados.

Palma tota spinosa major, fructu pruniformi. Airy de Lery. Linschot. Hairi de Thevet. sing. f. 72. cosmog. f 943. Lugd. p. 1844. Ayri. Laet. p. 561. Morisot. not. in Roulox Baro. p. 287. *Macow of Ligon.* p. 74, & 72. Spina ex Guiana. Clus. exot. lib. 2. cap. 6. p. 28. Cardui longissimis & acutissimis spinis armati. Laet. p. 669. Palma Hairi. Park. p. 1667. Plukenet. tab. 103. fig. 1. Palmæ facie Hairi. J. B. tom. 1. lib. 3. p. 393. Otra palma negra de Oviedo Coron. *Black Date-trees.* Ejusd. Summary. Eden. p. 206. *High Date-trees, and full of Thorns.* Ejusd. ib. p. 210. Palmas que llevan datiles como huevos, pero de grandes huessos. Lop. de Gomara. cap. 67. Alberi li quali pajono palme, lisci & copiosi di spini nel tronco si lunghi

come quelli del porco ſpinoſo. Fern. Colon. f. 219 Baſtoncelli di palma negri come pece & duri come oſſi Ejuſd. f. 204. Toucon-uve. Abbeville. p. 222. Laet. p. 612. Palma 7ª. ſeu Americana ſpinoſa. C B. pin. p. 507. Raij hiſt. p. 1363. Palmiſte eſpineux premier Dutertre. p. 170. Palmiſte epineus. Rochef. p 77. Hairi ſive Ayri. Jonſt. Dendr p. 144. Ebenus Chabr quoad fig. p. 30. Palma Braſilienſis 6ª. Airi. Piſ. (Ed. 1658) p. 129. Palma Portoricenſis ſpinoſiſſima vinifera Hort. Beaum. p. 32. An *Momin or Toddie Tree of Hughes.* p. 57? *Urapo of Leigh.* Purchas. lib. 6. cap. 11. p. 1251? Palma Surinamenſis ſagittaria, ſive folio polygonati longiore validiſſimis ſpinis & longiſſimis horrido. Breyn. pr. 2. p. 82? Palma ſpinoſa ſagittalis Sirinamenſis. Herm. par. Bat. pr. app? *The great Macaw-tree.* In pratis Inſulæ Jamaicæ frequenter creſcit.

Palma ſpinoſa minor, fructu pruniformi. An palma negra de Oviedo? *The ſmall Macaw-tree.* In ſylvis ſecus viam quâ à *Guanaboa* verſus agros Dom. *Bourden* itur obſervavi.

Palma ſpinoſa minor caudice gracili, fructu pruniformi, minimo, rubro. Second palmiſte eſpineux Dutertre. p. 170. An Atitara. Marcgr. p. 64? Palma Braſiliana parva, foliis polygonati longioribus magis ſpinoſis, trunco ſpinoſiſſimo, Breyn. prod. 2 p. 81? *Prickly pole.* Loco *the Thickets* dicto, prope *the Moneque Savanna* copioſe naſcitur.

Palma Braſilienſis prunifera folio plicatili ſeu flabelliformi caudice ſquammato. Raij hiſt. p. 1368. Carana-uve. Abbeville p. 184, & 221. de Moriſot in Roulox Baro. p. 287. Quarta ſpecies palmarum Carana-uve. Laet. p. 612. Palmarum inſulæ Maragnanæ 3ª. ſpecies, Carana-uve. Jonſt. Dendr. p. 144. Palma major Braſilienſis. Ejuſd. p. 139. Palma que tiene la hoja como una palma o mano abierta rendidos los dedos de Oviedo. Caranaiba & Anana chicariri Braſilienſibus Marcgr. p. 130. Piſ. (Ed. 1648.) p. 62. Carnaiba 1ª. & 2ª. Ejuſdem. (Ed. 1658.) p. 126. Palma ſpinoſa Braſiliana, Caranaiba Braſilianorum Marcgravii. Breyn. prod 1. p. 43. Latanier de Dutertre. p. 171. Rochef. p. 81. de Raveneau de Luſſan. p. 268. An Bihaos de Oviedo. lib. 7. cap. 9? Summary. Eden. p. 209? An palma Americana non ſpinoſa Chamæriphes foliis & facie. Hort. Beaum. p. 32? An palmiti *of* Alvaro Nunnes Purchas

Purchas lib. 8. cap 1. p. 1504? *Palmito Leaves with which they cover Houses* in Sta. Martha. Baptista Antonio. Hakl. part. 3. p. 548? *Palmeta Leaves of Smith's Summer Isles.* p. 795, & 182? Palmiste batard. de Raveneau de Lussan. p. 266? *Thatch.* In sylvis saxosis & collibus sterilioribus Jamaicæ Insulæ ubique reperitur.

Palma prunifera foliis yuccæ, fructu in racemis congestis cerasi formi, duro, cinereo, pisi magnitudine, cujus lachryma sanguis draconis est dicta. Comm. cat. Amst. p. 260. Sanguis draconis *of* Saris. Purchas lib. 4. cap. 2. *of* Dounton ib. lib. 3. cap. 12. sect. 1. p. 280. *of William Finch.* ib. lib. 4. cap. 4. sect. 2. p. 419. *of Sir Thomas Roe.* ib. cap. 16. sect. 1. p. 539. *of Don John de Castro* lib. 7. cap. 6. sect. 1. p. 1123. *of Galvanos* ib. lib. 10. cap. 1. p. 1672. Sangue di drago di Aluise di Cadamosto. Ramnus. Part. 1. f. 105. lat. p. 5. *Dragon's blood.* Mandelslo. p. 206. Arbre qui jette gomme qu'ils appellent sang de dragon. de Thevet. sing. f. 15. Cosmogr. f. 85. Arbor Aphricana cujus lachryma est sanguis draconis. Cord hist. pl. p. 207. Dragone arbore. Cast. Dur. p. 161. Draco arbor. Lugd. p. 1847. Lob. obs. p. 639. icon. tom. 2. p. 235. C. B. p. 505. J. B. tom. 1. p. 402. Chabr. p. 30. Park. p. 1531. Ger. emac. p. 1523. Raij. hist. p. 1508. Draco Clus. rar. plant. hist. p. 1. tab. tom. 2. p. 686. Jonst. Dendr. p. 288, sanguis draconis officinarum C. B. pin. p. 499. Jonst. Dendr. p. 342. Dragonalis Fragos. f. 49. Palma punifera foliis Juccæ fructu racemoso cerasiformi officulo duro cinereo pisi magnitudine lachrymam sanguis draconis dictam fundens. Hort. Beaumont. p. 33. In Insulæ Maderæ sepibus prope urbem *Funchall* collegi.

Palmis affinis malus Persica maxima caudice non ramoso, foliis longissimis, flore tetrapetalo pallide luteo, fructu ex arboris trunco prodeunte. *Anchove Pear of Ligon.* p. 38, & 72. *The Anchove Pear-tree.* Ad ripas fluvii *Cobre* appellati, secus viam quâ versus 16 *mile walk* itur, collegi.

Malus Persica maxima, foliis rotundioribus splendentibus glabris, fructu maximo, scabro, rugoso subrotundo pulpâ durâ subluteâ, unum vel plura officula filamentosa cingente. Mamey de Oviedo. Coron. lib. 8. cap. 20. de Lopez de Gomara cap. 28, & 67. Nieremb. p. 330. Jonst. Dendr. p 109. Mamei. Fern. Col. f. 219.

Benz. lib. 1. cap. 27. Lugd. p. 1836. Scaliger. exercit. 181. p. 244. *Mamea of the fourth Voyage to Virginia.* Hakl. p. 282. Mameia & Mameis. Martyr. Mameya. Laet. p. 356. Mamios *of Hawks.* Hakl. part. 3. p. 464. Mameyes de Joſeph Acoſta, lib. 4. cap. 24. Laet. p. 276. *Mammyes of Earl of Cumberland's Voyage*, Purchas lib 4. p. 1152. *Mammeis of Layfield.* ib p. 1172. *Mammeyes of Nicol.* ib. lib. 6. cap. 13. p. 1255. *Mameis of Anonymus Portugal of Elvas*, p. 10. Purchas. p. 1529. Arbor Indica Juglandi ſimilis 1ª. ſeu Mamei dicta. C. B. pin. p. 417. Mamay arbor. J. B. tom. 1. p. 172. Mamei arbor. Chabr. p. 6. icon. app. p. 596. deſcr. Mamay Park. p. 1633. An fructus reticulato corio conſtans. Cluſ. exot. lib. 2. cap. 11. p. 30? An fructus primus Gareti in 2ª. tabella. Ejuſd. ib. cap. 14. p. 34? Seu fructus reticulato corio peregrinus. J. B. tom. 1. lib. 3. p. 328? Nucis Amygdalinæ pene forma fructus rugoſus ſubrufi ex fuſco coloris, una parte planus. Ejuſd. ib. p. 331? Fructus angulis donatus 5^us^. ſeu in gibbum extuberans cortice reticulato villoſo. C. B. pin. p. 406? Fructus anguloſus in gibbum extuberans 3^us^. ſeu cortice reticulato villoſo. Jonſt. Dendr. p. 103? An Arboris folium ex America delatum Plukenet. tab. 135. fig. 3? *The Mammee Tree.* In omnibus ſylvis montoſis Inſulæ Jamaicæ abundat.

Arbor mali perſicæ Mameyæ dictæ foliis ſubrotundis, acuminatis, ex adverſo ſitis. In Caribearum Inſularum unâ hanc plantam collegi.

Arbor mali perſicæ foliis anguſtis, oblongis, acuminatis, ex adverſo ſitis. In inſula Barbados inveni, interque ſiccas plantas repoſui.

Prunifera vel nucifera ſeu nuci prunifera arbor Americana præcelſa anguſtis laurifoliis læte virentibus maſtichen odoratam fundens. Plukenet. tab. 217. fig. 5. *Maſtick of Ligon.* p. 14, & 73. *Maſtick Tree of Smith's Obſerv.* p. 55. In montibus ſylvoſis Inſulæ Barbados obſervavi.

Mali perſicæ Mameyæ dictæ folio longiore arbor maxima, cortice, ſulcato, cinereo, amaro. *Baſtard Mammee Tree or Santa Maria.* In ſylvis Jamaicæ Inſulæ denſis & opacis frequens eſt.

Malus Perſica maxima foliis magnis integris longis, fructu maximo oblongo ſcabro oſſiculo partim rugoſo partim

partim glabro. *Sapotes of Robert Tomson.* Hakl. part 3. p. 454. *of Hawks.* ib. p. 464. Zapotes o chicocapotes de Joseph. Acosta. lib. 4. cap. 25. Ind. occident. part. 9. lib. 4. cap. 25. Zapotes. Laet. p. 277, 332, & 343. La sappota de Raveneau de Lussan. p. 45. Fructus 2^us^. Clus. nott. in Garc. ab. Ort. de nuce medica. Exot. p. 194. Fructus peregrinus 1^us^. Ejusd. ib. cap. 29. p. 56. Avellana Indica 2^a^. Clusii. Lugd. p. 1767. Balsami fructus. Ejusd. p. 1859. Avellanæ Indicæ 3^um^. genus Math. Lugd. C. B. pin. p. 418. Jonst. Dendr. p. 115. Balsami Peruviani fructus Clus. J. B. tom. 1. lib. 3. p. 294. Chabr. p. 23. Avellana Indica major subrufa Clus. J. B. tom. 1. lib. 3. p. 294. Nux sive officulum Cypote, simile nuci balsami Peruviani. Chabr. p. 24. An fructus Exoticus Hispalensis 1^us^. Coxcocypote. Clus. exot. lib. 2. cap. 18. p. 44? seu nux sive officulum Cypote simile nuci balsami Peruviani. J. B. tom. 1. lib. 3. p. 294? Fructus oblongus fuscus splendens. C. B. pin. p. 406? Jonst. Dendr. p. 101? An Avellanæ Indicæ 3^um^. genus Math. fig. maj. p. 282? Lugd. p. 1767? Avellanæ Indicæ majores. Chabr. quoad fig. p. 22? An Tzopilotlzonte comatl seu caput auræ. Hernandez. p. 94? *The Mammee-Sapota.* In agris Insulæ Jamaicæ ubique seritur & provenit.

Myrobalanus, folio fraxini alato fructu luteo, officulo magno fibroso. Hovos de Oviedo. coron. Martyr. Joseph. Acosta lib. 4. cap. 26. Ind. occid. part. 9. lib. 4. cap. 26. Hoves aliis Horio Laet. lib. 8. cap. 8. p. 356. Hovi Benz. lib. 1. cap. 27. Ind. occid. part. 4. Hobi. Oviedo *Summary* Eden. p. 210. Arbori detti Jobi altro modo chiamati mirabolani. Roman. Fern. Colon. vit. f. 127. Mirabolani di quelli che nella Spagnuola si chiamano Hobi. Fern. Col. f. 202. Hobos de Lopez de Gomara. cap. 28, & 67. Fragos. p. 55. Clus. nott. in Garc. exot. p. 196. Arbor Indica Juglandi similis 5^a^. seu Hobos. C. B. pin. p. 417. Jonst. Dendr. p. 110. Hobi. Laet. lib. 9. cap. 4. p. 382. Myrobalanus 6^a^. seu myrobalanis flavis similis fructus. C. B. pin. p. 446. Myrobalanus 1^a^. Hovos. Jonst. Dendr. p. 84. Hobus seu Hovus Indica pruni facie. J. B. tom. 1. p. 199. Chabr. p. 596. Mirobalanos. Martyr. An Arbores proceræ quæ fructus ferunt instar prunorum, crocei coloris quos aqua coctos exprimunt, eliciuntque liquorem admodum

dum gratum neque insalubrem. Laet. p. 662? An *white Plumbs of Layfield* Purchas lib. 4. p. 1172? *Yellow Plumbs which are good to eat of Masham.* Hakl. part. 3. p. 694? *Wild Plumbs of Ligon.* p. 32? *Plumb-trees of Smith's observ.* p. 55? *Yellow Plumbs of Parkinson*, p. 1671? An Oghega. Pigafett. Ind. or. part. 1. p 30? Pruno similis exotica 1ª. seu pruna Congiana lutea. C. B. pin. p. 444? Oghege Indica. J. B. tom. 1. p. 200? Chabr. p. 596? Ozege de Linschot. descr. de la Guinee. cap. 5? Ogegha Nieremb. p. 333? Oghega Congianorum Jonst. Dendr. p. 78? An prunus Americanus officulo magno ex filamentis lignosis reticulatim conflato. Pluk. tab 218. fig. 3? *The Yellow Plumb-tree.* In Jamaicæ Insulæ sylvis copiose crescit.

Myrobalanus minor, folio fraxini alato, fructu purpureo, officulo magno fibroso. Arbol de los Hicacos de Oviedo. Hicacos de Lopez de Gomara. f. 36. *The American Plumb-tree of Hughes.* p. 88. Prunes D'Icaque. Rochef. p. 74. An Hiaci Nieremb. p. 326? Malorum Americanorum genus 3um. Hiaci. Jonst. Dendr. p. 7? Arbor innominata Marcgr. lib. 3. cap. 9. p. 109? Los Cirvelos que llaman en la provincia de Nicaragua de Oviedo lib. 9. cap. 16? Arbores ceraforum quoddam genus ferentes è quibus incolæ liquorem vini instar exprimunt. Laet. p. 341? Cerasa atque Jacotes. Ejusd. p. 343? *Black Plumbs of Layfield.* Purchas lib. 4. p. 1172? *Plumbs.* In Jamaicæ Insulæ sepibus ubique reperitur.

Prunus Brasilienſis fructu racemoso ligno intus pro officulo. Raij hist. p. 1554. Acaja quæ & Ibametara Brasilienſibus Marcgr. p. 129. Pis. (Ed. 1648.) p. 129. Acaia. Ejusd. (Ed. 1568.) p. 139. Acaja seu Ibametara Jonst. Dendr. p. 81. Prunes de Momins. Dutertree. p. 179. Prunes de Monbain de Rochef. p. 75. An Ombu Laet. p. 559? Onbou. Ejusd. p. 613? Abbeville. p. 223? *Hog Plumb-tree.* In Jamaicæ Insulæ pratis agris & sylvis campestribus ubique reperitur.

Pruno forte affinis arbor folio alato, flore herbaceo pentapetalo racemoso. Inter locum *passage fort* dictum, & urbem *St. Jago de la Vega* copiose crescit.

Pruno forte affinis arbor maxima, materie rubrâ laxâ odoratâ. Cedro de Oviedo. Coron. lib. 9. cap. 7. Fernan. Colon. f. 124. Acajou rouge Dutertre. p. 159. Rochef. p. 86.

p. 86. Citrea. Nieremb. p. 327. Arbor materie bene olente ad modum cedri. Laet. p. 673. *Cedar Trees of Smith's Obs.* p. 56. Park. p. 1671. *Cedar of Ligon.* p. 14, 41, & 73. Cedrus Barbadensium alatis fraxini foliis non crenatis fructu singulari quinis involucris crassis validis cochleato cavis totidem semina membranis adaucta & columnæ canaliculatæ pentagonæ prægrandi adnata occludentibus ornato. Plukenet. tab. 157. fig. 1. An cedrus Jo. de Laet. lib. 1. cap. 11? p. 380, & 381? Cedrus Chiapæ Ejusd. ib. p. 323? Ingens cedrus Ejusd. lib. 1. cap. 19? Cedri albæ rubræque Ejusd. p. 328? Cedro che ha grande odore & è simile al cipresso. Cadamosto Ramnus. p. 105? *Cedars of Anonymus Portugal of Brasile,* Purchas lib. 7. cap. 1. p. 1309? *of* Battell. ib. lib. 7. cap. 3. sect. 3. p. 975? *of* Pagan. cap. ult? *of Smith of Summer Isles.* p. 170, & 216? *of the first Voyage to Virginia.* Hakl. p. 246? *of Hariot.* Hakl. p. 268? *of Alvaro Nunnez.* Purchas lib. 8. cap. 1. p. 1502? *Sweet Cedar Trees of Oviedo. Summary Eden.* p. 206? Citra Indis Lignum. J. B. tom. 1. p. 106? Chabr. app. p. 594? Cedrus in nova Hispania rosea & fragrans. Jonst. Dendr. p. 316? Cedris affinis bene olens arbor in Cumana. Ejusd. ib? Cedres de Laudonniere. p. 3, & 41? Hakl. p. 305, & 323? Cedri di Vasquez di Coronado. Ramnus. part. 3. p. 361? Hakl. p. 378? *The Cedar Tree.* In Jamaicæ Insulæ mediterraneis & montosis sylvis ubique crescit.

Prunus maritima racemosa, folio rotundo glabro, fructu minore purpureo. Guiabara que los Christianos llaman Uvero. de Oviedo. coron. lib. 8. cap. 13. Guiabara de Lopez de Gomara f. 36. Lugd. p. 1850. Park. p. 1667. Guiabara in Insula Hispaniola ex Oviedo Lugd. C. B. pin. p. 19. Un arbre que les Canadeens nomment Guiabar de Thevet. Cosm. f. 1015. Papyracea arbor Guiabara. J. B. tom. 1. p. 374. Arbor quædam quæ uvas quasdam agrestes fert. Benz. lib. 1. cap. 27. Vitis sylvestris. Indica acinis pruni sylvestris C. B. pin. 299. *Wild Grapes of Layfield,* Purchas lib. 6. p. 1172. *Berry called Kellette excellent against the Bloudy flux. of Robert Harcourt.* ib. p. 1276. Acinus Kellette contra dysenteriam. Laet. p. 645. Arbor insulæ Tabago materie ligno Brasiliano simili. Ejusd. lib. 17. cap. 28. p. 664. Jonst. Dendr. p. 458. Arbor baccifera exotica 2ª. seu uvifera Tabagensis. Ejusd. p. 295. Prægrandi folio rotundo

rotundo novi orbis populus. Adv. p. 441, & 456. Populus America Lugd. p. 1830. Popolus Americana. Tab. tom. 2. p. 708. Ger. emac. p. 1487. Populo del mondo nuovo. Caſt. Durant. in fig. Populus novi orbis. Lob. icon. tom. 2. p. 195. J. B. tom. 1. lib. 8. p. 164. Chabr. p. 61. Populus rotundifolia Americana. C. B. pin. p. 430. Park. p. 1411. Jonſt. Dendr. p. 439. Palmæ humiles papyraceæ ſeu Guiabara. Chabr. p. 30. quoad icon. Uvifera arbor occidentalis folio rotundo, Obe vulgo. Herm. par. Bat. pr. p. 385. Raiſinier. Dutertre. p. 186. Rochef. p. 71. Uvifera litorea foliis amplioribus fere orbiculatis craſſis Americana. Pluk. tab. 236. fig. 7. An Meſſaminus. Park. p. 1671? Guajeru Marcgr. lib. 2. cap. 14. p. 77? Jonſt. Dendr. p. 81? *The Mangrove Grape-tree.* In arenoſis maritimis Jamaicæ & Caribearum Inſularum ubique frequens & obvia eſt.

Prunus racemoſa, foliis oblongis hirſutis maximis, fructu rubro. An Caaguacuiba. Marcgr. lib. 3. cap. 3. p. 97? *The broad-leav'd Cherry-tree.* In ſylvis mediterraneis paſſim naſcitur, nec non ad ripas fluvii *Cobre* vocati, prope urbem *St. Jago de la Vega.*

Arbor maxima, fortè prunifera, cortice cannabino folio longiſſimo latiſſimoque. *The broad-leaf Tree.* In ſylvis denſis & opacis Inſulæ Jamaicæ frequenter creſcit.

Arbor, forte prunifera, folio ſubrotundo glabro, venis purpureis. In Inſulæ Jamaicæ ſylvis mediterraneis collegi.

Prunus racemoſa, caudice non ramoſo, alato fraxini folio non crenato, fructu rubro ſubdulci. *The Maiden Plumb-tree.* In ſylvis ſecus viam quâ verſus *Guanaboa* itur, nec non inter locum *Paſſage fort* dictum & urbem *St. Jago de la Vega* copiosè provenit.

Prunifera racemoſa, folio alato, coſtâ mediâ membranulis utrinque extantibus donatâ, fructu ſaponario. Arbol de las cuentas del Jabon. de Oviedo. Xim. Fructus xvi^us. Jac. Gar. lib. 2. cap. 16. p. 42. Saponariæ Sphærulæ. Monard. ib. p. 346. Lugd. p. 1877. Chabr. app. p. 597. Arbor miſtecæ provinciæ fructu avellanæ ſimili. Laet. lib. 5. cap. 21. p. 260. Jonſt. Dendr. p. 114. Jequitinguacu *of Anonymus Portugal of Braſil*, Purchas lib. 7. cap. 1. p. 1309. Laet. lib. 15. cap. 8. p. 561. Jonſt. Dendr.

p. 65. *Sope-Berries washing as white as Sope, of Smith's Obs.* p. 55, & 56. Nux exotica 1ª. seu nuculæ saponariæ non edules. C. B. pin. p. 511. Globuli saponarii fructus xvi^us. à Jacobo Gareto Clusio donatus. Bod. à Stapel nott. in Theophrast. p. 363. Saponariæ sphærulæ arboris filici foliæ. J. B. tom. 1. p. 312. Quity Brasilienſibus, Lusitanis pao de Sabaon, & fructus Sabaon. Marcgr. p. 113. Quity. Pis. (Ed. 1658.) p. 162. Arbre qui porte les savonettes. Dutertre. p. 165. Pomme de savon de Rochef. p. 100. Prunifera seu nucipprunifera fructu saponario orbiculato monococco nigro Americana. Pluken. tab. 217. fig. 7. An Charapu seu arbor crepitans. Nieremb. p. 368? *The Sope-berry Tree.* In omnibus sylvis campestribus Jamaicæ Insulæ reperi.

Prunifera arbor, fructu maximo pyriformi viridi, pericarpio esculento butyraceo nucleum unicum maximum nullo ossiculo tectum, cingente. Alvacatas *of Hawks.* Hakl. part. 3. p. 464. Avocottes *of Hortop.* ib. p. 492. *Spanish Pear of Hughes.* p. 40. L'Avocata de Raveneau de Lussan. p 45. Agnacat. Scalig. Exercit. 175. f. 226. Fructus pyriformis 4^us. Agnacath. Jonst. Dendr. p. 42. Ahuacaquauhitl seu arbor querciformis butiraceo fructu. Hernandez. p. 89. Jonst. Dendr. p. 124. Ahuacaquahuitl. Laet. lib. 5. cap. 3. p. 226. Aguacates. Ejusd. lib. 9. cap. 7. p. 384. Piri facie Agnacat. J. B. tom. 1. lib. 1. p. 107. Arbol Ahvacaquahuitl. Xim. f. 40. El palto de Joseph. Acosta. lib. 4. cap. 24. seu Ind. occid. part. 9. lib. 4. cap. 24. Pyro similis exotica 2ª. seu pyro similis fructus in nova Hispania nucleo magno. C. B. pin. p. 439. Palta. Ynca Garcilasso de la Vega lib. 8. cap. 11. f. 209. part. prim. Laet. lib. 10. cap. 3. p. 402. Paltifera. Jonst. Dendr. p. 40. Pomum Nicaraguæ pyri specie. Benz. Ind. occident. part. 5. lib. 2. cap. 16. p. 53. Lugd. p. 1857. Clus. exot. lib. 2. cap. 28. p. 55. Arbor pomifera exotica 4ª. seu mala Americana pyri specie. C. B. pin. p. 433. Malorum Americanorum genus 2^um. pomum Nicaraguæ Jonst. Dendr. p. 7. Nicaraguæ pomum nuce rotunda. J. B. tom. 1. p. 210. Nicaraguæ pomum. Chabr. p. 596. Persea. Clus. rar. plant. hist. p. 2. Persea America Clus Lugd. p. 1828. Lob. obs. p. 596. icon. tom. 2. p. 178. Cast. Dur. p. 334. quoad fig. C. B. Pin. p. 441. J. B. tom. 1.

p. 169. Jonſt. Dendr. p. 75. Perſea arbor Cluſiii. Park p. 1514. Ger. emac. p. 1605. An poires Indiennes de Pyrard. cap. 27. p. 286? Pyrus Indica di Valerio di St. Gioſeppe Zan. p. 27? *The Avocado or Allegator Pear-tree.* In Inſulæ Jamaicæ agris & hortis ubique provenit.

Pruno vel evonymo affinis arbor, folio alato buxeo ſubrotundo, flore pentapetalo cæruleo racemoſo fructu aceris cordato, cujus cortex luteus corrugatus, ſemen unicum majuſculum nigricans nullo oſſiculo tectum, operit. Guiacum *of the fourth Voyage to Virginia.* Hakl. p. 281. Lignum vitæ *of Sparrey.* Purchas lib. 6. cap. 11. p. 1248. *of Smith's Obſ.* p. 54. *of Ligon.* p. 74. *of Boyle of Air.* p. 220. Lignum ſanctum. Laet. lib. 1. cap. 1. p. 2. El palo de Guayacan, que por otro nombre dizen el palo ſancto, o palo de las Indias. Joſeph. Acoſta lib. 4. cap. 29. part. 4. Ind. occident. cap. 29. Guayacan. Laet. lib. 1. cap. 1. p. 2. p. 380. 381, 669, & 686. Monard, cap. 20. Cluſ. exot. p. 312. Xim. de Oviedo. Cron. lib. 10. cap. 2. Terrent. Lync. nott. in Hernand. p. 63. Lignum ſanctum. Ejuſd. p. 64. Hoaxacan ſeu lignum ſanctum Hernandez. p. 62. Palo y arbol dicho Guayacan. de Lopez de Gomara. f. 36. Arbre de Gajac de Thevet. ſing. f. 121. Coſm. f. 973. Gayac Abbeville. p. 66, & 217. Rochef. p. 99. Eſcarbot Nova Francia. p. 203. Bois de Gayac Dutertre. p. 147. Guajacum præſtantiſſimum. Laet. lib. 7. cap. 4. p. 323. Guajacanum, id eſt, lignum ſanctum. Benz. lib. 1. cap. 28. Guajacan à noſtris lignum ſanctum ſeu lignum Indicum Claveton. nott. in Benz. ib. Guajacum 1^um^. ſeu magna matrice. C. B. pin. p. 448. Jonſt. Dendr. p. 425. Guajacum 2^um^. ſeu propemodum ſine matrice C. B. pin. p. 448. Jonſt. Dendr. p. 426. Guajacum foliis lentiſci. Eorundem. ib. Breyn. prod. 2. p. 54. Gajacum. Lon. f. 58. Lugd. p. 1834. Guayacum. Ejuſd. p. 1750. Cluſ. nott. in Mon. exot. p. 314. Ger. emac. p. 1611. Adv. p. 439. Cæſalp. p. 105. Guajaci alterum genus in inſula S. Johannis Ejuſd. ib. Guajacum nonnullis Guajacanum vel lignum ſanctum. Math. ed. B. p. 161. Guajacum forte Trogete ſeu Thuia ſeu citrum. Cord. hiſt. pl. f. 191. quoad deſcr. Lignum Indicum. Lac. p. 81. Guayaco & Guayacan apud Hiſpanos palus Indiæ Frag. f. 75. Lignum ſanctum. Ejuſd. p. 76. Guayacan genus alterum

lignum

lignum sanctum nuncupatum. Mon. cap. 20. Clus exot. p. 313. Lugd. p. 1749. Guajacum sive lignum sanctum. Park. p. 1586. Guajacum Americanum 1um. fructu aceris. Mentz. pug. Breyn. pr. 1. p. 37. Guajacum Americanum alterum fructu evonymi. Ejusd. ib. p. 38. Guajacum foliis Ceratoniæ, aceris seu bursæ pastoris fructu, flore cæruleo. Ejusd. prod. 2. p. 54. Guajaci ramus. Guajacum. Lignum indicum. Lignum sanctum. Lignum benedictum. Chabr. p. 38. Guajacum officinarum. Herm. par. Bat. pr. p. 388. Guajacum Jamaicense lentisci subrotundis foliis læte virentibus flore albo. Plukenet. tab. 35. fig. 3. Guasacum Jamaicense, foliis veluti muria conditis, spissius virentibus flore subcæruleo. Ejusd. ib. fig. 4. *The Indian Pockwood. of Hughes.* p. 92. *Lignum vitæ.* In Jamaicæ Insulæ plagis meridionalibus campestribus ubique copiosissime crescit.

Pomifera seu potius prunifera Indica nuce reniformi summo pomo innascente, Cajous dicta. Raij hist. p. 1649. Acaju *of Anonymus Portugal.* Purchas lib. 7. cap. 1. sect. 5. p. 1306. Pis. (Ed. 1648.) p. 57. mantiss. arom. p. 193. Acajou. Linschot. descr. de L'Amer. Lugd. p. 1846. Abbeville. f. 173. Dutertre. p. 180. Rochef. p. 72. de Thevet. f. 120. Laet. p. 558. de Lery. p. 192. Acajouyer. Abbeville. p. 217. Acayou. Laet. p. 611. Cajus de Pyrard. cap. 24, & 27. p. 236, & 286. Linschot. Christ. Acost. Acajuocaya, Morison. in Bar. p. 276. Cajous. Laet. p. 606. Ger. emac. p. 1544. Lugd. p. 1765. Tab. tom. 2. p. 645. Cast. Dur. p. 82. Clus. nott. in cap. 30. Garc. ab ort. Arom. hist. exot. p. 190. J. B. tom. 1. p. 336. Park. p. 1568. Chabr. p. 24. *The* Acaju *or* Cajous acorn. *of Grew*, Mus. p. 209. Kiagiu seu Kagiu. Boym. Jonst. Dendr. p. 474. Anacardij alia species. C. B. pin. 512. Aliud genus anacardij quod vocant Cajous Fragros. p. 39. Acajaiba & Acajuiba Brasilienssibus, cujus fructus Acaju & vulgo Caju appellatur Marcgr. p. 94. Acajaiba. Pis. (Ed. 1658.) p. 120. Acayiba seu Acajaiba. Jonst. Dendr. p. 41. Anacardium occidentale Ejusd. p. 157. Cajus sive Cajous Ferr. fl. cult. p. 385. Anacardium occidentale Cajous dictum officulo reni leporis figura. Herm. cat. p. 36. Chagiu Arbor di Matteo di S. Gjoseppe. Zan. p. 17. Caggiu di Valerio di S. Gjoseppe. ib. p. 25. Kaggiu. Ejusd. ib.

p. 26. Arbor insulæ Maragnanæ 4ª. Acaja Jonst. Dendr. 7. Gummi minus usitatum 2um. Arboris Acaju Ejusd. p. 345. Kapa-mava. Hort. Mal. part. 3. p. 65. Noix d'Acajaou. de Molinet. p. 210. An Weuhanatte. Cauche. p. 157? Hibou-couhou de Thevet. f. 90? Hibou-couhou Americanus. J. B tom. 1. p. 325? Hiboucouhou. Jonst. Dendr. p. 145? Couroq. de Lery. C. B. pin. p. 510? Jonst. Dendr. p. 153? *The Cashew or Acaju Tree.* In hortis & agris Jamaicæ & Caribearum Insularum ubique provenit.

Arbores pomiferæ.

FIcus Indica maxima cortice nigricante, folio oblongo, funiculis è summis ramis demissis & radices agentibus se propagans, fructu caprificus. *Fig-tree of Ligon.* p. 69. Figuier admirable de L'Amerique. Dutertre. p. 166. Figuier d'Inde Rochef. p. 76. *An hollow Fig-tree of Knivet.* Purchas lib. 6. cap. 7. sect. 2. p 1206? *Trees growing in a number of Roots, which descend from the top of the Branches, which are 40 or 50 foot high, and take root again, so that the Tree sheweth like a Wood-stack of Milward.* ib lib. 4 cap. 14. p. 525? Altri Alberi che producevano un frutto simile al fico nel piede erano di somma grossezza ma le foglie haveano come quelle del pomo. Di Cotali alberi dicesi forsi la scamonea. Fernan. Colon. f. 104? Figuir d'Inde de Pyrard. part. 3. p. 21? *Large Trees naturally on the Hills of Dominica delighting so much with equality and multiplication, that having grown to a definite stature, without desire of overtopping others, they willingly let down their Boughs; which being come to the Earth again, take root, as it were, to continue the succession of their decaying Progenitors,* &c. *Layfield.* ib. lib. 6. cap 3. sect. 2. p. 1158? *Another sort of Withes we have, but they are made of the gum of Trees, which fall from the Boughs drop after drop, one hanging by another till they touch ground; from whence they receive some nourishment, which gives them power to grow larger; and if it happen that three or four of them come down so near one another as to touch, and the wind twist them*

them together, they appear so like Ropes, as they cannot be discerned five paces off, whether it be a Rope or Withe. Ligon. p. 98? *Wild Fig-trees of Smith's Observ.* p. 56? An Attymeer Alou. Hort. Mal. part. 3. p. 75? In Jamaicæ & Caribearum insularum agris saxeis sterilioribus & aridioribus ubique crescit.

Ficus Indica maxima, cortice candicante, folio oblongo. Cum priori, à quo specie differre vix credo.

Ficus Indica maxima, folio oblongo, funiculis è summis ramis demissis radices agentibus se propagans, fructu minore sphærico sanguineo. An Tsiela. Hort. Mal. part. 3. p. 85. tab. 63? Ficus arbor Americana, arbuti foliis non serrata fructu pisi magnitudine, funiculis è ramis ad terram demissis prolifera. Plukenet. tab. 178. fig. 4? In sylvis montosis & saxosis prope domum Dom. *Cope* loco *Guanaboa* dicto collegi.

Ficus Indica, folio oblongo acuminato, minore, atrovirente, fructu sphærico pallide luteo ceraſi magnitudine, in summitate aperto. An Handir-alou. Hort. Mal. part 3. p. 77? Ad ripas fluvii *Cobre* appellati, prope urbem *St. Jago de la Vega* collegi.

Ficus Indica folio oblongo obtuso fructu minore pallide luteo sphærico. An Gaguey de Oviedo. coron. lib. 8. cap. 15? An Ficus arboreſcens Bengalensis folio subrotundo fructu orbiculato Pipal Bengalensibus. Hort. Beaumont. p. 17? Ficus Americana latiori folio venoso ex Curacao. Plukenet. phyt. tab. 178. fig. 1? Cum priori nec non ad ripas fluvii *Black river* dicti, circa pontem observavi.

Musa, caudice viridi, fructu longiore, falcato, anguloso. Ficoides seu ficus Indica longissimo latissimoque folio, Musa Serapionis dicta. Hort. Beaumont, p. 21. Platanos de Oviedo. Coronica lib. 8. cap. 1. de Joseph Acosta lib. 4. cap. 31. part. 9. Ind. occid. lib. 4. cap 21. Platani Ejusd. *Summary Eden.* p. 208. Benz. lib. 1. cap. 27. Ind. occid. part. 4. cap. 28. p. 70. *Plantanos of Anonymus Portugal of Elvas.* p. 10. Purchas 1529. *of Robert Tomson,* Hakl. p. 454. *of the fourth Voyage to Virginia.* ib. p. 282. Ynca. comm. real lib. 8. cap. 14. *Plantans of Welsh.* Hakl. part. 2. p. 129. *of Hawks.* ib. p. 464. *of Hortop.* ib. part. 3. p. 488. *of Cates.* ib. p. 537. *of King,* ib. p. 570. *of May,* ib. p. 572. *of Duddeley,* ib. p. 575. *of Davie,* ib. p. 579. *of Masham,* ib. p. 697.

p. 697. *of Ward*, ib. p. 758. *of Pretty*, ib. p. 804, 812, 815, 817, 819, & 821. *of Purchas*, lib. 2. p, 284, & 285. *of William Finch*, ib. lib. 4. cap. 4. sect. 1. p. 414, 415, & 416. *of Payton*, ib. cap. 9. sect. 1. p. 489, & 490. *of Dounton*, ib. cap. 11. sect. 2. p. 508. *of Child*, ib. lib. 5. cap. 2. *of Heynes*, ib. lib. 5. cap. 5. p. 624. *of Battell*, ib. lib. 7. cap. 3. sect. 1. p. 970, 971, 979, 981, & 985. *of Sir Thomas Roe*, ib. lib. 4. cap. 16. sect. 1. p. 537, & 570. *of Anonymus*, ib. lib. 5. p. 1184. *of Leigh*, ib. lib. 6. cap. 11. p. 1251. *of Lancaster*. ib. lib. 3. cap. 3. sect. 2. p. 151. *of David Middleton*. ib. cap. 8. p. 226. *of Sir Henry Middleton*. ib. cap. 11. sect. 3. p. 254. *of Dounton*, ib. cap. 12. sect. 2. p. 281, 298, & 307. *of Saris*, ib. lib. 4. cap. 1. sect. 1. p. 336, & 342. *of Nicolls*, ib. lib. 6. cap. 13. p. 1255. *of Smith's Summer Isles*, p. 171, & 184. Obs. p. 45. *of Terry*. p. 53. *The Plantane Tree of Hughes*. p. 76. *Plantons. of Knivet*. Purchas lib. 6. cap. 7. p. 1202, & 1233. *of Turner*, ib. cap. 15. p. 1265. Plantanus. Laet. p. 7, 343, & 644. Platanus. Ejusd. p. 350, 403, & 409. Nieremb. p. 295. *Plantines of Earl of Cumberland*. Purchas, lib. 4. p. 1152. *of Layfield*, ib. p. 1157, & 1173. *of Wilson*, ib. p. 1264. *of Davies*, ib. lib. 6. cap. 18. p. 1287. *of Ligon*. p. 11, 15, 22, 32, 33, 37, 43, & 80. *of Smith's Obs*. p. 51, 54, & 56. *Platanaes of Robert Harcourt*. Purchas, p. 1268, & 1275. Davanas Ind. or. part. 2. cap. 4. p. 16. Bonannas. ib. part. 7. fig. 4. *A Fruit which they call* Figo in Ternate. *of Sir Francis Drake*, Hakl. part. 3. p. 740, 741, & 742. *Figs of the Indies of* Hernan Lopez de Castagneda. cap. 9. *Figs in Ladrones a handful long, and Fig-tree leaves a yard long, of Purchas. Figs in Pulaou half a yard long*, Ejusd. p. 42. *Plantanes of Placentia of Sir Richard Hawkins in his obs. Indian Figs of Fernandez*. Purchas, lib. 7. cap. 8. sect. 2. p. 1183. *of Joannes dos Sanctos*, ib. lib. 9. cap. 12. sect. 1. p. 1536. *Apples of Paradise of Marco Polo*, Purchas. lib. 1. p. 105. *Adams's Figs, or Mouses of Sanderson*, ib. lib. 9. cap. 16. sect. 1. 1617. *of Biddulph*, ib. lib. 8. cap. 9. p. 1347. *Mouces which we call Adam's Apples of Mr. Cæsar Frederick*, Hakl. part. 2. p. 227. Figues des Indes Linschot. cap. 55. Ind. or. part. 4. Daracht Moris. Palad. nott. in Linschot. ib. Arbor falso putata platanus, pomum Adæ Ægyptiis. Martyr. Pommes de Paradis qu'ils appellent Muses de Nicolai.

Nicolai. cap. 16. Pala. Plin. lib. 12. cap. 6. Lon. tom. 2. f. 46. Ruell. cap. 80, & 107. Fructus Banam. Pagafett. Ind. or. part. 1. p. 29. Pacoba *the Fig-tree which they call Adams of Ane Anonymus Portugal of Brasile*, Purchas lib. 7. cap. 1. p. 1310. Pacoba quam ficum Adami vocant. Laet. lib. 15. cap. 10. p. 565. Pacoury-euve. Abbeville. f. 185. Bajoue de Roulox Baro. p. 239. Bacoba Morisot nott. ib. p. 303. Nana Pacoba Ejusd. ib. Petits arbres qui portent des figues melees par gros bouquets. Lambert. p. 27. Pacoaire. de Lery. p. 192. Ind. occid. part. 3. cap. 12. Laet. p. 563. Paquouere de Thevet. sing. f. 61. Cosmogr. f. 935. Paco. Linschot. descr. de L'Amer. Pacona. Ind. occid. part. 3. epist. 1ª. p. 289. Arbre de Mauze de Thevet. Cosm. p. 124. Mose ou Mauz. Ejusd. ib. p. 182. Mauz seu Musa. Alp. Bonanos *in the West-Indies called Plantanes of Jobson.* p. 28, & 130. Bananas. Ind. or. part. 6. p. 23, 36, & 48. *of Mandelslo*, p. 166, 179, 206, 212, 216, & 219. Bananes de Pyrard. cap. 1. p. 11. cap. 4. p. 32. cap. 7. p. p. 52. cap. 10. p. 85. cap. 13. p. 126, 134, & 135, cap. 22. p. 218, 222. cap. 24. p. 232. part. 2. p. 103, 148, 204, 279, & 286. part. 3. p. 16. Panana. Ejusd. cap. 1. p. 11. de Linschot. descr. de Guin. cap. 5. de Raveneau de Lussan. p. 27, & 78. Laet. p. 663. Dutertre. p. 140. Bananes ou figues D'Inde de Loubere, tom. 1. p. 68. La Banane que les Siamois appellent dent d'Elephant. Ejusd. p. 67. Banannier Abbeville. p. 218. de Cauche. p. 39, 77, & 147. Rochef. p. 107. Bananna. Laet. p. 611. Fructus alius urbis Calechut Malapolanda Ludov. Ram. navig. cap. 15. Bonanas *of Davis*. Purchas lib. 3. cap. 1. sect. 4. p. 119. Alia optima poma & mirabilia poma paradisi ab eis vocata. Brocard. terr. sanct. descr. p. 323. Ficus Indica quæ Muz vel Mauz Arabibus dicitur. Dudaim. Genes. 30. & 14. Ludolph. lib. 1. cap. 9. Musa Cæsalp. f. 82. Math. (ed. Bauh.) p. 189. Fragos. f. 60. Ferrar. fl. p. 379. Rawolf. lib. 1. cap. 4, & 8. Garc. ab Orta. Clus. exot. p. 229. Tab. tom. 2. p. 495. Cast. Dur. p. 302. Bod. à Stapel nott. in Theophr. p. 352. Musa Serapionis. Lob. obs. p. 639. icon. p. 236. Ger. emac. p. 1515. Musa arbor. Park. p. 1495. J. B. tom. 1. p. 148. Raii hist. p. 1314. Lugd. p. 1839. Musa Pacouera Theveti Ejusd. p. 1840. Musa seu ficus Indica

Indica Ejusd. app. p. 11. Christ. Acost. Clus. exot. p. 283. Palma humilis longis latisque foliis. C. B. pin. p. 508. Ficus Indica folio racemoso fructu oblongo Ejusd. ib. Arbor foliis amplissimis fructu cucumeris forma Ejusd. ib. Musæ affinis altera. Ejusd. ib. papyrus & quæ pro papyro usurpatur vi^a. Ejusd. p. 19. Palmæ species pumila quæ musas vocatos fructus fert. Gesn. hort Germ. f. 270. Musa. Ejusd. ib. p. 288. Ficus Indica herba di Matteo di St Gioseppe. Zan. p 17. Ficus Indica alias Mauz seu Musa Arabum di Valerio di St. Gioseppe. ib. p. 25. Bala Hort. Mal. part. 1. p. 17. Banana. Pis. (Ed. 1648.) p. 75. Bananiera. Ejusd. (Ed. 1658.) p. 154. Banana Brasiliensibus Pacobucu Congensibus. Quibuca quiancacala & fructus Tincondo quiancacala Marcgr. p. 138. Pacouera Americana musæ ut videtur species. J. B. tom. 1. p. 152. Ficus Indica Linschottani. Ejusd. ib. p. 151. Arbor pomifera an musa. Ejusd. ib. p. 151. Musa aut Amusa Arabibus & Persis Daracht. mous. Chabr. p. 9. Ficus Indica Linschottani Ejusd. p. 10. Pacouera Americana Ejusd. ib. Muza ex flora Sinensi. Jonst. Dendr. icon. p. 470. Arbor Insulæ Maragnanæ 1^a. Bannana. Ejusd. p. 6. Mauza. Ejusd. p. 140. Banam. Ejusd. p. 141. Arbor pomifera Ægypti. Giraudeti. Ejusd. ib. Pacæira Theveti. Ejusd. p. 142. Banana Orientalis. Ejusd. p. 143. Banana occidentalis. Ejusd. ib. Pacoba 1^a. & altera. Ejusd ib. Ficoides seu ficus Indica, longissimo latissimoque folio, fructu longissimo Musa Serapioni dicta. Herm. cat. p. 256. *The Egyptian Mauze of Grew.* Mus. p. 223. Ficus Indicæ folia quibus pro papyro Turcæ utuntur. Ind. or. part. 6. cap. 38. p. 84. *The Plantane Tree.* In agris & hortis pinguioribus Jamaicæ & Caribearum insularum ubique colitur.

Musa, caudice maculato, fructu recto, rotundo, breviore, odorato. Ficoides seu ficus Indica longissimo latissimoque folio, caule maculato, fructu minore. Hort. Beaumont. p. 21. Cenorins. Christ. Acost. cap. 42. Clus. exot. p. 283. Senorinas espece des figues des Indes Linschot. Senoriæ Jonst. Dendr. p. 143. Pacoeira Marcgr. Ejusd. p. 141. Pacoeira Lusitanis. Marcgr. p. 137. Bacoba. Pis. (Ed. 1648.) p. 76. Pacoeira Pis. (Ed. 1658.) p. 154. *Bonanas of Ligon.* p. 11, 14, 22, 33, & 81. Planes ou figuiers ou pomiers de Paradis.

Paradis. Rochef. p. 107. Figues de L'Amerique Dutertre. p. 138. Les figues D'Inde que les Siamois appellent trompes d'elephant. de Loubere tom. 2. p. 67. *The Banana Tree of Hughes*, p. 71. Cum priore, nec non in Insulæ Maderæ hortis crescere observavi.

Musa humilior foliis minoribus nigricantibus, fructu minimo erecto. Grand balisier. Dutertre. p. 126. le balisier. Rochef. p. 126. *Wild Plantans.* In sylvis mediterraneis humidis & umbrosis Jamaicæ Insulæ ubique spontanea reperitur.

Opuntia major, folio oblongo rotundo spinis longissimis & validissimis confertim nascentibus obsito, flore luteo. *Prickle Apple of Grew*, mus. p. 186. *Prickle Pear of Smith's Summer Isles.* p. 170. obs. p. 54, & 56. *Prickled Pears of Ligon.* p. 11, 14, & 70. Arbor poma pariens urinam sanguinei coloris provocantia. Martyr. Nieremb. lib. 14. cap. 87. p. 327. Cardones o Tunales silvestres. de Joseph Acosta. lib. 4. cap. 23. seu Ind. occid. part. 9. lib. 4. cap. 23. Malorum Americanorum genus 4^um. seu poma diuretica. Jonst. Dend. p. 7. Gummi minus usitatum 4^um. opuntiæ Ejusd. p. 345. Ficus Indica major sive opuntia major validissimis spinis armata. Breyn. prod. 1. p. 35. Ficus Indica seu opuntia major folio longissimis & validissimis spinis armato. Herm. par. Bat. pr. p. 334. Ficus Indica major spinosissima flore luteo. Hort. Beaumont. p. 19. Cardos de las Tunas. De Oviedo. Raquettes. Rochef. p. 124. Figuier d'Inde ou raquettes. Dutertre. p. 131. *The prickly Pear-bush of Hughes.* p. 36. Noctli Nochtli seu Tuna. Hernandez. p. 76. Laet. p. 229. Tune Indorum ficifera. Fragos. f. 62. adv. p. 453. Tunas de Lopez de Gomara. cap. 46. *of Robert Tomson.* Hakl. p. 454. *of Hawks.* ib. p. 464. *of Oviedo Summary.* Eden. p. 208. Nieremb. p. 311. Laet. p. 280, 281, 316, & 534. Tune d'Alvaro Nunnez. Ramnus. p. 319, 320, & 322. Purchas 1511, 1513, & 1518. Benz. lib. 3. cap. 18. Nuchtli & Tuna in insula Bermudez præter fructus agrestes nihil ferens. Laet. lib. 1. cap. 19. p. 29. *Tunal of Mexican Chronicle.* Purchas. p. 1066, & 1068. Tunæ. Laet. lib. 5. cap. 25. p. 269. *Prickley Pears or Artechoques of Sir Richard Hawkin's Observ.* An ficus 9^a. seu ficus Indica folio spinoso, fructu majore.

C. B. pin. p. 458? Ficus 11ª. seu ficus Indica spinosa sylvestris. Ejusd. ib? Ficus Indica spinosa major. Park. p. 1497? Par. p. 432? Ficus Indica. Ger. emac. p. 1512? Dod. p. 813? icon. Lob. tom. 2. p. 241? Ambros. h. p. 27? Math. (ed. B.) p. 234? Schwenckf. p. 274? Ficus Indica, quam aliqui ridicule opuntiam nominant. Gesn. hort. Germ. f. 258? Ficus Indica vulgo dicta. Ejusd. f. 292? peregrina arbor quam ficum Indicam vocant. Cæsalp p. 89? opuntia vulgo habita. Cam. h. p. 110? Tune Indorum Lugd. p. 1795? Figues d'Inde de Nicolai. cap. 16? Ficus Indica spinosa. Tab. tom. 2. p. 686? Higuera de la India Lac. p. 120? Opuntia vulgo dicta Herbariorum J. B. tom. 1. p. 154? Fico d'India. Cast. Dur. p. 186? opuntia ficus Indica. Chab. p. 10? Ficus Indica spinosa Swert. tab. 3. fig. 1? de Bry. florig? Ficus Indica Eystetensis. Eyst? An ficus Indica lævis pilosa. C. B. pin. p. 458? Jonst. Dendr. p. 58. Ficus Indica seu opuntia media folio spinis longissimis armato ex Curacao. Commel. hort. Amst. p. 126? *Mutaquesunnauk of Hariot.* Hakl. p. 273? Ind. occident. part. 1. p. 19? seu pyro similis fructus in Virginea. C. B. pin. p. 439? Fructus pyriformis 2us. Virginianus Jonst. Dendr. p. 42? *The Prickly Pear-tree.* In Jamaica & Caribeis insulis ubique locis campestribus & apertis reperitur.

Opuntia maxima, folio oblongo rotundo majore, spinulis obtusis mollibus & innocentibus obsito, flore striis rubris variegato. An otros Tunales, de Joseph de Acosta. lib. 4. cap. 23? Ind. occid. part. 9. lib. 4. cap. 23? *Cochinilla of Tomson,* Hakl. part. 3. p. 454? *of Boddenham.* ib. p. 455? *of Chilton* ib. p. 456, 457, & 458. *of Hawks.* ib. p. 463? *of Phillipps.* ib. p. 486? *of Bartholomew Cano.* ib. p. 561? *of Mexican Chronicle,* Purchas. p. 1094? *Tuna bearing no Fruit of* Hakluyt. nott. in Hariot. p. 273? *Cochonillio of Newberry,* Purchas lib. 9. cap 3. p. 1414? *Cochanele of Smith's Virginia.* p. 149? Cochenille. Duret p. 66. quoad descr? Ficus Xª. seu ficus Indicæ grana. C. B. pin. p. 458? Nocheznopalli seu Nopalnocheztli Hernandez. p. 78, & 459? Jonst. Dendr. p. 56? Nocheznopalli o Nopalnocheztli. Xim. f. 31? Tunæ alia species Nochezolinopalli aut Nopalinocheztli. Laet. lib. 5. cap. 3. p. 229? Coccinilla. Ejusd. p. 259, & 261? Nopalnocheztli seu coccus Indicus in tunis quibusdam nascens.

cens. Nieremb. p. 312? Cochinele, Coccus radicum, *of Grew*, Musf. p.241? Cochenille sive fici Indici grana. Park. p. 1498? An Trosiesme especе des raquettes. de Rochef. p. 125? Ficus Indica seu opuntia major folio oblongo media. hort. reg Paris. p. 70? Sch. bot. p. 33? In agris Dom. *Worley* plantata fuit hæc opuntiæ species, ab Americæ Continente Jamaicam allata.

Opuntia maxima, foliis majoribus crassioribus & atrovirentibus spinis minoribus & paucioribus obsitis. An ficus Indica seu opuntia maxima, folio spinoso latissimo & longissimo. Herm. cat. pl. p. 243? In Insula Madera circa urbem *Funchall*, spontanea (uti videtur) & frequens est.

Opuntia major spinosa caulescens, foliis atrovirentibus longis & angustis pendulis, flore rubro. An Jamacarú Brasilienſibus. Marcgr. p. 125? quoad desc. Jamacaru 1ª. Jonst. Dendr. p.59? quoad descr. Urumbeba Brasiliensium Pis. (Ed. 1648.) p.100? Jonst. Dendr. p. 60? Jamacaru 2ª. Pis. (Ed 1658.) p. 189? Jamacaru vi². Ejus. ib. p 191? An ficus Indica seu opuntia maxima folio spinoso longissimo & angusto. Herm. cat. p. 243? An ficus Indica maxima spinosa caule rotundo. Hort. Beaumont. p. 19? Ficus Indica spinis nigricantibus floribusque purpureis Curassavica. Ejusd. ib? Opuntia foliis longissimis atroviridantibus maxima Americana. Breyn. prod. 2. p.79? Loco *Caymanes* dicto, in agris Dom. *Worley*, & in maritimis sabulosis Insulæ Jamaicæ observavi.

Opuntia major spinosa caulescens, foliis glaucis, longis & angustis, pendulis, spinis crebrioribus & minoribus obsitis, flore rubro. An Jaracatia. Pis. (Ed.1648?) quoad fig. Cardon 2ª. species vel alia Cardon species. Marcg. p 126? Jamacaru 4ª. Pis. (Ed.1658) p.190. Jonst. Dendr. tab.26. quoad fig. Arbol o planta con que se sueldan las quebraduras o cosas rompidas en la persona del hombre Oviedo Coron. lib.10. cap.1? Indorum ferruminatrix. Adv. p 454? Jonst. Dendr. p. 57? Ficus 12. seu ficus Indica folio spinoso fructu minore. C. B. pin. p. 458? Opuntia osteocollos. Lugd. p 1795? Opuntiæ vulgo dictæ cognata ferruminatrix Indorum. J. B. tom. 1. p. 156? In arenosis inter locum *Old harbour* dictum & agros Dom. *Mohun* copiose crescentem observavi.

Ficus Indica folio triangulari enſiformi (profunde canaliculato) ſtellatim aculeato. Raij hiſt. p. 1466. Jamacaru Braſilienſibus, Luſitanis Cardon. Mrcgr. p. 24. Jamacaru Braſilienſibus. Ejuſd. p. 125. quoad fig. Jamacaru Piſ. (Ed. 1648.) p. 100. Jamacaru. 1. Ejuſd. (Ed. 1658.) p. 188. Jamacaru 2. Ejuſd. ib. p. 189. quoad fig. Jamacaru 3ª. ſpecies Jonſt. Dendr. p. 59. quoad deſcr. Jamacaru 2ª. ſpecies. Ejuſd. tab. 26. Jamacaru 5ª. ſpecies. Ejuſd. p. 59. tab. 26. Chardon epineux Dutertre. p. 130. Ficoides Americanum ſeu cereus erectus criſtatus foliis triangularibus profunde canaliculatis. Plukenet. tab. 29. fig. 3. Ficoides ſeu ficus Americana amplexicaulis triangularis articulatus ſpinis brevioribus obſita. Hort. Beaumont. p. 20. Cereus peruvianus amplexicaulis articulatus fructu rotundo maximo coccineo. Herm. par. Bat. pr. p. 322. An Cardones en que naſce la fructu dicha Pitahaya. de Oviedo? Pytahaya Nieremb. p. 326? Jonſt. Dendr. p. 32? Laet. p. 389? Carduus pitahaya fructum ferens. Lugd. p. 1442? J. B. tom. 3. lib. 25. p. 94? Pithaias di Franciſco Ulloa. Ramnuſ. p. 343? Hakl. p. 404? Carduus Pitahaya Americanorum Park. p. 1628? Vepres ita aculeati ut iter ad ſilinas in promontorio Araya perdifficile ſit. Laet. p. 669, & 671? Mippi nonnullis Indis Cajahaba. Cluſ. exot. lib. 4. cap. 14. p. 86? C. B. pin. 458? Cahajaba, quibuſdam mippi vocatur. Jonſt. Dendr. p. 58? Carduus exoticus 3ᵘˢ. ſeu ſpinoſiſſimus brachiatus ex Hiſpaniola. C B. pin. p. 384? Carduus ſtellatus 5ᵘˢ. ſeu caule ſtellato Peruanus. Ejuſd. p. 387? Calamus Peruvianus aſteroides. Tab. tom. 2. p. 407? Arundinacea pinnata & ſpinoſa exotica planta. Lob. icon. p. 54? Palmacea aut arundinacea pinnata ſpinoſa. Adv. p. 452? Lugd. p. 1380? quoad deſcr. Nerii facie arbor Penæ Ejuſd. quoad fig? Planta pinnata & ſpinoſa. Park. p. 1629? Calamus Peruvianus ſpinoſus Lobelii. Ger. emac. p. 1179? *Prickly With.* In Inſulæ Jamaicæ ſylvis campeſtribus, arboribus majoribus ubique innaſcitur.

Cereus craſſiſſimus, fructu intus & extus rubro. Cereus Peruanus ſpinoſus fructu rubro nucis magnitudine. C. B. pin. p. 458. Cardos altos y derechos, à los quales llaman los Chriſtianos cirios, de Oviedo. Cierge epineux Dutertre. p. 132. Cierge de Rochef. p. 125. Cereus ſpinoſus.

Lugd

Lugd. p. 1829. Nieremb. p. 305. Cereus. Adv. p. 453. Euphorbii arbor cerei effigie sive Peruvianus cereus vulgi. Lob. icon. tom. 2. p. 25. Cereus Peruvianus Tab. tom. 2. p. 407. Cereus Peruvianus spinosus Lobelii Ger. emac. p. 1179. Cereus spinosus Americanus. Park. p. 1628. Euphorbii adulta planta sive cerei effigie. Bod. à Stapel. p. 1057. Stipites spinosi hastæ altitudine. Linschot. part. 4. Ind. or. fig. 21. Tetziuactlis Hernand. p. 78. Cereus Peruvianus Ovied. Jonst. Dendr. p. 57. Carduus Monard. Clus. exot. p. 347. Euphorbium cerei effigie. Swert. tab. 30. fig. 4. de Bry. florileg. Ficoides seu ficus Americana, cerei effigie spinosa & angulosa. Herm. cat. pl. p. 256. Cereus Curassavicus erectus maximus fructu rubro non spinoso. Ejusd. par. Bat. pr. p. 321. Ficoides seu ficus Americana erecta cerei effigie maxima crassissima spinosa & angulosa flore viridi subluteo, fructu spinoso rotundo extus & tutus rubro, seminibus minutis nigris referto; Dadus indigenis Hort. Beaumont. p. 20. An Jamacaru quoque itemque Caxabu Brasil. Cardon Lusitan. Marcgr. p. 126? Jamacaru 3. Pis. (Ed. 1658.) p. 189? Jamacaru altera Caxabu Jonst. Dendr. p. 59? quoad descr. Jamacaru 3. Ejusd. quoad fig? Echinomelocactos in cereum spinosum transformatus. Mentz pug? Breyn. prod. 1. p. 35? Ficus Americana cerei effigie angulosa spinis longissimis armata ex Curacao. Commel. cat. p. 126? *The larger Dildo Tree.* In Jamaicæ Insulæ maritimis arenosis, nec non sylvis campestribus aridis & apertis, ubique crescit.

Cereus altissimus gracilior, fructu extus luteo, intus niveo, seminibus nigris pleno. *Dildoe Tree of Hughes.* p. 42. Yaram-macaru Abbeville. p. 228. Lact. p 614. An Jaracatia Pis (Ed. 1648.) p. 100? quoad descr. Jamacaru 4. Ejusd. (Ed. 1658.) p. 190? quoad descr. Ficus Americana cerei effigie spinosissima minor. Comm. cat. Amst. p. 127? Cereus erectus altissimus Sirinamensis. Herm. par. Bat. pr. p. 322? *Dildo Tree the lesser or Torchwood.* Cum priori.

Cereus minima serpens Americana. Plukenet. tab. 158. fig. 6. An cereus Curassavicus amplexicaulis polygonus minor. Herm. par. Bat. pr. p. 322? Collibus sylvosis *Red hills* dictis, prope viam quâ versus *Guanaboa* itur, nec non circa domum Dom. *Batchelor* arbores scandentem observavi.

E kino-

Echinomelocactos. Cluſ. exot. lib. 4. cap. ult. p. 92. J. B. tom. 3. lib. 25. p. 93. de Bry florileg. Swert. florileg. tab. 30. fig. 1. Melocarduus. Tab. tom. 2. p. 403. Melocarduus echinatus Penæ & Lobelii. Ger. emac. p. 1177. Echinomelocactos ſive melocarduus echinatus Indiæ occiduæ. Adv. p. 373. Lob. icon. tom. 2. p. 24. Melocarduus echinatus Penæ. Lugd. p. 1442. Melocarduus echinatus. Dutertre. p. 132. Melocactus Indiæ occidentalis. C. B. pin. p. 384. Melocarduus Americanus Park. p. 1627. Melocactus Americanus echinatus. icon. Rob. Echinomelocactos Lobelii. Melocarduus echinatus hiſtoriæ Lugd. Chabr. p. 356. Melocactos. Eyſt. Ficoides occidentale ſpinoſum melonis facie ſulcis rectis. Herm. cat. p. 670. Echinomelocactos major tomentoſo capite coſtis rectis. Ejuſd. par. Bat. pr. p. 331. Pomum ſpinoſum opuntiatum Munt. pl. cult. p. 414. Ficoides vel ficus Americana ſpinoſa ſulcata melonis facie; flore purpuraſcente, fructu rotundo turbinato ſpinis longioribus echinomelocactos vulgo. Hort. Beaumont. p. 21. An ficoides occidentale ſpinoſum melonis facie ſulcis obliquis Herm. cat. pl. p. 670? Ficoides occidentale ſpinoſum melonis facie minus abſque tormento. Ejuſd. ib? Echinomelocactos major tomentoſo capite coſtis obliquis. Ejuſd. par. Bat. pr. p. 331? Echinomelocactos longioribus aculeis. H. R Par. ſch. bot. p. 33? An Echinomelocactos minor aculeis brevioribus & denſioribus in orbem poſitis. Ejuſd. ib? Ficoides vel ficus Americana ſpinoſa ſulcata melonis facie, flore purpuraſcente fructu rotundo turbinato ſpinis nigricantibus brevioribus. Hort. Beamont. p. 21? *Turk's-head.* Cum præcedentibus ubique reperitur. Magnitudine, ſulcis rectis vel obliquis, &c. variat.

Cereo affinis ſcandens planta aphylla caule rotundo, articulato, glabro ſucculento ſaturate viridi. *Green With.* In montoſis ſylvis ultra fluvium *Cobre* dictum, prope *the Angels* arboribus grandioribus innaſcentem & ab earundem ramis dependentem obſervavi.

Malo punicæ affinis pomifera, flore pentapetalo albo, fructu nullis diſſepimentis interſtincto, ex toto eſculento, rubro, majori. Guajana. Martyr. Guyaves *of Tomſon.* Hakl. P. 454. Guiaves *of Hawks.* ib. part. 3. p. 462. Guayabas *of Anonymus Portugal of Elvas,* p. 10, Purchas p. 1529. Guiaccos

accos *of Philips.* Hakl. part. 3. p. 477. Guiavos *of Hortop.* ib. p. 491. Guanes *of Turner*, Purchas, lib. 6. cap. 15. p. 1265. Guaves *of Davies.* ib. cap. 18. p. 1287. Guavers *of Ligon*, p. 11, 14, 22, & 71. Guajavas *of Layfield.* Purchas, lib. 4. p. 1172. *Guane-tree of Smith's Obs.* p. 56. Park. p. 1671. *Guavo-tree of Hughes*, p. 44. Guayabo con la fruta colorada rosada par de dentro, de Oviedo lib. 8. cap. 19. Lopez de Gomara f. 36. cap. 28, & 67. Guayavos de Joseph. Acosta lib. 4. cap. 24. Guayavas amarillas por de fuera ycoloradas par de dentro. Ynca Gariclasso de la Vega. lib. 8. cap 11. Guyava Peruvianis Savinta. Laet. p. 402. Guayabi arbor fructu pleno rubentibus granis. Ejusd. p. 409. Guayabus. Ejusd. p. 1. 277. Guayavas. Ejusd. p. 350, 373, 390. Guayavas pulpa interiore rosea. Ejusd. p. 357. Guajavus fructu Purpureo. Brenz. lib. 1. cap. 27. part. 4. Ind. occid. cap. 28. Gouyaves. Dutertre. p. 181. Goyavier rouge Rochef. p. 64. Malo arantio similis exotica 5ª. seu Guyabo pomifera Indica pulpa rubra. C. B. pin. p. 437. Guajanos in Hispania nova, &c. Ejusd. ib. p. 441. Guajava pomis intus punicantibus rosarum modo Lugd. p. 1836. Guayavas pulpa interiore rosea. Lugd. app. p. 17. Park. p. 1634. Guayava Indica, fructu mali facie intus rosea. J. B. tom. 1. lib. 1. p. 108. Guayava Indica fructu mali facie intus rubra Chabr. p. 5. quoad desc. Guajabo Americanorum pulpa interiore rosea. Jonst. Dendr. p. 30. Guajanifera. Ejusd. p. 73. Guayava. Frag f. 51. Ger. emac. p. 1612. Guayava arbor Clus rar. pl. hist. app. p. 253. Guayaba Belgis Granaet peeren. Marcgr. p. 104. Guajaba. Pis. (Ed. 1648.) p. 75. (Ed. 1658.) p. 152. Cieuko. Boym. fl. Sinic. Jonst. Dendr. p. 475. Malacka pela Hort. mal. part. 3. p. 33. Guajana rubra acida. Herm. cat. pl. p. 305. Guayavas pulpa rosea. Monard. Clus. exot. p. 346. Guayabus. Nieremb. p. 328. An malum punicum Indicum di Valerio di St. Gioseppe. Zan. p. 26? *The red Guayava Tree.* In hortis & agris Jamaicæ & Caribearum Insularum frequentissimam observavi.

Malo punicæ affinis pomifera, flore pentapetalo albo, fructu nullis dissepimentis interstincto, ex toto esculento, majore, albo. Guayabus albus Nieremb. p. 328. Guayabo blanco de Oviedo. Coron. lib. 8, cap. 19. de Lopez de Gomara.

mara. cap. 67. Guayava Indica fructu mali facie, pulpa interiore alba. J. B. tom. 1. lib. 1. p. 108. Guayavas pulpa interiore alba. Lugd. app. p. 17. Laet. p. 357. Gujava pomis intus candidis Lugd. p. 1836. Park. p. 1634. Guayabo pomifera Indica pulpa candida. C. B. pin. p. 437. Guajavus fructu candido Benz. lib. 1. cap. 27. Guajabo Americanorum pulpa interiore alba. Jonst. Dendr. p. 30. Guayavas pulpa alba. Monard. Clus. exot. p. 346. Guajava Scaligeri exercit. 181. p. 245. Guayava Indica fructu mali facie intus alba Chabr. p. 5. quoad descr. Goyavier blanche. Rochef. p. 64. Guayabi arbor fructu pleno albis granis. Laet. p. 409. Xalxocotl seu pomum arenosum 2^um^. majus. Hernandez. p. 85. Laet. p. 228. Goyave de Loubere tom. 2. p. 68. , Araca-iba Brasilienſibus cujus fructus appellatur Araca-guacu. Marcgr. p. 105. Araca-guacu. Pis. (Ed. 1648.) p. 74. (Ed. 1658.) p. 152. Araca-iba fructu majore. Jonst. Dendr. p. 32. Guayavas de Peru con la fruta blanca de Joseph Acosta. lib. 4. cap. 24. Ind. occident. part. 9. lib. 4. cap. 24. Persicæ similis exotica 7^a^. C. B. pin. p. 441. Guayavas verdes por de fuera y blancas por de dentro. Ynca Garcilasso de la Vega. lib. 8. cap. Pela Hort. Mal. part. 3. p. 31. Guajana alba dulcis. Herm. cat. p. 305. Guajava alba dulcis. Ejusd. par. Bat. pr. p. 339. Guajava alba acida, fructu rotundiori Indiæ or. Plukenet. tab. 193. fig. 4 *The large white Guava Tree.* In Insulæ Jamaicæ agris præsertim mediterraneis frequenter reperitur.

Malo punicæ affinis pomifera, flore pentapetalo albo, fructu nullis dissepimentis interstincto, ex toto esculento minore albo. Guananala Martyr. Guayabo salvaje de Oviedo. Guayavillas chicas blancas de Joseph Acosta. lib. 4. cap. 24. Ind. occident. part. 9. lib. 4. cap. 24. seu Persicæ similis exotica 8^a^. C. B. pin. p. 441. Jonst. Dendr. p. 74. Guayabo pomifera Indica sylvestris. C. B. pin. p. 437. Xalxocotl seu pomum arenosum. Hernandez. p. 84. Laet. p. 227. Albol que llmamos Guayabo y los Mexicanos Xalxocotl. Xim. Gouijaves qui ont la chair blanche qui sont plus petites & de meilleur gousst que les autres. Dutertre. p. 182. Araca-iba Brasilienſibus; cujus fructus ipsis dicitur Araca miri, Belgis autem Granaet pruymen. Marcgr. p. 62. Araca-iba cujus fructus ipsis dicitur Araca-

miri,

miri. Pis. (Ed. 1648.) p. 74. Araca-miri. Ejusd. (Ed 1658.) p. 150. Araca-iba minor. Jonst. Dend. p. 32. *The small white Guava Tree.* In Jamaicæ & Caribearum insularum agris & sylvis apertioribus ubique spontanea reperitur. An hæ tres arbores ultimò recensitæ à se invicem specie differant determinare non possum.

Malus Punica sativa aliis simplici flore. Granata. Jonst. Dendr. p. 28. *Pomegranates of Phillips.* Hakl. part. 3. p. 476. *of Ward.* ib. p. 758. *of Pretty.* ib. p. 823. *of Bellon,* Purchas lib. 8. cap. 13. p. 1379. *of Newberry.* ib. lib. 9. cap. 3. p. 1411. *of Cartwright.* ib. cap. 4. sect. 1. p. 1422. & sect. 2. p. 1431. *of Jo. dos Sanctos.* ib. cap. 12. sect. 1. p. 1536. *of Marco Polo.* ib. lib 1. p. 71. *of Saris.* ib. lib. 4. cap. 1. sect. 1. p. 336. *of Copland.* ib. cap. 8. sect. 1. p. 467. *of Fernandez.* ib. lib. 7. cap. 7. sect. 2. p. 1183. *of Smith of Bermudas.* p. 184. *of Rawolfe.* part. 1. cap. 2, 5, & 6. *of Ligon.* p. 14, & 70. *of Hernan Lopez de Castagneda.* cap. 9. *of Terry.* p. 96. Granados dulces y agrios de Oviedo. coron. lib. 8. cap. 1. Grenade de Pyrard. cap. 10. p 85. cap. 24. p. 236. cap. 27. p. 286. part. 2. p. 88. part. 3. p. 63. de Loubere. p. 104. Grenadiers Dutertre. p. 173. Rochef. p. 63. Melegrane Cast. Dur. p. 281. Malus punica sativa. C. B. pin. p. 438. Park. p. 1510. par. p. 428. Punica malus, ac malum punicum cord. hist. pl. f. 183. Punica Cæsalp. p. 141. Malus punica fructifera. Dod. p. 793. Malus punica, Benz. lib. 1. cap. 28. cord. nott. in Dioscorid. f. 22. Gesn. hort. Germ. f. 267. Trag. p. 1036. Lugd. p. 303. Schwenkf. p. 304. Cam. hort. p. 95. J. B. tom. 1. p. 76. Chabr. p. 3. Malum Punicum. Adv. p. 419. Math. ed. B. p. 193. Lac. p. 98. Lob. obs. p. 564. icon. tom. 2. p. 130. bot. Francof. p. 22. Malus Granata sive Punica. Ger emac. p 1450. Tab. tom. 2. p. 759. Malus Granata. Bod. à Stapel nott. in Theophr. p. 393. Malum granatum Dorst. f. 141. Malus punica & malus granata. Munt. pl. cult. p. 11. Malus punica vulgaris Ambros. h. p. 40. *Pomgranate Tre of Turner.* part. 2. p. 49. *The Pomgranate Tree.* In agris hortis & sepibus Jamaicæ & Caribearum insularum frequens & obvia est.

Malus punica pleniflora flore majore. Jonst. Dendr. p. 29. Malus punica 3ª. seu balaustia flore pleno majore. C. B. pin. p. 438. Balaustia Tab. tom. 2. p. 759. Ger. emac.

emac. p. 1450. Math. ed. B. p. 193. Punica ſterilis Cæſalp. p. 141. Malus punica ſterilis. Dod. p. 793. Malus punica ſylveſtris major ſive balauſtium majus. Park. p. 1510. Balauſtia Hiſpanica. J. B. tom. 1. lib. 1. p. 82. Cum priore aliquando reperitur, ſed rariùs.

Papaya major, flore & fructu majoribus pediculis curtis inſidentibus. Papaya Hernandez. p. 99. Papaie Benz. lib. 3. cap. 18. ſeu Ind. occident. part. 6 cap. 18. *Papaies of Layfield*, Purchas. lib. 4. p. 1172. *Poppoyes of Wilſon.* ib. p. 1264. *Pappawes of Smith of Summer Iſles.* p. 171, & 184. obſ. p. 55, & 56. *Papa of Ligon.* p. 14, & 70. *Papayes of Nichols*, Purchas. lib. 6. cap. 13. p. 1255. Papay de Roulox Baro. p. 239. de Moriſot nott. in Eundem. p. 302. Papos de Pyrard. part. 3. p. 30. Melons de Siam de Loubere. tom. 2. p. 67. Papaya arbor di Matteo di S. Gioſeppe. Zan. p. 18. Papaia di Valerio di S. Gioſeppe. ib. p. 27. Arbol de la papaya. Xim. Peruvianorum Papaie. Chabr. app. p. 595. Ficus 4ª. ſeu ficuum ſpecie fructus peruanus. C. B. pin. p. 457. Platanus 2ᵘˢ. ſeu arbor platani folio fructu peponis magnitudine eduli. Ejuſd. ib. p. 431. Pomus ſive malum 12ᵘᵐ. ſeu arbor fructu melonis forma pugni magnitudine Ejuſd. ib. p. 434. Mamoera fæmina. Cluſ. cur. poſt. Ger. emac. p. 1609. Laet. lib. 15. cap. 9. p. 564. Marcgr. p. 103. Jonſt. Dendr. p. 59. Park. p. 1649. Pappaw. Ejuſd. p. 1671. Papaia Laet. lib. 17. cap. 28. p. 663. Papaiafera Tabacenſium. Jonſt. Dendr. p. 58. Papay Orientalis ſive pepo arboreſcens Col. nott. in Hernand. p. 870. Fructus exoticus ficui ſimilis 2ᵘˢ. Papaie peruanorum Jonſt. Dendr. p. 60. Papaie peruanis. J. B. tom. 1. p. 147. Papaios femelle. Linſchot. Pinoguacu fæmina. Piſ. (Ed 1658) p. 159. Papaia-maram. Hort. Mal. part. 1. p. 23. Papayer de l'Iſle de Ste Croix Dutertre. p. 188. Rochef. p. 66. Arbor melonifera, Papaio vulgo dicta. Bont. p. 96. Fan-yay-cu. Boym. Jonſt. Dendr. p. 474. An Arbre le quel porte fueilles ſemblables à celles de noz figuiers de Thevet. ſing. p. 19? Coſmogr. tom. 1. lib. 3. cap. 4. f. 73? Ficus nigritarum. Lugd. p. 1842? Park. p. 1632? Jonſt. Dendr. p. 36? Ficus 5ª. ſeu ficui ſimilis arbor fructu oblongo. C. B. pin. p. 457? Arbor Cucurbitifera. ficus Nigritiarum. J. B. tom. 1. p. 111? Chabr. p. 6? *Papanes of Saris*, Purchas lib. 4. cap. 1. p. 336?

Pappies

Pappies of Nicol. ib. lib. 6. cap. 13. p. 1255? *Another Tree like a Pine Tree that beareth Fruit as big as a Muskmelon.* Park. p. 1671? *An Fig-Trees which bear Figs as big as ones fist, yellow within, and of small taste, of Anonymus Portugal of Elvas.* p. 9? Purchas. p. 1529? *The female Papaw Tree.* In hortis & agris Jamaicæ & Caribearum insularum ubique colitur.

Papaya major, flore & fructu minoribus pediculis longis insidentibus. Papayos male. Linschot. Mamoera mas. Clus. cur. post. Ger. emac. p. 1609. Laet. lib. 15. cap. 9. p. 564. Marcgr. p. 103. Park. 1649. Jonst. Dendr. p. 59. Pinoguacu mas. Pis. (Ed. 1658.) p. 159. Amba papaia. Hort. Mal. part. 1. p. 21. *The male Papaw Tree.* Cum priore.

Papaya minor, flore & fructu minoribus pediculis curtis insidentibus Papayer femelle. Dutertre. p. 187. Papayer. Rochef. p. 65. *The female wild Papaw Tree.* In mediterraneis sylvis Jamaicæ & Caribearum insularum sponte nascitur.

Papaya minor, flore & fructu minoribus pediculis longis insidentibus. Papayer masle. Dutertre p 187. *The male wild Papaw Tree.* Cum priore.

Anona maxima, foliis latis splendentibus, fructu maximo viridi conoide, tuberculis seu spinulis innocentibus aspero. Guanabano de Oviedo Coron. lib. 8. cap. 17. de Lopez de Gomara cap. 28, & 67. Jonst. Dendr. p. 30. Guanabanus Oviedi Clus. nott. in Garc exot. p. 231. Park. p. 1632. Guanabana Nieremb. lib 14. cap. 109. p. 331. Guanabani fructus Oviedo. Lugd. p 1835. Guanaban. Fragos. f. 52. Guanavanus. Benz. lib. 1. cap. 27. seu Ind. occid. part. 4. cap. 28. p. 71. Guanavana de Joseph. Acosta, lib. 4. cap. 25. seu Ind. occid. part. 9. lib. 4. cap. 25. Guanabanus. Scalig. exercit. 181. f. 244. Guabam de Laet. lib. 10. cap. 6. p. 409. Jonst. Dendr. p. 33. Guanabo. Laet. lib. 8. cap. 8. p. 356. Guanabanus Oviedi fructu squammato. J. B. tom. 1. p. 114. Chabr. p. 7. Guanabanus aurantiæ folio Munt. pl. cult. p. 92. Araticu *of Anonymus Portugal of Brasile*, Purchas lib. 7. cap. 1. p. 1307. Redi. Esper. p. 44. tab. 6. lat. p. 61. Laet. lib. 15. cap. 7. p. 559. Araticon. Ejusd. lib. 16. cap. 11. p. 612. Abbeville. p. 219. Fructus 1^us. Garth Arataçou appellatus. Clus. exot. lib. 2. cap. 17. p. 53. Fructus angulis donatus 3^us. seu Brasilianus inæqualis semine fusco

fervido C. B. pin. p. 406. Fructus exoticus angulosus inæqualis semine fusco fervido. Jonst. Dendr. p. 103. Aratacou Brasil semine melonis fusco fervido J. B. tom. 1. p. 315. Corosol Dutertre. p. 177. Momin ou Corosol de Rochef. p. 67. *Prickled Apple of Ligon.* p. 38, & 70. *Sowre Sop of Hughes.* p. 60. Araticu-ponhe. Marcgr. p. 93. Pis. (Ed. 1648.) p. 69. (Ed. 1658.) p. 141. Jonst. Dendr. p. 31. Anona Indica latifolia fructu squammato aspero seminibus ex flavo nigricantibus turgida. Plukenet. tab. 134. fig. 2. An Anona Indica fructu conoide viridi squamis veluti aculeato. Ejusd. p. 135. fig. 2? An Anona Americana fructu majore Scortsack parvum vulgo. Herm. cat. pl. p. 645. Anona Americana folio splendente ex Vera-Cruce? Ejusd. par. Bat. pr. p. 312? Anona Americana sylvestris foliis & fructu maximis. Ejusd. ib? Anona Indica pomo. viridi. Ejusd. ib? An Lici Boym. Jonst. Dendr. p. 475? vel an Yara. Ejusd. ib. p. 476? *The Sowre-sop Tree.* In Jamaicæ & Caribearum insularum hortis & agris ubique colitur.

Anona maxima, foliis oblongis angustis, fructu maximo luteo conoide, cortice glabro in areolas distincto. Anon de Oviedo Coron. lib. 8. cap. 18. Clus. nott. in Garc. exot. p. 229. Park. p. 1632. Pomus sive malum 9^um^. seu Anon Oviedo, Clus in Garc. magnam cum Guanabano similitudinem habens. C. B. pin. p. 434. Pyro similis exotica 3^a^. seu pyro similis fructus alter in nova Hispania. Ejusd. ib. p. 439. Anona de Joseph Acosta lib. 4. cap. 25. seu Ind. occid. lib. 4. cap. 25. Anona Oviedi. J. B. tom. 1. p. 112. Jonst. Dendr. p. 5. Oviedi Anon. Chabr. app. p. 595. Guanavanus fructu croceo. Benz. lib. 1. cap. 27. seu Ind. occident. part. 4. cap. 28. p. 71. Manjar Blanco. Ynca Garcilasso de la Vega. Comm. real. lib. 8. cap. 14. Anones. Nieremb. lib. 14. cap. 108. p. 331. Quauhtzapotl seu Anona. Ejusd. lib. 15. cap. 73. p. 361. Hernandez. p. 90. Quauhtzapotl. Laet. lib. 5. cap. 3. p. 226. Arbol de las Anonas que llman los Yndios Quauhtzapotl. Xim. Pyro affinis exotica 7^a^. sive Guanavanifera. Jonst. Dendr. p. 40. Araticu-ape. Marcgr. p. 94. Pis. (Ed. 1648.) p. 70. (Ed. 1658.) p. 142 Redi Esper. p. 46. lat. p. 65. Jonst. Dendr. p. 31. Biriba. Bras. Mentzel. Ind. p. 48. Biraba. Ejusd. pug. Cachimas franc. de Rochef. p. 69. Momin de Dutertre. p. 177. *Custard-Apple of Ligon.* p. 11, & 14. Anona-maram,

Hort.

Hort. Malab. part. 3. p. 23. Anona Indica anguſtifolia fructu cæruleo cortice ſquammato glabro. Plukenet. tab. 134. fig. 4. An Anona Americana folio non ſplendente ex Sirinama. Herm. par. Bat. pr. p. 312? Lumyen. Boym. Jonſt. Dendr. p. 475? *The Cuſtard Apple-Tree.* Cum priore.

Anona, foliis odoratis minoribus, fructu conoide ſquammoſo parvo dulci. Ahate de Panucho. Hernandez. p. 348, & 454. Jonſt. Dendr. p. 31, & 323. Anona Indica fructu parvo violaceo. Herm. cat. pl. p. 645. Anona Indica pomo cæruleo. Ejuſd. par. Bat. pr.. p. 312. Ata-maram Hort. Mal. part. 3. p. 21. Pomifera Indica fructu conoide ſquamoſo viridi. Raij hiſt. p. 1650. Cachimas ſauvage. de Rochef. p. 69. Cachimas eſpineux. Dutertre. p. 179. Anona Indica fructu ex viridi & luteo cortice ſquammato aſpero nucleis nigricantibus parvis. Plukenet. tab. 134. fig. 3. An Yllamatzapotli. Hernandez. p. 444? Jonſt. Dendr. p. 31? Agouty-treva. Abbeville. p. 219? Laet. lib. 16. cap. 11. p. 611? Araticu do mato. Marcgr. p. 94? Piſ. (Ed. 1658.) p. 143? Jonſt. Dendr. p. 31? ſeu Anona. Americana ſylveſtris. Comm. cat. Amſt p. 33? *Sweet-ſop.* In pratis & agris campeſtribus ubique ſpontanea reperitur.

Anona aquatica foliis laurinis atrovirentibus, fructu minore conoide luteo, cortice glabro in areolas diſtincto. Araticu-panania *of Anonymus Portugal of Braſile*, Purchas lib. 7. cap. 1. p. 1307. De Laet. lib. 15. cap. 7. p. 559. Araticu-pana. Marcgr. p. 94. Piſ. (Ed. 1640.) p. 48, & 70. (Ed. 1658.) p. 142, & 306. Jonſt. Dendr p. 31. Redi Eſperienz. nat. p. 46. lat. p. 64. Momins le plus petit. Dutertre. p. 178. Anona Americana juxta fluviorum ripas innaſcens, pyriformi fructu ſardinas muria conditas olente, ſemine ampliori pallido. Plukenet. tab. 240. fig. 6. *Water-Apple, or Sweet-Apple.* Copioſiſſime creſcit ad ripas fluvii *Black River* dicti prope pontem.

Anona trifolia, flore ſtamineo, fructu ſphærico ferrugineo ſcabro minore, allii odore. Tapia Braſilienſibus. Marcgr. p. 98. Tapia. Piſ. (Ed. 1648.) p. 68. (Ed. 1658.) p. 140. Tapia Braſilienſium Jonſt. Dend. p. 32. Niirvala. Hort. Mal. part. 3. p. 49. Aphioſcoridon ſeu arbor Americana triphylla allii adore poma ferens. Plukenet. phyt. tab. 137. fig. 7. An Arbor Americana trifoliata pomifera

seminibus reniformibus. hort. Beaumont. p. 10? Terebinthus Americana trifolia lucida. Herm. par. Bat. pr. p 380? *The Garlick Pear-tree.* In sylvis campestribus Jamaicæ Insulæ frequenter reperi.

Anona, foliis subtus ferrugineis, fructu rotundo majore, lævi, purpureo, semine nigro, partim rugoso, partim glabro. Caymito de Oviedo. Coron. de Lopez de Gomara. f. 36. Laet. lib. 8. cap. 2. p. 350. lib. 10. cap. 13. p. 390. & cap. 11. p. 415. Las Cayemites de Raveneau de Lussan. p. 45. *The Star Apple-tree.* In agris & hortis Jamaicæ Insulæ ubique colitur.

Anona, foliis laurinis glabris viridi-fuscis, fructu minore rotundo viridi-flavo, scabro, seminibus fuscis, splendentibus, fissurâ albâ notatis. La sappotilla de Raveneau de Lussan. p. 45. An Mespyla Nicaraguæ suavissimi saporis. de Laet. lib. 8. cap. 20. p. 343? Mespili quarum fructus nostrates mole superant. Ejusd. lib. 17. cap 13. p. 644? Mespilus folio laurino ex Syrinama. Commel. cat. p. 232? Anona Curassavica fructu dulci. Sappa Curassav. Honig. Appell seu pomum mellitum. Item mespilus Curassavica vulgo. Herm. par. Bat. pr. p. 312? *The Nispero Naseberry, or Sappatilla Tree.* A semine hinc inde in Jamaicæ Insulæ hortis & agris sato, provenit & fructum perficit, sed rariùs.

Anona maxima, foliis laurinis glabris viridi fuscis, fructu minimo rotundo viridi flavo, seminibus fuscis, splendentibus, fissurâ albâ notatis. Acuba de Oviedo. Coron. lib. 8. cap. 12. Auzuba de Lopez de Gomara. f. 36. Laet. lib. 1. cap. 4. p. 6. *Bully of Ligon.* p 14, 41, & 73. *The Bully Tree.* In sylvis montosis ubique nascitur, fortè solum culturâ, non vero specie à præcedente differens.

Arbor cucurbitifera Americana folio subrotundo. Raij hist. p. 1667. Cucurbitifera arbor Americana. Herm par. Bat. pr. p. 329. Arbor ulmos æquans magnitudine Cucurbitas gignens. Martyr. Arbor cucurbitea Hibuero dicta Ejusd. Higuero de Oviedo lib. 8. cap. 4. Lopez de Gomara cap. 28. Laet. p. 227. Clus. nott. in Garc. exot. p. 232. Lugd. p. 1843. Higuero Oviedi J. B. tom. 1. p. 111. Park. p. 1632. Chabr. p. 6. Jonst. Dendr. p. 6. Choyne de Thevet. sing. f. 104. Cosmogr. p. 953. quoad descr. Choyne arbre qui porte le fruit du quel les Indiens

font

sont un instrument qu'ils nomment Maraca. de Lery. p. 191. Choyne arbor Laet. p. 563. Choyne Americanorum. Jonst. Dendr. p. 231. Courge creuse de laquelle est fait l'instrument appellè maraco. Linschot. descr. Amer. cap. 11. Cohyne. Lugd. p. 1845. Nieremb. p. 3 0. Park. p. 1666. Arbor Choine. Chabr. p. 595. Macoqwer Virginiensium forte Clus. exot. lib. 2. cap. 2. p. 23. Laet. p. 88. Macoqwer Virginiensium. J B. tom. 1. p. 254. Chabr. p. 17. Jonst. Dendr. p. 7. Arbol de los Thecomates que llman Higuero. Xim. Tecomates. Laet. p. 281. Arbor Indica fructu cucurbitæ forma & sapore. C. B. pin. p. 434. Laurifolia Americana pomis capitis magnitudine Ejusd. p. 461. Arbor quæ fructus fert admodum grandes instar Cucurbitarum. Laet. p. 664. Arbor Cucurbitifera Tabacensium. Jonst. Dendr. p. 61. Cujete Brasilienſibus, vulgo corrupte Cochine. Marcgr. p. 123. Cujete. Pis. p. 173. Zucche perforate con pietre dentro che è l'instrumento delle lor magjor feste & non le cavano se non per ballare o per medicare ne è alcuno che l'ardisca pigliare in mano se non ossi: & dicono che quelle Zucche hanno virtu & che vengou dal cielo, per che in quei paesi (*Florida*) nonne nasce, ne sanno onde vengono se non che le portano i fiumi quando vengono grossi. Alvaro Nunnez. Ramnus. p. 324. Purchas. p. 1520. *Calabas Tree of Hughes.* p. 65. *Calibash of Ligon.* p. 14, & 72. Xicarras *which they call* Tecomates *of the best, wherein they drink* Cacao *of Mexican Chronicle.* Purchas. p. 1092. Callebassier Duterrre. p. 188. Rochef. p. 101. Choyne Americana. J. B. tom. 1. p. 112. *Calabassus of Nicol,* Purchas lib. 6. cap. 13. p. 1255. Cucurbitifera arbor, subrotundis foliis confertis, fructu ovali seminibus cordatis massula nigra inclusis Americana. Plukenet. tab. 171. fig. 2. *The Calabash Tree.* In Jamaica & Caribeis insulis ubique provenit locis apertioribus & campestribus. Variat magnitudine & figura.

Cucurbitifera, fruticosa, trifolia, scandens. Jaroba Brasilienſibus, dicta Casaca amargosa Lusitanis. Marcgr. p. 25. Jaroba. Pis. (Ed. 1658.) p. 173. In sylvis montosis inter agros Dom. *Freeman* & locum *Guanaboa* dictum reperitur.

Cucurbitifera arbor forte, rhamni facie spinosa, foliis oblongis confertim nascentibus. In sylvula inter *The Town Savanna* & locum 2 *mile Wood* dictum reperi.

Cucur-

Cucurbitifera arbor forte, foliis ſubrotundis confertim naſcentibus, ramulorum extremitatibus tumidis. In ſylvula prope locum *Don Chriſtophers Cove* nuncupatum, in Jamaicæ partibus ſeptentrionalibus collegi.

Cucurbitifera arbor forte, foliis oblongis integris acuminatis confertim naſcentibus. In Jamaicæ Inſulæ ſeptentrionalibus collegi. Dubito an ſpecie à præcedente differat.

Cucurbitifera arbor forte, foliis oblongis integris, confertim naſcentibus, nervo folii medio & ramulorum ſummitatibus lanugine ferrugineâ obſitis. In Inſula Jamaica inveni, & inter herbas ſiccas repoſui.

Citrus arbor & malus citrea. Cord. hiſt. pl. f. 182. *Citrons of Ligon.* p. 14, & 69. *of the ſecond Dutch Voyage.* Purchas lib. 5. cap. 15. p. 709. de Pyrard. cap. 4. p. 32, & 34. cap. 6. p. 46. & p. 85. cap. 24. p. 236. cap. 27. p. 286. part. 2. p. 190. & p. 204. *of Rawolfe*, cap. 2. part. 3. cap. 6, 21. part. 2. cap. 4, & 5. de Linſchot. deſcr. de la Güinee. cap. 5. *of* Hernan Lopez de Caſtagneda. cap. 9. *Citron Tree of Mandelſlo.* p. 205, 206, 212, 216, 219, & 221. *of Turner*, part. 2. p. 49. *Pomecitrons of* Purchas, lib. 2. p. 285. *of Cliffe*, Hakl. part 3. p. 753. *of Pretty.* ib. p. 823. *of Copland*, Purchas lib. 4. cap. 8. ſect. 1. p. 467. *of Layfield*, ib. p. 1173. *of Anonymus Portugal of Braſile*, ib. lib. 7. cap. 1. p. 1319. *of Terry.* p. 96 Citroniers de Pyrard. part. 2. p. 148. part. 3. p. 63. Dutertre. p. 174. Loubere. p. 106. de Lery. p. 196. de Joſeph Acoſta lib. 4. cap. 31. Citronier 1ere. ſorte appelleè lime. de Rochef. p. 63. Cidros de Oviedo lib. 8. cap. 1. Citrea. Laet. lib. 15. cap. 15. Malus medica. C. B. pin. p. 435. Chabr. p. 4. Cord. nott. in Dioſc. f. 24. Math. ed. B. p. 205. Lac. p. 105. Lob. icon. tom. 2. p. 143. Dod. p. 791. Ambroſ. hort. p. 40. Ger. emac. p. 1462. Citrus Geſn. h. f. 254. Cæſalp. f. 139. Tab. tom. 2. p. 680. Malus Citria. Benz. lib. 1. cap. 28. Lugd. p. 298. Cluſ. rar. pl. hiſt. p. 6. Schwenckf. p. 260. J. B. tom. 1. p. 94. Citrus ſeu malus Citria Dorſt. f. 84. Cedrus Theophr. cujus Dioſc. medica malus ſive cidromela. Adv. p. 425. Malus citria, medica, Perſica. Lon. f. 15. Citrum malum medicum. bot. Franc. p. 196. Citrea ſive medica malus. Trag. p. 1031. Citrium Bod. à Stapel nott. in Theophr.

p. 344.

p. 344. Cedri. Cast. Dur. p. 101. Citria mala sive medica aliis citrangula Cam. h. p. 43. Malum citreum vulgare. Ferr. Hesp. p. 56. Medica malus. Malum Persicum forte Theophr. Malum Assyriacum Plinii. Malum Hespericum & Chrysomela Athanæi. Lob. obs. p. 572. Malus Citria sive medica. Raii hist. p. 1654. Park. p. 1505. Malus citria vulgaris. Jonst. Dendr. p. 10. *The Citron Tree.* In hortorum sepibus & ambulacris insularum Caribearum & Jamaicæ ubique luxuriant.

Limo arbor ejusque fructus limo. Cord. hist. pl. f. 183. *Limons of Saris.* Purchas lib. 4. cap. 1. sect. 1. p. 336. & sect. 2. p. 342. *of William Finch.* ib. cap. 4. sect. 1. p. 415, & 416. & p. 433. *of Davis.* ib. cap. 6. sect. 2. p. 448. *of Best.* ib. cap. 7. sect. 1. p. 457. & sect. 3. p. 465. *of Copland.* ib. cap. 8. sect. 1. p. 467. *of Payton.* ib. cap. 9. sect. 1. p. 489. & cap. 15. sect. 1. p. 529. *of Child.* lib. 5. cap. 2. p. 606. *of Pring.* ib. cap. 7. sect. 5. p. 644, & 645. *of the second Dutch Voyage*, ib. cap. 15. p. 709. *of Sir Thomas Roe.* ib. lib. 4. cap. 16. sect. 1. p. 536, & 537. *of Newberry*, ib. lib. 9. cap. 3. p. 1411. *of Jo. dos Sanctos*, ib. cap. 12. sect. 1. p. 1536, & 1537. *of Knivet.* ib. lib. 6. cap. 7. sect. 2. p. 1214. de Pyrard. cap. 5. p. 40. cap. 17. p. 162. cap. 24. p. 236. part. 2. p. 88, 104, 203, 206. part. 3. p. 38. *of Lancaster*, Purchas lib. 3. cap. 3. sect. 2. p. 150. *of Keeling.* ib. p. 189. *of Anonymus Portugal of Brasile.* lib. 7. cap. 1. p. 1319. de Linschot. descr. de la Guinee. cap. 5. *of Hawks.* Hakl. part. 3. p. 462. & 464. *of Phillips.* ib. p. 476. *of Ward.* ib. p. 758. *of Pretty.* ib. p. 804, 813, 815, & 823. *of Ferdinando Giros*, Purchas. lib. 7. cap. 10. p. 1424. *of Purchas.* lib. 4. cap. 11. p. 801. *Lymmons of Cates*, Hakl. part. 3. p. 537. *of Hernan Lopez de Castaneda*, cap. 9. Limones de Oviedo, lib 8. cap. 1. *Lemons of Terry*, p. 96. *of Rawolfe.* part. 1. cap. 2, & 6. part. 2. cap. 4, & 5. & part. 3. cap. 21. *of Clappham Boyle of Air.* p. 178. *of Ligon.* p. 14, 22, & 70. *Lemmons of Sir Francis Drake*, Hakl. part. 3. p. 741. *of Smith of Bermudas*, p. 197. *of Mandelslo*, p. 166. *Lemmon-tree of Hughes*, p. 47. Limones de Laet. lib. 15. cap. 15. *Limon-tre of Turner.* part. 2. p. 49. *Citrons.* Duval. nott. in Pyrard. p. 135. Limonia malus. J. B. tom. 1. p. 96. Chabr. p. 4. Dod. p. 791. Ambros. h. p. 40. Tab. tom. 2. p. 683. Bod. à Stapel nott. in Theophr. p. 344. Adv. p. 425. Lugd. p. 301, Ger. emac. p. 1462. Malus limonia acida. C. B. pin.

p. 436. Limon arbor. Cæſalp. p. 140. Limoni. Caſt. Dur. p. 259. Malus limonia acida vulgaris, Park. p. 1507. Limonis arbuſculum. Geſn. hort. Germ. f. 254. Limonia mala Math. (Ed. B.) p 206. Lac. p. 106. quoad. deſcr. Limonen. bot. Francof. f. 196. Limones Cluſ. rar. pl. hiſt. p. 6. Lob. obſ. p. 573. icon. tom. 2. p. 143. Limonier de Joſeph Acoſta lib. 4. cap. 31. Dutertre p. 174. 2de eſpece des Citroniers appelle Limon. de Rochefort. p. 63. Limonia vulgaris domeſtica. Jonſt. Dendr. p. 13. Limon vulgaris. Ferr. Heſper. p. 191. *The Lemmon Tree.* Cum priore.

Malus Aurantia vulgaris major. Jonſt. Dendr. p. 22. *Oranges of Walſh.* Hakl. part. 2. p. 129. *of the fourth Voyage to Virginia.* ib. *of Hawks.* ib. part. 3. p. 462. *of Phillips.* ib. p. 476. *of Cates.* ib. p 537. *of Cliffe.* ib. p. 753. *of Ward.* ib. p. 758. *of Pretty.* ib. p. 813, & 823. *of Purchas.* lib. 2. cap. 2. p. 38. *of Battell.* ib. lib. 7. cap. 3. ſect. 1. p. 970. & ſect. 2. p. 73. *of Ferdinandez.* ib. cap. 8. ſect. 2. p. 1183. *of Saris.* ib. lib. 4. cap. 1. ſect. 3. p. 354. *of Cockes.* ib. cap. 3. ſect. 3. *of William Finch.* ib. cap. 4. ſect. 1. p. 415. 419, & 433. *of Payton.* ib. cap. 9. ſect. 1. p. 489, & cap. 15. ſect. 1. p. 529. *of Courthop.* ib. lib. 5. cap. 9. ſect. 2. p. 674. *of the ſecond Dutch Voyage.* ib. cap. 15. p. 790. *of Sir Thomas Roe.* ib. lib. 4. cap. 16. ſect. 1. p. 536, 537, & 539. *of Lancaſter.* ib. lib. 3. cap. 3. ſect. 2. p. 150. *of Layfield.* Purchas. vol. 4. p. 1165, & 1173. *of Anonymus Portugal of Braſile.* ib. lib. 7. cap. 1. p. 1319. *of Ferdinando Giros.* ib. cap. 16. p. 1424. *of Gaſper de Cruz.* ib. lib. 1. p. 178. *of Anonymus.* ib. lib. 4. p. 1173. *of Newberrie.* ib. lib. 9. cap. 3. p. 1411. *of Jo. dos ſanctos.* ib. cap. 12 ſect. 1. p. 1536, & 1537. *of Galvanes.* ib. lib. 10. cap. 1. p. 1687. *of Balbi.* ib. cap. 5. p. 1725. de Pyrard. cap. 1. p. 11. & cap. 4. p. 32, & 34. cap. 10. p. 85. cap. 24. p. 236. cap. 27. p. 286. part. 2. p. 88, 104, 148, 190, 203, 204. part. 3. p. 38, 63, & 135. de Loubere. tom. 1. p. 68, & 104. *of Hernan Lopez de Caſtaneda.* cap. 8, 9, & 27. *of Smith of Bermudas.* p. 197. *of Ligon.* p. 14, 21, & 70. *of Clappham Boyl of Air.* p. 178. *of Rawolfe.* part. 1. cap. 2, & 6. part. 2. cap. 5. & part. 3. cap. 21. *of Terry.* p. 53, & 96. de Linſchot. deſcr. de la Guinée. cap. 5. *of Jobſon.* p. 130. *of Mandelſlo.* p. 205, 206, 212, 216, 219, & 221. Naranjos agrios de Oviedo. lib. 8. cap. 1. Aurantia arbor. Cæſalp. p. 140. Jo. de Laet. lib. 15. cap. 15.

Malus

Malus Arangia. Cord. hist. pl. f. 183. Aranci. Cast. Dur. p. 40. Pomerantz. bot. Francos. p. 198. Aurantia mala Lugd. p. 302. Benz. lib. 1. cap. 28. Tab. tom. 2. p. 682. Arantia. Adv. p. 425. Gesn. h. f. 254. Lob. obs. p. 573. icon. p. 144. Arantia Bod. à Stapel nott. in Theophr. p. 346. Aurea malus Clus. rar. pl. hist. p. 6. Malus Anarantia Dod. p. 792. Mala Nerantia Lon. f. 15. Arantia malus. J. B. tom 1. p. 97. Chabr. p 5. Schwenckf. p 234. Ger. emac p. 1463. Malus Arantia major. C. B. pin. p. 436. Malus arantia vulgaris & sylvestris. Park. p. 1508. Aurantia mala Math. ed. B. p. 206. Lac. p. 105. Aurantia poma. Cam. h. p. 24. Pomum arantium sive Nerantzium. Trag. p. 1035. Orangier de Lery. p. 196. de Joseph Acosta. lib. 4 cap. 31. Dutertre. p. 174. Rochef. p. 63. Aurantium vulgare. Ferr. hesp. p. 374. *Orange-tree of Turner.* part. 2. p 49. Mala arantia. Park. par. p. 584. *The Orange-tree of Hughes.* p. 46. In hortis agris & sylvis apertioribus ubique abundat, ubi Fructuum multæ reperiuntur varietates.

Malus Aurantia Sinensis. Jonst. Dendr. p. 26. Aurantia foliis Suavius olentibus. Ejusd. p. 24 Aurantium Olysiponense. Ferr. hesp. p. 425. Aurantium Indicum in insulis Philippinis 1um. Ejusd. p. 429. *Sweet Oranges of the Province of Canton in China, of Purchas,* lib. 2. p. 366. Naranjos dulces de Oviedo. lib. 8. cap. 1. Malus Arantia Lusitanica. H. R. P. p. 116. *The China Orange-tree.* In hortis & agris Insulæ Jamaicæ ubique crescit.

Malus arantia, fructu limonis pusillo, acidissimo. Limas de Oviedo lib. 8. cap. 1. *of Ane Anonymus Portugal of Brasile,* Purchas lib. 7. cap. 1. p. 1319. Martyr. *Limes of Layfield,* ib. lib. 4. p. 1165, & 1173. *of Jones.* ib. lib. 3. cap. 9. sect. 1. p. 228. *of Dounton.* ib. cap. 12. sect. 4. p. 298, & 307. *of Payton.* ib. lib. 4. cap. 9. sect. 1. p. 489. cap. 15. sect. 1. p. 529. *of Haynes.* ib. lib. 5. cap. 5. p. 622, & 624. *of Sir Thomas Roe.* ib. cap. 16. sect. 1. p. 537. *of Jo. dos Sanctos,* ib. lib. 9. cap. 12. sect. 1. p. 1536. *of Keeling.* ib. p. 189. *of Pretty.* Hakl. part. 3. p. 813, & 821. *of Ligon,* p. 14, 22, & 70. *Lime-tree of Hughes.* p. 48. *Small Lemons or Lymes of Jobson.* p. 130. Petits citroniers Dutertre. p. 174. Petit citron.. Rochef. p. 63. Lymonis quoddam genus in Hispania minimo fructu vix nucis amplitudine, odore cæteris præstantiore, excelsiore arbore. Cæsalp. lib. 3. cap.

59. f. 140. J. B. tom. 1. lib. 1. p. 97. Chabr. p. 4. Sylveſtrium Limonum arbor, in Syria Ægypto Africa frequens, pomis admodum exiguis acidiſſimis. Scal. exercit. 181. p. 247. Lugd. p. 1838. C. B. pin. p. 436. Lima. Lac. p. 105. Limones ſylveſtres inter Cairi rudera non majores ovo columbino. Bellon. obſ. Cluſ. exot. p 106. Jonſt. Dendr. p. 14. ſeu malus Limonia 9ª. C. B. pin. p. 436. Malus limonia ſylveſtris minima. Park. p. 1507. Limeræ 1ᵘᵐ. genus. Cluſ. rar. pl. hiſt. p. 6. ſeu malus limonia 4ª. folio ſerrato, fructu oblongo, cortice tenuiſſimo. C. B. pin. p. 436. Limonia ſucculenta quæ limas 1ᵘᵐ. genus Cluſio. Jonſt. Dendr. p. 16. Limon puſillus Calaber alter Ferr. Heſp. p. 209. Limonia Calabra ſpinoſa. Jonſt. Dendr. p. 17. Malus Limonia puſilla Calabrica. Herm. cat. p. 404. Limonia malus Americana antidotalis. Piſ. (Ed. 1658.) p. 313. Limon puſillus Americanus ſucco acidiſſimo. Hort. Beaumont. p. 27. *The Lime-tree.* In hortorum ſepibus, agris, pratis, & ſylvis apertis campeſtribus Jamaicæ & Caribearum Inſularum ubique occurrit.

Malus arantia, fructu rotundo maximo palleſcente humanum caput excedente. Malus Arantia Indica, fructu omnium maximo, pumpelmus dicto medulla palleſcente. Herm. cat. p. 405. Aurantium Indicum in inſulis Philippinis 2ᵘᵐ. ſeu alterum peramplum, &c. Ferr. heſp. lib. 4 cap. 14. p. 429. Mancrout. de Loubere. 67. *The Shaddock Tree.* In hortis & agris Inſularum Jamaicæ & Barbados ubique provenit.

Partes Plantarum minus cognitarum.

LIgnum Campechianum, species quædam Brasil. Jo. de Laet. lib. 5. cap. 28. p. 274. *Campeche Wood. of Chilton.* Hakl. part. 3. p. 461. *of Parker.* ib. p. 603. *of Middleton.* Purchas, lib. 6. cap. 10. p. 1246. *Logwood or Palo Campechio of Mr. Richard Hakl. Logwood of Rawlins,* Purchas lib. 6. cap. 7. p. 891. *of the Earl of Cumberland.* ib. vol. 4. p. 1147. An lignum Guianæ quod elegantem colorem purpureum edit. Laet. lib. 17. cap. 14. p. 645? Jonst. Dendr. p. 419? Pis. mantiss. ar. p. 171? An lignum tertium cujus liquor excoctus, fervens purpureo tingit colore, frigidus autem coccineo. Eorundem. ib? Lignum Brasilio simile cæruleo tingens. J. B. tom. 1. lib. 4. p. 492? Jonst. Dendr. p. 458? *Logwood.* Jamaicæ Insulæ Indigenæ quotannis adeunt Americæ continentis Provinciam Campeche dictam, ubi magnam harum arborum copiam cædunt, lignumque inde Jamaicam adferunt, unde in Angliam Infectorum gratia, invehitur.

Lignum Insulæ Bonaire Belgis Stockvish-hout. Laet. lib. 18. cap. 15. p. 688. An Curaqua seu Brasilium Hispanorum. Hernandez. p. 121? Jonst. Dendr. p. 457? Frutex qui Tarascis vocatur Cuhuraqua de Laet. lib. 5. cap. 23. p. 265? *Nicaragua Wood.* Ex Americæ provinciis, *Nicaragua, Rio de la Hacha, & Santa Martha* dictis Jamaicam copiosissime singulis annis infertur.

Pseudo-santalum croceum. An Arbor Guianæ Piratiminere vulgo letterhout. de Laet. lib. 17. cap. 14. p. 645? Pis. mantiss. aromat. p. 171? Arbor materie nobilis 7ª. Piratiminere. Jonst. Dendr. p. 458? Lignum litteratum. Laet. ib. cap. 17. p. 649? An Arbor quædam peregrina, colore inter sandalum rubeum, & Presilium medio. Cord. obs. sylv. p. 223? *Braziletto.* In pratis & collibus Insulæ Jamaicæ abundat.

Arbor quæ vel Brasilienſem rubedine superat. Ind. or.

part. 6. cap. 56. p. 123. Arbori Braſilianæ affinis. C. B. pin. p. 393. Araboutan ſeu pſeudo-ſantalo rubro Braſilienſi affinis. Jonſt. Dendr. p. 457. *Logwood of Battell.* Purchas lib. 7. cap. 3. ſect. 5. p. 979, 981, & 982. *Redwood.* E Guinea Jamaicam aliquando adfertur inde Europam Advehenda.

Planta fruticoſa ſcandens ex cujus caule fiunt ſcipiones cinerei flexiles ſtriati & tuberculati, nervis & tuberculis ſpiraliter diſpoſitis. *Supple-Jacks.* Scipiones hi in ſylvis reperiuntur; proculdubio caules ſunt plantæ cujuſdam ſcandentis fruticoſæ.

Planta fruticoſa ſcandens, cujus caulis loco chordæ muſicis inſtrumentis adhibetur. In ſylvis apertioribus pratorum circa urbem *St. Jago de la Vega* reperitur planta hæc à Fidicinibus Nigritis, quibus vice chordæ inſervit.

Radix fruticoſa lutea, glycyrrhizæ ſimilis, cortice fuſco, dentibus mundificandis inſerviens. A Nigritis in prædictum uſum reſervatur hæc radix quam è ſylvis apertioribus Inſulæ Jamaicæ eruunt.

Baruce fructus è pluribus nucibus arboris Huræ. J. B. tom. 1. lib. 3. p. 333. Baruce fructus primus. Cluſ. exot. lib. 2. cap. 21. p. 47. Raij hiſt. p. 1826. Baruce fructus arboris Huræ. Chabr. p. 23. Baruce. Ger. em. p. 1550. Quauhtlalatzin ſeu arbor crepitans. Hernandez. p. 88. Nieremb. p. 339. Arbol de las havas purgativas, que llaman Quauhtlatlatzin. de Xim. p. 40. *Jamaica Wallnuts.* Loco *Guanaboa* dicto in ſylvis creſcunt, unde fructus mihi dati adferebantur, nunquam ex arbore pendentes colligere, & obſervare contigit, ſed plures hujuſmodi nuces comedi ſine ſubſequente vomitu aut alvi dejectione.

Fructus exoticus cinereus, cum lineis & tuberculis, duris. J. B. tom. 1. lib. 3. p. 328. Fructus exoticus 1^us^. à Jacobo Plateau. Cluſ. exot. lib. 2. cap. 19. p. 45. Fructus oblongus cineraceus durus tuberculis exaſperatus. C. B. pin. p. 406. Fructus oblongus tuberculoſus 1^us^. ſeu cineraceus. Jonſt. Dendr. p. 102. Fructum hunc ſæpiſſime collegi in Inſulæ Jamaicæ littus ejectum cum aliis maris recrementis.

Fructus

Fructus elegantissimus. de Laet. lib. 17. cap. 4. p. 633. An fructus exot. stramoniæ modo tuberculis obsitus. J. B. tom. 1. lib. 3. p. 327? Fructus exoticus 5^us^. Clus. exot. lib. 2. cap. 15. p. 36? Fructus ovalis ex fusco subrubens tuberculis mucronatis obsitus. C. B. pin. p. 406? Fructus ovalis tuberculosus. Jonst. Dendr. p. 102? Cum priore.

Resina, pallide lutea, odorata, gummi Elemi dicto, similis. Anime occidentalis. Mon. Clus. exot. p. 297. Raij hist. p. 1846. Park. p. 1670. Cæsalp. lib. 2. cap. 29. p. 68. Lugd. p. 1791. el anime. de Joseph Acosta lib. 4. cap. 29. An Gommier blanc. Dutertre. p. 160? Tabernaculo vel Taborucu. Laet. lib. 1. cap. 1. p. 2? Gummi pallidum aureumque & Anime perquam simile. Hernandez. p. 45? In Barbados & Jamaica Insulis reperitur.

Resina pici similis inodora. Gum Colliman *or Carriman of Robert Harcourt*. Purchas lib. 6. cap. 16. p. 1276. Park. p. 1670. Pis. mantiss. aromat. p. 171. *Montagne*. E Surinama in arborum corticibus excavatis copiose Jamaicam adfertur.

Addenda & propriis locis inserenda.

VErbena nodiflora incana Curassavica latifolia. Herm. par. Bat. pr. p. 383. Plukenet. tab. 232. fig. 4. In Insula Jamaica ad rivulorum ripas provenire observavi.

Equisetum majus aquaticum. J. B. tom. 3. lib. 36. p. 729. quoad. descr. Equisetum majus palustre. Park. p. 1200. Equisetum majus Ger. emac. p. 1113. Raij hist. p. 128. Equisetum palustre longioribus setis. C. B. pin. p. 15. Equisetum 1^um^. Math. fig. maj. p. 1026. Lac. p. 403. Lugd. p. 1069. Hippuris major sive equisetum majus. Dod. p. 73. Hippuris. Adv. p. 355. Equisetum majus cum asparagis novellis. Lob. obs. p. 461. Equiseto primo. Cast. Dur. p. 158. Equisetum 2^um^. Tab. p. 590. *Great water Horsetail*. In palustribus Jamaicæ

Jamaicæ Insulæ crescit unde à Jacobo Harlow adferebatur. Mihi ostendebat & communicavit doctissimus botanicus Dominus Sherardus.

Opuntia non spinosa minima caulescens, foliis pilosis strictissimis, è crenis foliorum fructum & florem proferens. An Nopalxoch-cuez-alticquiri. Hern. p. 392, & 457? In Insula Jamaica nascitur, unde à Jacobo Harlow advecta fuit, & mihi à Dom. Sherard communicata.

Apocyno affine Gelseminum Indicum hederaceum fruticosum minus. E Jamaica Insula ad Dominum Sherard delata atque mihi communicata fuit.

Rhamnus foliis buxeis minimis confertim nascentibus, spinis longis armata Jacobus Harlow è Jamaica secum attulit, mihi communicata fuit à Domino Sherard.

Emendanda

Emendanda & Addenda.

PAg. 2. lin. 9. post muricatum adde, Substantia lapidea fruticem corallii albi representans minutissimis punctis & porositatibus scatens. Mich. Rup. Besler. Gaz.

Pag. eadem. lin. 30. post 224. add. Massa Coralloides albicans porosa maris fluctuationem egregie representans. Mich. Rup. Besler. gaz Astroites undulatus & Stellatus Bas. Besler fasc. Lapis fungites crebriformis. Raij hist. p. 1850. Pierre qui peut etre calcinee. de Rochef. tabl. p. 7.

Pag. eadem lin. 36. post 68. add. Astroites Ind. Bas. Besler. fasc.

Pag. 3. lin. 14. post 16. add. Basil. Besler. fasc. Frutex marina major. Ej. ib. Mexicana Coralloides Terzag. p. 20. Coralloide. Legat. p. 132.

Pag. eadem lin. 27. post 2. add. An Quercus marina Theophr. Bas. Besler. fasc?

Pag. eadem lin. 39. post teretibus add. Pinus marina Raij hist. app p. 1849.

Pag. 4. lin. 17. pro ejectum lege ejectam.

Pag. 6. lin. 32. post fig. add. An rarissimum spongiæ genus. Raij hist. p. 1856?

Pag. 8. lin. 21. post. 1481. add. Worm. mus p. 138.

Pag. 15. lin. 38. post 35. add. Polypodium Monomotapense lonchitidis foliis. Hort. Beaum. p. 35. An polypodium scolopendriæ vel phyllitidis facie maximum, Surinamense. breyn. prod. 2. p. 85?

Pag. 16. lin. 2. post scolopendre. add. de Bouton. p. 45.

Pag. eadem lin. 4. post 7. add. An Tsangou Manghits de Flacourt. p. 139?

Pag. eadem lin. 39. post fructifero. add. Hippoglosso forte cognata Surinamensis, foliis oleandri serratis, in crenatum extremo flosculos perminutos sanguineos gerentibus; vel forte hemionitidi affinis. Breyn. pr. 2. p. 57.

Pag. 19. lin. 20. post 185. add. An filix scandens perpulchra Indica. Ejusd. prod. 2. p. 46?

Pag. 20. lin. 21. pro Maravaca lege Maravara.

Pag. 23. lin. 9. poſt 147. add. Adiantum nigrum ou capilli Veneris de Flacourt. p. 145.

Pag. eadem lin. 36. pro lonclutidis lege lonchitidis.

Pag. 24. lin. 30. poſt 255. add. Ind. or. part. 6. p. 83. Worm. muſ. p. 150. Nieuhof. p. 86. Mirand. Sin. & Eur. p. 880.

Pag. 25. poſt 142. add. de Flacourt. p. 114. de Marini p. 56. de Feynes p. 107, & 141.

Pag. 26. lin. 15. poſt 169. add. An Ampembe de Flacourt. p. 118? Mengreliæ Milium Terzag. p. 68?

Pag eadem lin. 20. pro Caſtagenda lege Caſtagneda.

Pag. eadem lin. 24. poſt 14. add. *Guinea Corn.*

Pag. 28. lin. 27. poſt 69. add. & 83. Frumentum Turcicum Duran. p. 68, & 112. Mais Americorum. Contant. p. 2. Bled de Turquie de Flacourt. p. 127. Millet ou bled de Turquie de Biet. p. 334. Gros mil, Mais ou bled de Turquie de Rochef. tabl. p. 48. An Mill de Maire. p. 80, 84, 101, & 136?

Pag. 30. lin. 13. poſt 179. add. *Scotch-graſſe.*

Pag. eadem lin. 28. poſt 338. add. Gramen Serpentarium Zeylanicum Breyn. pr. 2. p. 54?

Pag. 31. lin. 9. poſt 94. add. de Bouton. p. 82. de Biet. p. 336. de Marini. p. 58. de Feynes. p. 160, & 166. de Rochef. tabl. p. 58. Canna Saccharina. Nieuhof. p. 89. Azucar de Eſquemeling. p. 58. Fare de Flacourt. p. 120.

Pag. eadem lin. 15. poſt 75. add. & 82.

Pag. 32. lin. 20. poſt 210. add. Mirand. Sin. & Europ. p. 936. Arundo ſaccharina. Ejuſd. p. 959.

Pag. eadem lin. 37. poſt Braſil. add. Roſeaux de Bouton. p. 32?

Pag. 34. lin. 14, 17, 22, 26, 28, 30, 33, & 34. pro pannicula lege panicula.

Pag. 39. lin. 5. poſt 283. add. Calceolar. muſ. p. 641. *Mexico Seeds of* Med. Cur.

Pag. eadem lin. 34. poſt 97. add. Kiki. Mirand. Sin. & Eur. p. 894.

Pag. 40. lin. 17. poſt 183. add. Contant. p. 1. Den ſive Dende Arabum Calceolar. muſ. p. 588. Dende muſ. Moſc. p. 269. Pinhas de Braſil. Worm. muſ. p. 211. noix medecinales de Bouton. p. 64. *Barbado Seeds of* Med. Cur.

Pag. eadem lin. 36. poſt 97. add. tabl. p. 25.

Pag.

Pag. eadem lin. 37. post 206. add. Worm. mus. p. 187.

Pag. eadem lin. 40. post 418. add. Contant. p. 1.

Pag 41. lin. 8. post 604. add. Contant. p. 1?

Pag. eadem. lin. eadem post 99. add mus. Mosc. p. 254?

Pag. eadem lin. 15. post 369. add. Ricinus Americanus lactescens, trilobato folio perennis flore nigricante Hort. Beaum. p. 36.

Pag. 42. lin. 19. post 89. add. de Esquemeling. p. 55.

Pag. eadem lin. 27. post 265. add. de Rochef. tabl. p. 52. de Olivier Oexmelin p. 74.

Pag. eadem lin. 38. post ib. add. Worm. mus. p. 160. Cassavi vel Yuca Contant. p. 2. Magnoc. de Biet. p. 336. Gjucca. mus. Mosc. p. 260.

Pag. 44. lin. 22. post 75. add. Ciriboa Worm. mus. p. 196. quoad descr. Mecaxuchitl. Ejusd. p. 208. quoad fig.

Pag. eadem lin. 37. post 124. add. Arbuscula Brasilienſis piperis facie julifera. Raij hist. app. p 1914.

Pag. 45. lin. 19. post 231. add. Mecaxuchitl. Worm. mus. p. 208. quoad descr. Piper longum Brasiliæ. Ejusd. p. 214.

Pag. 46. lin. 19. post 259. add. Ignasme de Biet. p. 335. Cambares de Flacourt. p. 115. An Owihares Ejusd. ib? racine noire de Maire. p. 99?

Pag. 47. lin. 6. post 371. add. *Negro Country Yam.*

Pag. 50. lin. 25. post disposition. add. An Corchorus Americanus minor, carpini folio, siliqua angustissima, ex lateribus ramulorum proveniente. Breyn. pr. 2. p. 36?

Pag. 51. lin. 6. post 99. add. de Bouton. p. 80. Tabac. Ejusd. p. 129. Tabaco de Esquemeling. p. 52, & 57. Tabacum seu nicotiana major latifolia Eyst. Petun ou tabacq; ou nicotien de Flacourt. p. 146.

Pag. 52. lin. 3. post 178. add. de Biet. p. 336. de Rochef. tabl. p. 57. de Olivier Oexmelin. p. 76. de Maire p. 80.

Pag. eadem lin. 11. post 610. add. Mirand. Sin & Eur. p. 873.

Pag. eadem lin. 23. post 251. add. Swert. part. 2. tab. 23.

Pag. 54. lin. 4. post Amazones add. de Esquemeling. p. 54. Batatas Hispanorum Swert. part. 2. tab. 35. Patales de Bouton. p. 47.

Pag. eadem lin. 10. poſt 23. add. de Biet. p. 334. Rochef. tabl. p. 48.

Pag. eadem lin. 35. poſt 166. add. de Flacourt. p. 116?

Pag. eadem lin. 43. poſt 117. add. Batates Ind. or. part. 6. p. 85.

Pag. 55. lin. 2. poſt anguloſo add. An fructus 3^us. Simonis à Touar, ſive buenas noches Cluſ. exot. lib. 2. cap. 18. p. 44? Ger emac. p. 1553? Smilax aſpera 3^a. ſeu ſmilax aſpera Indiæ occidentalis. C. B. pin. p. 296? Buenas noches Hiſpanis. Park. p. 174? Convolvulus bona nox dictus flore candido grandi J. B. lib. 15. p. 165?

Pag. 56. lin. 18. poſt 342. add. Campanula cœrulea hederacea Swert.

Pag. 57. lin. 26. poſt 726. add. An convolvulus Americanus lanuginoſus, altheæ folio, flore cœruleo parvo. Breyn. pr. 2. p. 35?

Pag. 59. lin. ult. poſt 165. add. de Flacourt. p. 142.

Pag. 60. lin. 31. poſt 438. add. Ind. or. part. 6. p. 83. Nieuhof. p. 83. Zinziber flore albo à D. Steph. Swert. Sacaviro de Flacourt. p. 126.

Pag. eadem lin. 41. poſt 121. add. de Feynes p. 105. de Rochef. tabl. p. 60.

Pag. 61. lin. 41. poſt 213. add. Cardamomum Baſilianum latifolium ſylveſtre paco feroca Braſilienſibus Breyn. pr. 2. p. 107.

Pag. 62. lin. 23. poſt 615. add. an offeque de Flacourt. p. 116? Choux poivres Dutertre. p. 98?

Pag. eadem lin. 35. poſt 166. add. de Bouton. p. 47. Sonzes de Flacourt. p. 117. Eſpece de Chou de Biet. p. 335.

Pag. 64. lin. 22. poſt 1. add. An Verbena Americana fruteſcens, tencrii foliis & facie, floribus cœruleo-purpuraſcentibus ampliſſimis Breyn. pr. 2. p. 102?

Pag. 65. lin. 13. pro pentapetaloideo lege pentapetaloide.

Pag. 66. lin. 18. poſt 20. add. Autre ſorte de feves de Biet. p. 335. an pois gros & plats blancs de Bouton. p. 51?

Pag. 67. lin. 15. poſt 111. An pois gros & plats rouges de Bouton. p. 51?

Pag. 68. lin. 21. poſt 365. Lens phaſeoloides maxima Indica, caſſiæ foliis, ſemine maximo cordiformi. Breyn. pr. 2.

pr. 2. p. 63. Phaseoli novi orbis, sive fabæ purgatricis latissimæ variatio longior J. B. tom. 2. lib. 17. p. 277. An faba Indica major. Terzag. p. 68?

Pag. eadem lin. 32. post 1214. add. Calceolar. mus. p. 607. Contant. p. 1. phaseolus nigritarum Ejusd. ib. Fasol di color cinericcio. mus Mosc. p. 264. An Fasol della Guinea Ej. ib? Fabæ lobi cartilaginei Clus. Worm. p. 198? An Alia hisce affinis. Ejusd. ib? Fagivoli massimi del Brasile Legati. p. 137? phaseolus Brasilienſis. Terzag. p. 67?

Pag. 69. lin. 8. post 67. add. Basil. Besler. fasc?

Pag. 70. lin. 14. post 230. add. Worm. mus. p. 215. Tlilxochitl seu flos niger, Aracus Aromaticus Hernandez. p. 38. Balsami occidentalis vel Peruani fructus Calceolar. mus. p. 602. Banellas *of* med. Ind. la Banilla de Olivier Oexmelin. p. 70.

Pag. eadem lin. 29. post Alp. add. Worm. mus. p. 178. Voimene de Flacourt. p. 130 phaseolus ruber abrus vocatus. Calceolar. mus. p. 585. Vicia Aphricana Ejus. p. 586. Angola *Seed the lesser of* Med. Ind. Veccia Africana mus. Mosc. p. 264 Abro di Egitto. Ej p. 270. Fagivoli corallini d'Egitto. Legati. p. 138. Pisum Indicum sive abrus. Terzag. p. 68. An phaseoli alteri magis exigui coralliorum figura Brasilienses. Ej. ib?

Pag. 71. lin. 30. post 67. add. Phaseolus Indicus hirsutus, flore luteo, siliqua angusta parva hispida. Breyn. prod. 2. p. 82.

Pag. 72. lin. 4. post longa. add. premiere sorte de feves de Biet. p. 335.

Pag. eadem lin. 6. post albo add. An pois Anglois de Bouton. p. 50? feves blanches de Maire. p. 101?

Pag. eadem lin. 32. post 37. add. Worm. p. 207. Manobi Ejusd p. 208. Manobis Indorum vel fructus sub terra nascens Contant. p. 2 pistachiæ Indicæ fructus Bas. Besl. fasc. An Gernotte de Maire. p. 99?

Pag. 73. lin. 23. post. 314. add. An Vaandzou de Flacourt. p. 118?

Pag. 74. lin. 16. post 530. add. Trifolium bituminosum odoratum & inodorum Eyst.

Pag. 77. lin. 22. post 46. add. Cuscuta Americana super arbores se diffundens; cuscuta trichodes lendiginosa arboribus innascens ex Terra Mariana D. Plukenet. Raij hist. app. p. 1904.

Pag. 78.

Pag. 78. poſt 212. add. Nieuhof. p. 107. Mirand. Sin. & Europ. p. 997. de Rochef. tabl. p. 50. part. 6. Ind. or. p. 84. de Bouton. p. 61. Calceolar. Muſ. p. 612. de Flacourt. p. 119. de Biet. p. 335. Avanas de Feynes p. 101. Ananas ſive D'Annanas Mirand. Sin. & Eur. p. 1006. Nanna de Oexmelin. p. 76. Ananas Indicum Baſil. Beſler. faſc. Ananas fructus Indicus Orientalis de Bry. floril. Ananas fructus Indicus occidentalis. Swert. florileg. Ananas aliis Nana. Worm. p. 183.

Pag. 82. lin. 26. poſt 351. add. Chamæſyce Americana major floribus glomeratis, cynocrambes folio hirſuto. Breyn. pr. 2. p. 31.

Pag. eadem. lin. 32. poſt 15. add. Chamæſyce Americana major floribus glomeratis, cynocrambes folio glabro Breyn. prod. 2. p. 31.

Pag. 83. lin 38. poſt 21. add. An leontopodium Creticum aliud. Cluſ. rar. pl. hiſt. lib. 5. p. 111?

Pag. 84. lin. 25. poſt 300. add. An flammula ſive Atragene Zeylanica ſylveſtri latifoliæ ſimilis. Breyn. pr. 2. p. 46?

Pag. eadem lin. 34. poſt 3. add. Amaranthus Mexicanus cum baccis rubris. Mich. Rup. Beſler. Gaz.

Pag. 85. lin. 8. poſt 92. add. An Monophyllum Americanum circeæ foliis & facie flore albo. Breyn. pr. 2. p. 74?

Pag. eadem lin. 26. poſt 25. add. Worm. muſ. p. 158?

Pag. 86. lin. 1. dele, An Cuſcuta Americana ſuper arbores ſe diffundens; cuſcuta trichodes lendiginoſa arboribus innaſcens ex terra Mariana D. Plukenet Raij hiſt. p. 1904?

Pag. eadem lin. 27. poſt ib. add. An Lychnis hirta minor flore variegato. Dodart. Mem?

Pag. 87. lin. 31. poſt 441. add. Pourpie de France de Flacourt. p. 126, & 145.

Pag. 88. lin. 16. poſt 387. add. de Bouton. p. 48. Taicombelahe de Flacourt. p. 126.

Pag 90. lin. 29. poſt 183. add. Trifolium acetoſum flore flavo. Eyſt.

Pag. 94. lin. 4. poſt 340. add. Heliotropium Americanum minus glabrum folio anguſto glauco. Breyn. prod. 2. p. 55.

Pag. eadem lin. 28. pro homini lege hormini.

Pag. 95. lin. 15. dele, p.

Pag. eadem lin. 17. post 470. add. Mahault de Bouton. p. 68. An Ampoufoutchi de Flacourt. p. 144?

Pag. eadem lin. 20. pro polyrhizo lege polyrhizos.

Pag. 96. lin. 6. pro ribelii lege ribesii.

Pag. eadem lin. 35. post 224. add. an malva Curassavica carpini foliis latioribus Nehu Indigenis Hort. Beaum. p. 29?

Pag. 98. lin. 5. post 7. add. An Alcea Americana, abutili vel populi nigræ foliis, longius mucronatis incanis flore luteo abutili. Breyn. prod. 2. p. 10?

Pag. eadem lin. 8. lege Indicum.

Pag. eadem lin. 15. post 90. add. Calceolar. mus. p. 520?

Pag. 99. lin. 1. post 136. add. Herbe qui porte le grain musquee de Bouton. p. 57.

Pag. eadem lin. 28. post 508. add. an Souirfafa de Flacourt. p. 131?

Pag. 100. lin. 16. post. 923. add. Vojatave ou courge longue de Flacourt. p. 120.

Pag. 102. lin. 1. post 131. add. de Bouton. p. 49. Melons remplies d'une eau insipide. de Maire. p. 101. Voamanghe de Flacourt. p. 120.

Pag. 103. lin. 20. post 33. add. Balsamina sive Momordica Swert. part. 2. tab. 27.

Pag. 104. lin. 6. post 133. add. An espece de Fleur de la passion. Ejusd. tabl. p. 113?

Pag. eadem lin. 19. post 86. add. Flos passionis altheæ folio lanuginoso longiore fœtidus flore decapetalo, filamentis ex albo & purpureo colore variegatis fructu vesicario. Breyn. pr. 2. p. 48.

Pag. eadem lin. 34. post 84. add. An flos passionis trifido folio angusto, flore amplo decapetalo albo filamentis purpuro cæruleis. breyn. pr. 2. p. 47?

Pag. 105. lin. 1. post 73. add. An flos passionis trifido folio flore minimo pentapetalo viridi, fructu minimo nigro molli Breyn. pr. 2. p. 47?

Pag. eadem lin. 7. post Floride add. la schine de Bouton p. 45. Radix chinæ o raiz de Quina de Esquemeling. p. 33. China occidentalis Worm. mus. p. 153.

Pag.

Pag. eadem lin. 32. post 163. add. Worm. mus. p. 153? Sina. Nieuhof. p. 82? Mirand. Sin. & Eur. p. 834?

Pag. 108. lin. 32. post 182. add. Solanum pomiferum Americanum non spinosum lacteo flore. Raii hist. app. p. 1877?

Pag. eadem lin. 39. post 2. add. Swert.

Pag. 110. lin. 3. post 325. add. Swert. part. 2. tab. 20.

Pag. eadem lin. 27. post 67. add. Eyst.

Pag. 111. lin. penult. post 111. add. piment de Biet. p. 334.

Pag. 113. lin. 18. post 39. add. piment qui semble du corail de Biet. p. 334.

Pag. 115. lin. 23. post 132. add. autre sorte de lys. Ejusd. tabl. p. 112.

Pag. eadem lin. 31. post 133. add. p. 112.

Pag. 116. lin. 28. post 227. add. mus. Mosc. p. 289.

Pag. 117. lin. 1. post 684. add. Nieuhof. p. 84?

Pag. eadem lin. 26. post florileg. add. Swert. floril. tab. 31. fig. 3. Aloe sempervivum maximum. Ejus. ib. fig. 4. Caraguata brasilienſibus Worm. p. 193. quoad descr.

Pag. 118. lin. 18. post 228. add. Worm. mus. p. 205. Caraguata brasilienſium Ejusd. p. 193. quoad fig.

Pag. eadem lin. 36. post 58. add. An Anana de pite de Bouton. p. 62? Laffa de Flacourt. p. 140?

Pag. 119. lin. 37. post guttato add. An troisiesme sorte de lys. de Rochef. tabl. p. 112?

Pag. 120. lin. 19. pro Tserr. lege Ferr.

Pag. eadem lin. 33. post. 219. add. Lazelaze de Flacourt. p. 118.

Pag. 121. lin. 15. post 33. add. de Bry florileg. Canna Indica flore rubro Swert. part. 2. tab. 32

Pag. 128. lin. 17. post 959. add. *Juniperwood.*

Pag. eadem lin. antepenult. post 91. add. tabl. p. 29.

Pag. eadem lin. ultim. post 208. add. de Biet. p. 338?

Pag. 129. lin. 12. post 12. add. Manzanilla de Esqueme-ling. p. 34.

Pag. eadem pro illinita lege illita, pro pericutietur lege percutietur.

Pag. 130. lin. 27. post 191. add. de Bouton. p. 93.

Pag. 131. lin. 30. dele An Araticu pana Marcgr. p. 94? Pis. (ed. 1658.) p. 140? & 206? Red. esperienz. nat. p. 46? exper. nat. p. 64?

Pag. 132. lin. 20. post 82. add. tabl. p. 22, & 55. de Argensola. p. 9. & 165.

Pag. 133. lin. 32. post 1761. add. Mirand. Sin. & Eur. p. 997. Terzag. p. 65. Basil. Besl. fasc. Calceol. mus. p. 609. Worm. mus. p. 209, & 164. Voaniou de Flacourt. p. 127. palme qui produise une noix grosse apeu pres comme la teste d'un homme de Feynes. p. 114. Noce Indica mus. Mosc. p. 252 Noci d'India Legati. p. 134. Kokos. Nieuhof. p 101. Nux Indica seu coccos & palma elephantis Contant. p. 1.

Pag. 134. lin. 1. post 296. add. Bas. Besl. fasc.

Pag. eadem lin. 30 post 84. add. tabl. p. 29. mus. Mosc. p. 266. Cacaoyer de Olivier Oexmelin. p. 64.

Pag. 135. lin. 3. post 318. add. Calceolar. mus. p. 606. Worm. mus. p. 191.

Pag. eadem lin. 29. post 446. add. Alno affinis Americana, ligustri folio, fructu spicato rubro Breyn. pr. 2. p. 12. An Manghala arbor Curassavica foliis salignis Herm. par. Bat. pr. p. 351?

Pag. 137. lin. 30. post 35. add. de Rochef. tabl. p. 20?

Pag. 138. lin. 10. post 446. add. Acer minus fructu arbiculari, salicis folio Brasilianum, sive foliis & fructibus majoribus Breyn. pr. 2. p. 8.

Pag. 140. lin. 1. post 128. add. de Bouton. p. 51. Comandaguira. Marcgr. p. 62. an Varvatte de Flacourt. p. 118?

Pag. eadem. lin. 37. post verd. add. de Bouton. p. 84? de Rochef. p. 20?

Pag. eadem lin. 38. post 92. add. de Biet. p. 338?

Pag. 142. lin. 2. post 23. add. l'herbe dont on fait l'indigo de Flacourt. p. 130. Banghets Ejusd. p. 133. Sesban aniliferum Indicum, coronillæ foliis, vel Indigo Indica. Breyn. pr. 2. p. 21. Anit. de Feynes. p. 104. Indigo de Esquemeling. p. 58.

Pag. 143. lin. 39. post 151. add. de Bouton. p. 67? An bois à enyvrer. de Oexmelin. p. 74? Quinquina. Ejusd. ib?

Pag. 144 lin. 15. post 99. add. Molucco *Nuts of* med. cur. An orbicularis fructus qui tornatus videtur. Terzag. p. 68?

Pag. eadem lin. 51. post 40. add. Lobus echinodes è Brasilia. Bas. Besl. fasc. Fructus exoticus Bonduch. Calceolar.

muſ. p. 613. Bonduch. Indorum Ponæ Worm. p. 189. Ciriboa Ejuſd. p. 196. quoad. fig. Voatalalac de Flacourt. p. 138. Criſta pavonis glycyrrhizæ folio, minor, repens ſpinoſiſſima, flore luteo ſpicato minimo, ſiliqua latiſſima echinata, ſemine rotundo cinereo, lineis circularibus cincto majore. Breyn. pr. 2. p. 38. An lobus membranaceus niger. Baſ. Beſl faſc? Phaſeolus echinatus. Contant. p. 1?

Pag. 145. lin 34 poſt 95. add. Caſſier de fleur jaune Ejuſd. tabl. p. 25. Caſſe. de Feynes. p. 105. Caſſia fiſtularis vel Ægyptia ſiliqua muſ Calceolar. p. 540. Orientalis Caſſia Worm. p. 194. Caſſia fiſtula vulgaris flore luteo Breyn. pr. 2. p. 26. Caſſia lignea o canna fiſtula de Eſquemeling. p. 33.

Pag. 146. lin. 19. poſt 38. add. eſpece de caſſe qui n'eſt pas plus longue que le doigt de Biet. p. 338?

Pag. eadem lin. 29. poſt 175. add. Caſſe ſauvage de Bouton. p 84. Caſſia Americana Worm. p. 194. Caſſier de fleur violette de Rochef. p. 25.

Pag. 147. lin. 9. poſt 152. add. de Feynes. p. 16. Tamarindus Americana ſiliquis brevibus durioribus plerumque monococcis. Hort. Beaum. p. 39. Tamarindorum fructus Worm. muſ. p. 214. Siliqua Thamarindorum. Contant. p. 1. Monte de Flacourt. p. 121.

Pag. 149. lin 6. pro Malalabaris lege Malabaris.

Pag. eadem lin. eadem poſt 51. add. Chamæcaſſia anguſtifolia Indica Ejuſd. prod. 2 p. 29?

Pag. eadem lin. 23. poſt 333. add. Criſta pavonis coronillæ folio 1. ſive floribus ſpicatis ampliſſimis ex aureo & coccineo variegatis ſiliqua piſi Breyn. pr. 2. p. 47.

Pag. eadem lin. 38. poſt 66. add. An Chamæcriſta pavonis Americana mimoſæ foliis latioribus minor flore luteo parvo. Ejuſd. pr. 2. p. 29? vel An Chamæcriſta pavonis Americana mimoſæ foliis latioribus major flore aureo amplo Ejuſd. ib? Herba mimoſa ſpuria feminibus quadratis. Raij hiſt. p. 983?

Pag. 150. lin. 32. poſt 208 add. de Bouton. p. 83. Semina ex India recens allata, mali aurantii colore tingentia. Calceolar. muſ. p. 618. Achiotl ab aliis Pamaqua Changuarica eſt Urucu Marcgr. p. 179. Achiotl. muſ. Moſc. p. 267.

Pag. 152. lin. 4. post 867. add. Acaciæ fructus siliquosus. Worm. mus. p. 178.

Pag. eadem lin. 16. post 168. Vastchima Worm. mus. p. 216. quoad fig.

Pag. eadem lin. 39. post 980. add. An Mimosa Americana major, pinnis acaciæ latioribus siliqua spadicea seu fusca genistæ Breyn. pr. 2. p. 72? Herbe sensible de Bouton. p. 57?

Pag. 153. lin. 5. post 3. add. Mimosa arborescens Americana non spinosa, pinnis acaciæ latioribus inferne glaucis, flore albo Breyn. pr. 2. p. 73?

Pag. eadem lin. 17. post 981. add. Mimosa Americana pinnis acaciæ angustioribus sensu carentibus, siliquis longis angustis, semine quadrangulari Breyn. pr. 2. p. 72.

Pag. 155. lin. 12. post 396. add. de Oexmelin. p. 73. Thiouts de Flacourt. p. 122. Arbre qui pousse quelques unes de leurs racines dans la mer, &c. de Rochef. tabl. p. 110.

Pag. 156. lin. 32. post. 99. add. de Bouton. p. 80.

Pag. eadem lin. 33. post 147. add. de Rochef. tabl. p 62.

Pag. 157. lin. 28. post 133. add. Bombycinus fructus. Worm. mus. p. 189. Gossipii fructus Contant. p. 2.

Pag. 158. lin. 6. post 726. add. de Marini p. 58? de Feynes p. 204?

Pag. eadem lin. 20. post 25. add. Mirand. Sin. & Eur. p. 880? Arbor Gossypifera Nieuhof. p. 86? Herba Gossipifera. Ej. ib?

Pag. 159. lin. 21. post 155. add. Fromagier de Rochef. tabl. p. 19.

Pag. 160. lin. 12. post 347. add. An Arbor lanifera ex insula Java Bas. Besler. fasc? Tomentum quoddam subtilissimum Kapoc vocatum Worm. p. 205? Gossipium alterum Contant. p. 2? Arbre d'une grosseur prodigieuse qui à cecy de Merveilleus, &c. de Rochef. tabl. p. 108? El mapou de Esquemeling. p. 33?

Pag. 161. lin. post 126. add. Swert. florileg. part. 2. tab. 43. fig. 4.

Pag. eadem lin. 11. pro lanifolia lege latifolia.

Pag. 166. lin. 12. post 461. add. Calceolar. mus. p. 571. Canella alba quam alii costum Arabicum vocant. Worm.

muſ. p. 176. Canella alba novi orbis. Contant. p. 2. Canella bianca muſ. Moſc. p. 280.

Pag. eadem. lin. 31. poſt 98. add. tabl. p. 26. an Fimpi. de Flacourt. p. 131?

Pag. 171. lin. 37. pro ſylveſtes lege ſylveſtres.

Pag. 172. lin. 18. poſt 368. add. An Izipo Duran. p. 105? Voachits de Flacourt. p. 128?

Pag. eadem lin. 32. poſt 4. add. An Cormier de Rochef. p. 77? Ceriſier. Ejuſ. tabl. p. 17?

Pag. 174. lin. 25. poſt 100. add. de Maire. p. 84.

Pag. eadem lin. 30. poſt 37. add. de Feynes. p. 26, 77, & 141.

Pag. 176. lin. 9. poſt deſc. add. palma vinum proferens. Ind. or. part. 6. p. 85. Palmier de Maire. p. 102.

Pag. eadem lin. 30. poſt Oviedo add. Palmiſte de Bouton. p. 47. de Rochef. tabl. p. 17. Palmite de Flacourt. p. 128. Palmas dactyliferas y francas de Eſquemeling p. 26.

Pag. eadem lin. 31. poſt 78. add. de Oexmelin. p. 71.

Pag. 177. lin. 25. poſt 81. add. Autre ſorte de palmiſte Ejuſd. tabl. p. 18? palma à chapelet, o para roſarios de Eſquemeling. p. 30?

Pag. 178. lin. 6. poſt 77. add. tabl. p. 19, & 55. de Oexmelin. p. 71. de Bouton. p. 65. Hairi fructus Contant. p. 1. palma eſpinoſa de Eſquemeling. p. 28. An palma vinoſa. Ejuſd. p. 29?

Pag. eadem lin. 38. poſt 81. add. tabl. p. 22. de Eſquemeling. p. 26.

Pag. 179. lin. 5. poſt 266. add. an palmiſtes de Bouton. p. 32?

Pag. eadem lin. 15. poſt 1672. add. Worm. muſ. p. 229. Terzag. p. 123. An Rhaa de Flacourt. p. 135? Mafoutra ou Voa foutra Ejuſd. p. 136? Sangue di Drago. muſ. Moſc. p. 294.

Pag. 180. lin. 9. poſt 1529. add. Mamains de Bouton. p. 63. An fructus reticulato corio. Baſil. Beſler. faſc? eſpecie de Albericoques de Eſquemeling. p. 30? Abricotier de Oexmelin. p. 63?

Pag. 181. lin. 11. poſt 23. add. Terzag. p. 68. Avellana Indica Calceolar muſ. p. 599. Contant. p. 1. Balſami fructus Peruvianus. Ejuſd. ib.

Pag.

Pag. eadem lin. 18. post 101. dele An Avellanæ Indicæ tertium genus Math. fig. maj. p. 282? Lugd. p. 767?

Pag 182. lin. 10. post. 78. add. An prunes de jaunes d'œuf. de Biet. p. 337?

Pag. eadem. lin. 16. post 36. add. Ycaos de Esquemeling. p. 34.

Pag. eadem lin. 32. post 75. add. tabl. p. 16. prunes de Monbin. de Biet. p. 337.

Pag. eadem lin. ult. post 124. add. de Esquemeling. p. 32. Acajou de Bois de Bouton. p. 65. cedres de Rochef. tabl. p 21. Acajou de Oexmelin. p. 72.

Pag. 183. lin. 34. post sylvestris dele punctum.

Pag. 184. lin. 10. post 71. add. tabl. p. 15.

Pag. eadem lin. 37. post 597. add. Contant. p. 1.

Pag. 185. lin. 9. post 100. add. Savonettes de Bouton. p. 66. globuli saponarii Worm. mus. p. 203.

Pag 186. lin. 4. post 27. add. An Abelcoses de Esquemeling. p. 35?

Pag. eadem lin. 19. post 63. add. Worm. mus. p. 170, & 177.

Pag. eadem lin. 24. post 203. add. de Bouton. p. 45. Guajaci arbor Calceolar. mus. p. 584, & 630. Guajacum Contant. p. 1, 2, & 3. Terzag. p. 124. lignum sanctum & lignum sanctum album. Ejusd. p. 137. Guajacan mus. Mosc. p. 262, & 293. Lignum Guajacum o palo santo de Esquemeling. p. 33.

Pag 187. lin. 22. post 72. add. tabl. p. 15. Worm. mus. p. 192. Contant. p. 1. de Biet. p 137.

Pag. eadem lin. 30. post 24. add. Calceolar. mus. p. 606. mus. Mosc. p. 258. Basil. Besl. fasc. Acajous de Jardin. de Bouton. p. 60.

Pag. 189. lin. 4. post 75. add. An arbores in unam coalescentes Duran. p. 92? Millepieds de Rochef. tabl. p. 25, & 114?

Pag. 191. lin. 16. post 130. add. de Argensola. p. 9.

Pag. eadem lin. 18. post 219. add. de Esquemeling. p. 56.

Pag. eadem lin. eadem post Bananes add. de Flacourt. p. 119. de Maire. p. 101.

Pag. eadem lin. 27. post 107. add. tabl. p. 49. de Bouton. p. 62. de Biet. p. 336. de Oexmeling. p. 63.

Pag.

Pag. eadem lin. 38. poſt 352. add. Wom. p. 163. Contant. p. 1. Nieuhof. p. 107. Mirand. Sin. & Eur. p. 997, & 1009.

Pag. 192. lin. 30. poſt 84. add. ficus Indica. Ejuſd. p. 83. Figuiers ayants la fueille envirou trois aulnes de long. de Feynes. p. 111.

Pag. 193. lin. 3. poſt 67. add. Figuiers de Bouton. p. 63. de Biet. p. 336. Figuier le moindre de Feynes. p. 112. An Bacoves ou figuiers d'Inde de Rochef tabl. p. 49? Muſa rubra. Nieuhof. p. 91? Mirand. Sin. & Eur. p. 97 ?

Pag. 194. lin. 8. poſt 292. add. An ficus Indica major. Worm. muſ. p. 148?

Pag. 196. lin. 2. poſt 1466. add. Opuntia foliis longiſſimis triangularibus profunde canaliculatis & ad angulos ſolum ſpinis ſtellatim diſpoſitis armatis. Ejuſd. hiſt. app. p. 1917.

Pag. 197. lin. 25. poſt 126. add. Add. An cereus alter ſpinis crebrioribus horridus. Raii hiſt. p. 1888? An ficoides ſeu ficus Americana ſpinoſior & anguloſior Herman. Cat. p. 256? Cereus erectus Curaſſavicus maximus fructu ſpinoſo rubro Ejuſd. par. Bat. pr. p. 321?

Pag. 198. lin. 6. poſt 24. add. Contant. p. 2.

Pag. 199. lin. 17. poſt 64. add. tabl. p. 13. Goujanes de Bouton. p. 63.

Pag. 200. lin. 22. poſt 31. add. Goyavier. Rochef. tabl. p. 13.

Pag. eadem lin. antepenult. poſt 182. add. Goyavier ſauvage. de Rochef. tabl. p. 21.

Pag. 201. lin. 21. poſt 63. add. tabl. p. 13. de Bouton. p. 59.

Pag. eadem lin. 31. poſt 22. add. Swert. part. 2. tab. 40. f. 1. Malus punica flore ſimplici. Eyſt Granatum. Worm. muſ. p. 177. Malogranatum Mirand. Sin. & Eur. p. 1021. Mala granata ſive punica. Nieuhof. p. 103. Voa Romani de Flacourt. p. 124.

Pag. 202. lin. 9. poſt 1172. add. de Bouton. p. 63. papaye de Biet. p. 338. papayer de Rochef. tabl. p. 14. de Oexmelin. p. 64.

Pag. 203. lin. antepenult. poſt 219. add. Legati. p 137. Momin ou Mamin. de Rochef. tabl. p. 14. Pommes de Mamin, de Biet, p. 137.

Pag.

Pag. 204. lin. 7. post 31. add. Worm. mus. p. 186.

Pag. eadem lin. 16. post Lici. add. Mirand. Sin. & Eur. p. 1003? Lichi Nieuhof. p. 104?

Pag. eadem lin. penult. post pug. add. Worm. mus. p. 186. Cachimens de Bouton. p. 63.

Pag. 205. lin. 17. post 31. add. An Guyanæ fructus squamosus forma trochi. Bas. Besl. fasc?

Pag. eadem. lin. 29. post 64. add. Worm. mus. p. 187.

Pag. 206. lin. 10. post 45. add. An las Caremitas de Esquemeling. p. 30?

Pag. 207. lin. 27. post 1092. add. Arbre qui porte les Calebasses de Bouton. p. 66. Cohine fructus Contant. p. 1. Maraccas fructus Ej. ib. Virginiensis Macoqwer Terzag. p. 68.

Pag. 208. lin. 19. post 9. add. de Maire. p. 34. de Marini. p. 57.

Pag. eadem lin. 25. post Citroniers add. de Oexmelin. p. 63. de Bouton. p. 59. Rochef. tabl. p. 13. Voasara de Flacourt. p. 125. Malum Citrium mirand. Sin. & Eur. p. 979. Cidras de Argensola. p. 165. de Esquemeling. p. 25.

Pag. 209. lin. 6. post 1505. add. Eyst.

Pag. eadem lin. 29. post 801. add. de Marini. p. 57.

Pag. eadem lin. 36. post 15. add. de Argensola. p. 9, & 165. de Esquemeling. p. 25. Citrons communs de Flacourt. p. 125. Limonia Mirand. Sin. & Eur p. 1019.

Pag. 210. lin. 7. post 174. add. de Bouton. p. 59.

Pag eadem lin. 34. post 104. add. de Marini p. 57. de Maire p. 34.

Pag. 211. lin. 5. post 144. add. Mirand. Sin. & Eur. p. 1019. Aurea mala Nieuhof. p. 103. Voangha de Flacourt. p 125. Naranjos de Argensola. p. 9, & 165. de Esquemeling. p. 25.

Pag. eadem lin. eadem post 346. add. Swert. part. 2. tab. 40. fig. 2.

Pag. eadem lin. 11. post 24. add. Eyst.

Pag. eadem lin. 14. post 63. add. de Bouton. p. 59. Rochef. tabl. p. 13. de Oexmelin. p. 63.

Pag. eadem lin. 38 post 174. add. de Bouton. p. 59.

Pag. 212. lin. 9. post 1507. add. Voasecats de Flacourt. p. 125. Limas de Esquemeling. p. 25.

Pag. eadem lin. 26. post 67. add. Venku Nieuhof, p. 102. Vencu Mirand. Sin, & Eur. p. 997.

Pag.

Pag. 213. lin. 7. poſt 1147. add. lignum Campuccium. Terzag. p. 137.

Pag. eadem lin. 19. poſt 688. add. An Cytiſo quodammodo affinis arbor quadrifolia ſpinoſa Americana, flore luteo odorato, ſiliqua plana membranacea, admodum compreſſa per medium planitierum ſecundum longitudinem (ſerræ leguminoſæ in morem) ſeſe aperiente. Breyn. pr. 2. p. 40?

Pag. eadem lin. 29. poſt 649. add. Worm. muſ. p. 171? Breſilett. de Biet. p. 338? de Eſquemeling. p. 33?

Pag. 214. lin. 24. poſt 1550. add. Comarum aut Baruce fructus peregrinus Cluſ. Contant. p. 1.

Pag. 215. lin. 6. poſt 102. add. An fructus exoticus ſtramoniæ ſimilis Baſ. Beſl. faſc?

Pag. eadem lin. 12. poſt 29. add. Anima ex nova Hiſpania Calceolar. muſ. p. 625. An Jeticacica Marcgr. p. 101? Jetaicica Piſ. (Ed. 1648.) p. 60. Jetica-cica. Ejuſd. (Ed. 1658.) p. 123? Balſamum animæ. Worm. muſ. p. 224? Anime flavum vel luteum Contant. p. 3? Anime Indicum Hernandez. p. 47? El arbol que deſtilla gomma Elemnis de Eſquemeling. p. 33? Thus Mexicanum. Terzag. p. 122?

INDEX.

INDEX.

A.

ABanga. 176.
Abaramo-temo. 152.
Abelcoſes. 229.
Abel moſch. 98.
Aberas. 79.
Abricotier. 228.
Abrotonoides planta ſaxea. 2.
Abruin. 28.
Abrus. 70, 221.
Abſi congener, &c. 73.
Abuhaniſa Arabum. 52.
Abutilon ejuſque ſpecies. 97.
Abutilon Indicum flore luteo Breyn. 98.
Abutilo affinis arbor, &c. 97.
Acacia ejuſque ſpecies. 151, 152. glorioſa, &c. 144. Indica. 147. Americana non ſpinoſa, &c. 152. Americana ſiliquis longiſſimis, &c. 153. non ſpinoſa minor è Quaracau, &c. ib. herba, ib.
Acaciæ fructus ſiliquoſus. 227. quodammodo accedens, &c. 153.
Acaja. 182. Jonſt. 188.
Acajou. 187. de Oexmelin, 229. rouge. 182. de Jardin. 229. de bois. ib.
Acapatli. 148.
Acaricoba. 93.
Acaxaxa. 115.
Acayou. 187.
Acer ejuſque ſpecies. 137, 138. minus fructu orbiculari, &c. 225.
Aceri vel paliuro affinis ejuſque ſpecies. 138.
Aceris fructu herba, &c. 83.
Acetoſa Braſilienſis, &c. 99.
Achiote vel Achiotl. 150, 226.
Acuba. 206.
Acucu. 157.
Adiantum aphyllon minus, 31. Barbadenſe auriculatum, 21. Calomelanos Americanum, &c. 20. fruticoſum Bermudenſe, &c. 23. maritimum ſegmentis anguſtioribus. 17. Muſcoſum lichenis petræi facie. 17. Nigro ſimile albiſſimo pulvere conſperſum. Plum. 20. nigrum Americanum pulvere candidiſſimo aſperſum. Br. 20. nigrum non ramoſum e-

juſque ſpecies. 21, 22. nigrum ramoſum ejuſque ſpecies. 22, 23. nigrum ou capilli Veneris. de Flac. 218. ramoſum foliis trapeziis dentatis Plum. 21. ramoſum radiatum. Ejuſd. 22. Saxoſum floridum. 14. ſeu polytrichum aureum ejuſque ſpecies. 12, 13.
Admirabilis, &c. 91.
Ady. 176.
Æſchynomene mitis, &c. ejuſque ſpecies. 152, 153.
Ages. 53.
Agnacath. 185.
Agnir. 142.
Agouty-treva. 205.
Agrifolium folio tenuiore, &c. 173.
Agrimonia lappacea, &c. 92.
Aguacate. 185.
Aguapam. 130.
Aguape. 120.
Aguara ciunha-acu. 94.
Aguara quinha. ib.
Aguara quyia. 107.
Aguaxima 45.
Ahate. 205.
Ahvacaquahuitl. 185.
Ajes de Ovied. 46.
Airy. 177.
Ajuratibira. 150.
Aizoi aquatici facie exotica, &c. 79.
Aizoi majoris ortu perſimilis, &c. 78.
Alas. 46.
Alberi altri che producevano un frutto ſimile al fico, &c. 188. di legno aloe. 137. nelle cime, &c. 159.
Albericoques. 229.
Alcea ejuſque ſpecies. 97, 98, 99. Americana abutili vel populi nigræ foliis. 223. Indiæ orient. &c. 96. Malabarica, ib. Pharanambucana, &c. ib.
Alcyonium ejuſque ſpecies. 6, 7.
Alegria. 59.
Alga ejuſque ſpecies. 5. aquatilis capillacea. 11.
Algodon. 157.
Alicunde. 159.
Aliſma Cord. 75.
Alkekengi Virginenſe, &c. 110.
Allaguey. 118.
Alleygator *Pear-tree*. 186.
Alleygator *Wood*. 137.
Alloes *of the* Chingulayes. 46.
All-ſpice. 162.
Almonds *of* Cacao. 134. *their Money*. 135.
Alni folio, &c. 128. fructu ejuſque ſpecies. 135.
Alno Similis, &c. 135. affinis Americana, &c. 225.
Alnus maritima, &c. 135.
Aloe ejuſque ſpecies. 115, 116, 117, 118, 119, 224.
Alſine Americana, &c. 87. aquis innatans, &c. 74.
Alſinefolia per terram ſparſa, &c. 122.
Alſini affinis, &c. 87.
Althæa ejuſque ſpecies. 96, 97. Ægyptia villoſa. 99. arboreſcens Americana, &c. 98. Braſiliana humilis,

lis, &c. Indica gossypii folio, &c. 99. Indica parvo flore, &c. C. B. 98.
Alvacatas. 185.
Alypum, &c. 124.
Amanitæ. 8.
Amarantho affinis aizoides, &c. 48.
Amaranthoides ejusque species. ib.
Amaranti semine & facie Americana, &c. 84.
Amarantus ejusque species. 48, 49. baccifer Indicus, &c. 84. Indicus spinosus. 49. Mexicanus, &c. 222.
Ambaigtinga. 39.
Amba-papaia. 203.
Ambayba. 45.
Ambel. 120.
Ambrosia, &c. 38.
Amenduinas. 72.
Ameni-jou. 157.
Ameri. 142.
Amolago. 44.
Amomum. 161. Plin. 108.
Amoniyou. 156.
Amotes. 53.
Ampembe. 218.
Ampou Foutchi. 223.
Amusa. 191.
Amygdalus pecuniaria, &c. 134. sexta, &c. C. B. 135.
Anacardii alia species. 187.
Anacardium occidentale. ib.
Anagallis, &c. 87.
Anagyris Indica, &c. 139.
Anana chicariti. 178.
Anana de pite. 224.
Ananas. 77, 222.
Anato. 150.
Anchic. 72.
Anchove *Pear*. 179.
Andimalleri. 91.
Andira-Ibairiba. 135.
Andrachne. 87.
Andryala minor. 122.
Angelin. 135.
Angull-alloes. 47.
Anguria, &c. 101.
Anhuiba-miri. 162.
Anile. 141.
Anil Guadalupensis. ib.
Anima ex nova Hispania. 232.
Anime, &c. 215, 232.
Aninga-iba. 63.
Aninga-peri. 165.
Anir. 141.
Anit. 225.
Annotto. 150.
Anona ejusque species. 203, 204, 205, 206.
Anonis ejusque species. 74, 75.
Anonyma 102. Hernandez. 91.
Antholisthos convolvulaceus, &c. 55.
Antirrhinum, &c. 59.
Aparine, &c. 50.
Aparines folio anomala, &c. ib.
Aphioscorodon seu, &c. 205.
Apichu. 54.
Apocynum ejusque species. 89.
Apocyno affine gelseminum, &c. 90, 216.
Appariturers. 155.
Apples Adams. 190. *Venemous*. 129. *very fair and red*,

red, &c. ib. mancinell. ib.
Aquiry. 2.
Araboutan. 214.
Araca-gaucu. 200.
Araca-iba. ib.
Araca-miri. 201.
Arachidna, &c. 72. phaseolodes, &c. 73.
Aracus aromaticus. 221. ἄρον, &c. 52. Indicus sive Africanus. Park. 70.
Aranci. 211.
Arangia. ib.
Arantia. ib.
Arata coup. 203.
Araticu. ib.
Araticu-ape. 204.
Araticu-do mato. 205.
Araticu-pana. 205, 224.
Araticu panania. 205.
Araticu-ponhe. 204.
Arberi della grandezza di pomari, &c. 129.
Arbol con que se sueldan las quebraduras, &c. 195. que destilla gommi elemnis. 232. de las cuentas del Jabon. 184. de los Hicacos. 182. que echa liga con que toman paxaros, &c. 136. que en estas partes tiene por tharay. 152.
Arboles como granados, &c. 165.
Arbor admiranda 7ª. seu foraminulenta, &c. 160. alia pomifera perimens. 129. Americana malabathri subrotundis foliis, &c. 164. Americana morisolia, &c. 135. Americana resinosa, &c. 167. Americana salicis folio, &c. 138. Americana trifoliata, &c. 205. Aphricana, &c. 179. Brasiliana foliis salicis, &c. 156. Brasiliensis nucifera. 135. baccifera laurifolia aromatica, &c. 167. baccifera flore luteo, &c. 170. baccifera ejusque species. 172. baccifera exotica 2ª. &c. 183. cujus cortices cannabes usum præstant, &c. 95. cujus folia vibices elevant, &c. 129. cujus succus perimit. ib. corallii. 143. canoarum sive navicularum, &c. 160. Chiapæ fructum ferens, &c. 161. cujus cortex gingiber emulatur. 166. crepitans. 185, 214. cucurbitifera ejusque species. 206, 207, 208. cucurbitifera ficus nigritarum. 202. cucurbitea. 206. dulcium pomorum sed noxiorum ferax. 129. exotica spinosa foliis lentisci. C. B. 144. & frutex Americanus 3ᵘˢ, &c. Jonst. 166. ex qua liquor manat oleaceus, &c. 167. exotica fructu dactylis simili. C. B. 176. Fabifera 1ª, &c. Bont. 143. finium regundorum. 150. forte prunifera, &c. 184. foliis amplissimis, &c. 192. gummi fundens quod pannos, &c. 128. Guianæ Pira-

Piratiminere, &c. 213. Gossipifera, &c. 227. innominata venenata 2ª, &c. Jonst. 42. innominata venenata 3ª. Ejusd. 143. ignea. 154. in mare genita, &c. 155. Jucaie. Jonst. 166. Jamaicensis densiori tiliæ folio, &c. 170. Indica juglandi similis 1ª, &c. C. B. 180. Indica juglandi similis 5ª, &c. 181. innominata Marcgr. lib. 3. cap 9. 182. insulæ Tabaco, &c. 183. insulæ Maragnanæ 4ª, &c. 188. Indica fructu cucurbitæ forma, &c. 207. lauri foliis qualitate caustica, &c 111. lanigera, &c. 159. lanifera ex insula Java. 227. Mexiocana fructu castaneæ, &c. 151. moro major Gossampium generans. 159. materie bené olente, &c. 183. maxima forte prunifera, &c. 184. Mistecæ provinciæ, &c. 184. materie nobilis 7ª, &c. 213. mali persicæ foliis ejusque species. 180. Nociva. 129. ostreifera. 156. piperifera, &c. 44. pomifera exotica 4ª, &c. 185. poma pariens urinam, &c. 193. quæ tenacissimum viscum fundit, &c. 136. quam Barbari maximi faciunt, &c. 143. quæ cassiam sylvestrem producit. 146. quædam quæ uvas agrestes, &c. 183. quercisormis butyraceo fructu. 185. quædam peregrina, &c. 213. quæ fructus fert admodum grandes, &c. 207. quæ vel Brasiliensem rubedine superat. 213. roseo odore. 137. racemosa Brasiliana foliis malabathri. 164. spinosa Indica muricatis siliquis. 144. Siliquosa Malabarica foliis bifidis, &c. 150. siliquosa Brasilienss, &c. 153. trifolia Indica. 139. tinctoria, &c. 175. ulmos æquans, &c. 206. Venenata 7ª, &c. 63. Venenata 3ª, &c. 43. Venenata 4ª, &c. 130. vasta & patula. 159.

Arbore di S. Tomaso. 150. grandissimo, &c. 159.

Arbores quibus versicolor est materies. 155. ex quibus vellera, &c. 159. quibus ædiculæ superstruuntur. ib. vastissimæ. ib. magnæ. 160. proceræ quæ fructus ferunt instar prunorum, &c. 181. in unum coalescentes. 229.

Arbori venenosi, &c. 130. Brasilianæ affinis, &c. 214.

Arboris folium ex America. 180.

Arbre à enyvrer les poissons. 143. du quel la liqueur etant scarifie est venin. 41. d'esquine. 105. d'aloe. 116. dont procede la glus, &c. 136. laiteux. ib. portant fruit de la grosseur d'une

esteuf, &c. 129. porte laine. 158. portevin. 133. qui à une amitie secrette avec le soleil, &c. 147. ayants les troncs en ovalles. 159. de la grosseur de nos arbres à glan, &c. 175. de gayac. 186. d'une grosseur prodigieuse. 227. lequel porte les fueilles semblables à nos figuiers. 202. ou croissoit du poivre. 161. ou les pigeons nichent, &c. 166. prope à faire des canots. 159. qui porte les savonettes. 185. qui porte les calebasses, &c. 231. qui pousse quelques unes de leurs racines dans la mer, &c. 227.

Arbrisseau coralline. 41. portant le fruit resemblant à nos neffles, &c. 129. qui porte des petites cerises. 173. tresbeau ayant les fueilles approchantes à celles de laurier, &c. 129.

Arbuscula Barbad. amplexicaulis triphilla, &c. 111. Coralloides. 2. spongiosa. 6. viscosa æleagai foliis, &c. 138.

Arisarum fluitans pene nudo, &c. 45.

Aristolochia, &c. 60.

Armeria, &c. 86.

Arnoglossa. 83.

Arnotto, 151.

Arrow Head. 176.

Arrow Poyson. 129.

Arrow Root. 122.

Artemisia ejusque species. 127.

Arum ejusque species. 61, 62, 63. moschatum, &c. 45.

Arundinacea pinnata, &c. spinosa, &c. 196.

Arundo ejusque species. 31, 32, 33. Indica. 121. florida. ib. Saccharina. 218.

Ascopo. 166.

Aspalatho affinis, &c. 150.

Aspalathus arboreus, &c. 140.

Asparagus, &c. 114, 115.

Assitra, &c. 150.

Aster ejusque species. 124.

Astroites Ind. 217. lapis. 2. undulatus & stellatus 217.

Asureus convolvulus. 56.

Atamaram. 205.

Athragene. 84.

Atitara. 178.

Atragene. 84. Zeylanica, &c. 222.

Atriplex sylvestris, &c. 49, 50.

Atty-meer-alou. 189.

Avanacoe. 39.

Avanas. 222.

Avaramo-temo. 152.

Avaty. 26.

Avellana Indica, &c. 181, 228. Mexicana. 135. Purgatrix. 40. quadrifida. 41.

Avenca. 21. minor Marcgr. 20.

Avocada *Pear-tree.* 186.

Avocottes. 185.

Aurantia malus ejusque species. 210, 211, 212.

Aurea mala. 109, 231.

Auricula leporis ejusque spespecis. 92, 93.

INDEX.

Auzuba. 206.
Axi ejuſque ſpecies. 111, 112, 113, 114.
Axixpatlis, &c. 124.
Ayard. 143.
Ayauw. ib.
Aypi. 43.
Ayri. 177.
Azucar. 218.
Azul. 141.

B.

BAccifera arbor calyculata ejuſque ſpecies. 165, 166, 167. fruticoſa flore luteo pentapetaloide, &c. 170. Indica racemoſa, &c. 163. Indica trifolia, &c. 170. racemoſa fruticoſa, &c. ib. trifolia racemoſa, &c. ib.
Bacoba. 191, 192.
Bacoves. 230.
Bajoue. 191.
Bala. 192.
Balam-pulli. 147.
Balancia. 102.
Balauſtia. 201.
Baliſiers grands. 193.
Baliſiers petits. 121.
Balſami fructus, &c. 181, 221, 228.
Balſamina altera Indica repens, &c. 104. cucumerina, &c. 103. ſive momordica. 223.
Balſamo. 167.
Balſam-tree. 168.
Balſamum animæ. 232.
Bambagia, 156,
Bamia. 98. Ægyptiaca. ib. muſchata. 99.
Banam. 192.
Bananas. 191.
Banghets. 225.
Banillas. 70, 221.
Bara-mareca. 68.
Barbado Seeds. 218.
Barbaſco. 143.
Barba-ſilvana. 75, 76.
A Fruit much like Barberries, &c. 112.
Barbato moſco arboreo. 10.
Barks of Trees of which they make Nets to lie on. 95.
Baruce. 214, 232.
Baſill. 65.
Batatas. 53. 2'9. *Red.* 54.
Batates. 220.
Batatis affinis Inhame. 47.
Batiec. 101.
Baume. 167.
Baxanæ arbori ſimilis, &c. 131.
Baygua. 143.
Bays *of* Florida. 162.
Bean *great.* 66. *red ſpotted.* 67. *horſe.* 68. *horſe eye.* 69. *Sea.* 70. Guiney. 71. *Tree.* 143.
Beard *Old mans.* 77.
Bedengian. 109.
Beets *of* Florida, &c. 62.
Belengene. 109.
Belingela. ib.
Beli-tſira. 82.
Bella-donna. 118.
Bell *Pepper.* 114.
Belly-ach Weed. 103.
Belmuſcus. 99.
Belutta-kaka-kodi, 89.

Belutta-

INDEX.

Belutta-modela-manjen. 48.
Belutta-modela-muccu. ib.
Bena-patſia. 94.
Ben magnum. 40.
Berberis fructu arbor, &c. ejuſque ſpecies. 170.
Betonica coronaria, &c. 86.
Betula arbor Americana, &c. 167.
Betys vel Betre. 44.
Bexugo del Peru. 84.
Bichy *Tree*. 154.
Bidens foliis tripartito diviſis. 126.
Bihaos. 179.
Biraba. 204.
Birch-tree. 167.
Bird Pepper. 112.
Biriba. 204.
Bixa. 150.
Bled Sarrazin. 26. de Turquie. 218.
Bletti. 49.
Blitum ejuſque ſpecies. 49. atriplex dictum, &c. Comm. 40. 4^um^. Trag. ib.
Sea Blobber. 7.
Boar-tree. 167.
Boa-ſtinking. 143.
Bobora. 101.
Bois comme l'ebene. 140. de Canelle. 166. de fer. 137. de Gayac. 186. d'Inde. 162 de Sandal. 137. de ſenteur de roſes. ib. epineux jaune. 138. epineux premier. 139. jaune, &c. 128. verd. 140. à enyvrer. 225.
Boleti. 8.
Bombaſin cotton. 157.
Bombaſo. ib.
Bombax. 158.
Bombicinus fructus. 227.
Bonanas. 190, 192.
Bonaviſt. 67.
Bonduch 154, 225, 226.
Bouix. 129.
Brainſtones. 2.
Braſilienſis ſiliquoſa ſiliquis varie intortis. 152.
Braſilium Hiſpanorum. 213.
Braſſica Braſiliana, &c 62. marina, &c. 57.
Braziletto. 213.
Bread *made of Roots*, &c. 43.
Bredos. 49.
Breſilett. 232.
Broad leaf Tree. 184.
Broom. 140.
Bryon. 10. quoddam in parietibus ac tegulis naſcens. 12. thalaſſion. 5. Theophr. ib.
Bryonia ejuſque ſpecies. 106.
Bryonoides, &c. ib.
Buenas noches. 220.
Bugia. 129.
Bull-ruſh. 37.
Bully-tree. 206.
Bupleurum ejuſque ſpecies. 92, 93.
Bupreſtis. 92.
Burton-tree. 135.
Buxi folio arbor ejuſque ſpecies. 171.

C.

CAachira. 142.
Caacica. 82.
Caaghiyuyo.

Caaghiyuyo. 165.
Caaguacuiba. 184.
Caapeba. 85.
Caapomonga 3ª. 73.
Caaponga 1ª. 48.
Caba. 100.
Cabbage-Tree. 176.
Cabritta. 90.
Cabui-iba. 167.
Cabureiba. ib.
Cabuya. 118.
Cacabiche. 53.
Cacahuitzpatli de Acatlan. 71.
Cacanquahuitl. 160.
Cacao. 134. affinis, &c. 135.
Cacaoyer. 225.
Cacau. 134.
Cacava-quahuitl. 134.
Cacavate. ib.
Cacaus. 134.
Cachimas epineux 205. franc. 204. ſauvage. 205.
Cachimens. 231.
Cahajaba. 196.
Cajan. 140.
Cajana. 82.
Indian Caile. 62.
Cajoua. ib.
Cajous. 187.
Cajuri. 175.
Cajus. 187.
Cakile Serap. 81.
Calabaſſe. 207.
Calamus Indicus. 31. Peruvianus, &c. 196.
Calavances. 71, 72.
Calebaſſes ſi grandes, &c. 100.
Calibaſh. 207.
Callitrichon. 12.
Camanbaya Braſil. 77.
Camapu. 110.
Camara ejuſque ſpecies. 163.
Camaranbaya. 85.
Camaru. 110.
Cambares. 219.
Camolonga. 102.
Camotes. 53.
Campana laſura. 56.
Campanula cœrulea. 220.
Campeche-wood. 213.
Candela Indica ejuſque ſpecies. 156.
Dumb Cane. 63.
Canes *of which a Jangarie was made.* 45.
Caneficier. 145.
Canella, &c. 166. alba novi orbis. 227. biancha. 228.
Caninga. 166
Cannabina aquatica. 126.
Cannabis ſpecies. 118.
Cannacorus. 121.
Canna fiſtola. 145, 226 fiſtola ſalvaje. 146. ſaccharina. 218. Indica flore rubro. 224. Indica ejuſque ſpecies. 121, 122. ad ripas fluminis Caurwo, &c. 63.
Cannas de la yſla Eſpanola. 32.
Cannes de ſucre. 31. à miel. ib.
Capecatinga. 35.
Capii puba. 33.
Capo-molago. 113.
Capoquier. 159.
Capparis. 90.
Capſicum ſive piper Indicum 11um. Tomates. 109. ſive piper Indicum ejuſ-

que ſpecies. 111, 112, 113, 114.
Caput auræ. 181. Monachi. 110.
Capuupuba. 33.
Cara. 46.
Caraguata ejuſque ſpecies. 116, 117, 118, 119, 224.
Carainambi. 47.
Caranaiba. 178.
Carana uve. ib.
Carandas. 147.
Carapucu. 8.
Cararu. 49.
Caravala. 119.
Cara-veela. 80.
Carcamoras, &c. 173.
Cardamine. 80.
Cardamomum Braſilianum., &c. 220. Arab. ejuſque ſpecies. 113. minus, &c. 61.
Cardones o Tunales. 193, 194, 195, 196.
Cardos. 193. altos. 196.
Caretti. 145.
Carduus Braſil. 79. chryſanthemus Peruvianus. 81. longiſſimis & acutiſſimis ſpinis armatus 177. pitahaya fructum ferens. 196. exoticus 3^us, &c. ib. Stellatus 5^us, &c. ib. Mon. 197.
Caremitas. 231.
Caribe. 111.
Carobiis ſimilis Adv. 146.
Carow. 118.
Carriman. 215.
Carrizas. 32.
Caryoces. 176.
Caryophyllata. 99.
Caryophyllus Barbatus, &c. 86. Spurius inodorus, &c. 186. aromaticus Americanus, &c. 161. folio & fructu rotundo. 162.
Caſca amargoſa. 207.
Caſhew. 188.
Caſſada, *wild.* 41.
Caſſade. ib.
Caſſana. 42.
Caſſathoe. 43.
Caſſavi. 42, 219.
Caſſia fiſtula ejuſque ſpecies. 145. ſolutiva. ib. Ægyptia, &c. 146. nigra. ib. *purging.* ib. Americana fabacea. ib. Braſiliana. ib. *horſe.* ib. Americana. 226. lignea Jamaicenſis, &c. 166. lignea. 226. orientalis. 226.
Caſſe. 220. ſauvage. ib.
Caſſier de fleur jaune & violette. 226.
Caſtanea purgatrix. 41.
Cataputia major. 31.
Caterpillars. 49.
Catevala. 116.
Caticaa. 18.
Cattu-gaſturi. 99.
Cavara-pullu. 33.
Caxabu. 197.
Cayemites. 206.
Caymito. ib.
Cayolizan. 163.
Cazabi. 42.
Cececpatlis Acatlinenſis. 71.
Cedar-tree. 183. baſtard. 135.
Cedre. 128, 183, 229.
Cedri albæ rubræque. ib.

Cedris affinis, &c. ib.
Cedrus. 183. Barbad. &c. ib.
Chiapæ. ib. ingens. ib. in Hiſpania, &c. ib. ſpuria. 135. Theophr. 208.
Ceiba. 159.
Cenchramidea arbor, &c. 167.
Cenorins. 192.
Centumnervia. 83.
Ceraſa Americana, &c. 169. atque Jacotes, 182.
Ceraſo affinis arbor, &c. ejuſque ſpecies. 169.
Ceraſorum quoddam genus, &c. 182.
Ceraſus Americana, &c. 172. Braſiliana. ib. Curaſſavica. ib. Hiſpanienſibus non abſimilis. ib.
Ceratia ſive ſiliqua ſylveſtris. 142.
Ceratoniæ affinis arbor, &c. ejuſque ſpecies. 153, 154.
Cerba. 159.
Cereiba Braſil. 156.
Cereibuna. ib.
Cereo affinis, &c. 198.
Cereus ejuſque ſpecies. 196, 197, 230.
Ceriſes. 173.
Ceriſier. 228.
Certe herbe che ſtanno pendeti à rami degli arbori, &c. 77.
Cerva major. 39.
Cevalchichiltic. 171.
Ceyba. 159.
Chagiu. 187.
Chajarxambar. 146.
Chamæcaſſia anguſtifolia, &c. 226.
Chamæciſſus. 65.
Chamæciſtus ejuſque ſpecies. 87.
Chamæclema. 65.
Chamæcriſta pavionis ejuſque ſpecies. 149, 150, 226.
Chamædrifolia, &c. 106.
Chamægeniſta. 140.
Chamæſyce. 83. Americana major, &c. ejuſque ſpecies 222.
Charancia. 103.
Charapatl. 14
Charapu ſeu arbor crepitans. 185.
Chardon epineux. 196.
Chataignes de mer. 68.
Chelidonium majus, &c. 82.
Chenopodium 1um. Tab. 50.
Cherry-tree. 173. *Baſtard.* 169. *clammy.* ib. Barbados. 173. *Coubage.* ib. *black.* 172. *broad-leav'd.* 184.
Chiagiu. 187.
Chicalotl Hernandez. 82.
Chichicahoarton. 127.
Chichiltic. 119.
Chicocapotes. 181.
Chicorin. 133.
Chile. 114.
Chilli. 60.
China. 105, 223. occidentalis. ib.
Eſpece de Chou. 220.
Maniere de Chou. 62.
Chou Caraibe. 62. poivre. 220.
Chovanna-mandaru. 150.
Choyne. 206.
Chriſtophoriana Americ, &c. 164.

INDEX.

Chryſanthemum ejuſque ſpecies. 125, 126.
Chryſocome & heliochryſos, &c. 125.
Chryſomela. 209.
Chucau 117.
Cicer coccineum, &c. 70. Nigritarum. 73.
Cicerbita, &c. 122.
Cici. 39.
Cidras. 231.
Cidromela. 208.
Cidros. ib.
Cierge. 196.
Cieuko. 199.
Cinamomum, &c. 166.
Cinna. 105.
Cinnamon *of* Porto Rico. ib. *wild*, ib.
Ciottolara moſco arboreo. 9.
Cipres. 128.
Cipreſſi alti. ib.
Ciriboa. 219, 226.
Cirvelos en la provincia de Nicaragua. 182.
Ciſti folio arbor, &c. 163. ledi arbor, &c. ib.
Ciſſo ſimilis. ib.
Ciſtus ejuſque ſpecies. 86. exoticus. 163.
Citavanacu. 39.
Citharexylon arbor, &c. 170.
Citra. 183.
Citrea. ib.
Citreolus. 102.
Citrium. 208.
Citroniers. ib. 2de eſpece. 210. petits. 211.
Citrons. 208. communs. 231.
Citrullus, &c. 101.
Citrum Cord. 166.
Citrus arbor. 208.
Wild Clarey. 94.
Clematis 1ª. ſive ſylveſtris latifolia C. B. 84. baccifera glabra & villoſa, &c. 85. Myrſinites, &c. 90. quadrifolia, &c. ib. tetraphylla, &c. ib. quinquefolia, &c. 104. Indica, &c. ib. paſſiflora, &c. ib. paſſionalis, &c. ib. Indica flore minimo, &c. 105. pentaphylla, &c. 111.
Coapatlis Aſphodelina. 61.
Coccos. 225.
Coccus. 132. radicum. 195.
Cochars. 132.
Cochenille. 195.
Cochi. 133.
Cochinella. 194.
Cocoeire. 132.
Cocoihne. 134.
Coconut tree. ib.
Cocoons. 68.
Cocos. 132.
Cocoxhuitl. 82.
Cocculi Indi aromatici. 161.
Cogioba. 52.
Cohayelli 127.
Cohine. 231.
Cohoba. 52.
Cohvayelli. 127.
Cohyne. 207.
Cokernut. 132.
Colinil. 142.
Colliman. 215.
Colocaſia. 61. hederacea ſterilis ejuſque ſpecies. 63.
Colocynthis, &c. 103.
Colutea Indica herbacea, &c. 142. Indica humilis, ib.

Theophr.

Theophr. 148. Indica platicarpos. 149.
Coluteæ affinis ejuſque ſpecies. 141, 142.
Coluteæ foliis anil. 142.
Comarum. 232.
Comolonga. 102.
Commanda-guira. 225.
Commanda-miri. 67, 72.
Commanda-ouaſſou. 66.
Conambaia ſive filix. 23.
Conambai-miri adianti ſpecies. 20.
Conambai-miri ſive adianti ſpecies prior. Piſ. 21.
Conduri. 70.
Conferva. 11.
Conna. 146.
Convolvulus ejuſque ſpecies. 53, 54, 55, 56, 57, 58. Americanus lanuginoſus, &c. 220. Braſiliana inhame, &c. 47. Braſilianus, &c. 85. bona nox dictus. 220.
Conyza ejuſque ſpecies. 123, 124. paluſtris, &c. 126.
Copallifera, &c. 167.
Coquer-trees. 132.
Cor Indum. 110.
Coral arbor ejuſque ſpecies. 142, 143.
Arbori Coral affinis, &c. 144.
Bois de Coral. 70.
Corallina ejuſque ſpecies. 3, 4.
Arbriſſeau Coralline. 41.
Corallium ejuſque ſpecies. 1, 2.
Coralloide. 217. Meſſicana. 3.
Corchoro affinis, &c. 50.
Corchorus Americanus minor, &c. 219.
Cormier. 228.
Corn. 28. Guinea. 218.
Corona terræ. 65.
Coroſol. 204.
Cortex cinamomi ſaporem, &c. 165. aromaticus. 166. Winteranus. ib.
Corydalis. 75.
Coſcuſhaw. 43.
Coſtus Arabicus. 227.
Cotnemſegiar. 158.
Cotton. 156.
Cotyledon aquatica. 93.
Couhage. 69. *Cherry*. 173.
Courge ſi grande, &c. 100. creuſe. 207. longue. 223.
Couroque. 188.
Coutſauwe. 150.
Coyolli. 133.
Cratæogonum Cord. 47.
Cratevæ Sium. 79.
Creſcio, &c. ib.
Water Creſſes. 80.
Criſta pavonis. 149. pavonis glycyrhizæ folio, &c. 226. Coronillæ folio 1a, &c. ib.
Crotalaria ejuſque ſpecies. 141.
Croton. 39.
Cuambu. 99.
Cuciophera. 133.
Cuculo. 107.
Cucumer vulgo appellatus, &c. 102.
Cucumis ejuſque ſpecies. 103. flos paſſionis dictus, &c. ejuſque ſpecies. 104.
Cucurbita ejuſque ſpecies. 100, 101.

Cucurbitifera arbor ejuſque ſpecies. 206, 207, 208.
Cuhuraqua. 213.
Cujete. 207.
Cuitlacopalli. 167.
Culcas. 62.
Culilu. 49.
Culi-tamara. 76.
Curaca. 118.
Curaqua. 213.
Curcas. 40.
Currans *Tree*. 167.
Curupicaiba. 136.
Cururu-ape. 111.
Cuſcuta inter majorem & minorem media, &c. 85. ramis arborum, &c. 77. Americana ſuper arbores ſe diffundens, &c. 86, 221, & 222.
Cuſtard *Apple*. 205.
Cynara Indica, &c. 79.
Cynocrambe, &c. 50.
Cynophallophoros ſeu penis caninus, &c. 153.
Cyperus ejuſque ſpecies. 35. longus inodorus 4^us, C. B. 122.
Cypote. 181.
Cypreſſes. 128.
Cytiſo quodammodo affinis arbor, &c. 232.
Cytiſus ejuſque ſpecies. 141.

D.

DAburi. 150.
Dactylus. 175.
Dadus. 197.
Damaſonium. 75.
Daracht-moris. 190.
Daracht-mous. 192.
Date *Trees*. 174. *which bear the Fruit* Cocos. 133. *high, and full of Thorns*. 177.
Dates. 174. Indian. 147.
Datiers. 174.
Dattili. ib.
Davanas. 190.
Dehualchichiltic. 171.
Den ſive Dende. 218.
Dendrobryon geniculatum. 9.
Dens leonis, &c. 123.
Dent d'elephant. 191.
Dentellaria, &c. 91.
Derelſide. 147.
Dew *of Trees ſcalding*, &c. 130.
Digitalis, &c. 60.
Dildo *Tree and its kinds*. 197.
Doggwood. 144.
Dolichus. 72.
Dora. 26.
Doria. 125.
Dorycnium. 110.
Draco arbor. 179.
Draconi arbori affinis, &c. 118.
Dragone arbore. 179.
Dragons Blood. ib.
Dudaim. 191.
Dudhali. 163.
Dullaha. 102.
Dutch graſſe. 33.

E.

EAarth-nuts. 73.
Ebano. 140.
Eben. 98.
Ebene, 140.

Ebenus Jamaicenſis arbuſcula, &c. 140.
Ebony. ib.
Ecapatlis. 148.
Echino melocactos. 198. in cereum ſpinoſum transformatus. 197.
Echioides parva alba amphibia Col. 95.
Echium pumilum album. C. B. ib.
Elatina. 65.
Spaniſh Elder. 45.
Elicondy. 159.
Embeguaca. 95.
Empembe. 26.
Enequen. 118.
Equiſetum fætidum, &c. 13. majus aquaticum, &c. 215.
Erica, &c. 139.
Erithroxylum Indicum minus ſpinoſum, &c. 149.
Erva baboſa. 116. do bicho. 107. cidreira. 64. de Cobra. 82. do capitaon. 93.
Eruca maritima, &c. 81.
Eryngium, &c. 127.
Certain Eſpice, &c. de Thevet. 111.
Eſcorce d'Inde, &c. 166.
Eſquine. 105.
Evedexylum Americanum folio magis mucronato, &c. 136. ſeu lignum odoratum, &c. ib.
Evonymus, &c. 171.
Evonymo affinis, &c. 186, 138.
Eupatoria conyzoides, &c. 124.
Eupatorium cannabium anguſtifolium, &c. 124. 2^um^ ſeu cannabinum, &c. 126. aquaticum, &c. ib.
Euphorbii arbor, &c. 197. adulta planta, &c. ib.
Euphorbium. 197.
Euve. 143.
Exotica malvacea, &c. 98.

F.

FAba Ægyptia. 62. Braſiliana. 66. Indica. 145. Indica major. 221. inverſa. 110. quædam latiſſima, &c. Adv. 66. purgatrix curcas. 40. plane candida. 66. lobi cartilaginei. 221. nigra & rubra pro ponderibus. 71.
Fabarum genus quod Ægyptiis abrus. 70.
Fagivoli maſſimi del Braſile. 221. Corallini d'Egitto. ib.
Sea Fann. 3.
Fan-yay-cu. 202.
Fare. 218.
Faſol di colot cinericcio. 221. della Guinea. ib.
Faſuoli roſſi con l'occhio negro. 71.
Fava Egittia. 62. larga boſſa & roſſa. ib.
Fave roſſe, &c. 67. bianche. ib. bianche ſimile à fagivole. 68.
Sea Feather. 3.
Fedagoſo. 94.
Fegopyrum ſcandens ejuſque ſpecies. 46.

Feves de set'ans. 66. blanches fort plattes, &c. ib. longues, plattes, &c. ib. rouges, &c. 67. & phaseoles de Rochef. ib. d'Inde. 69. plus grosses rousſetres, &c. ib. autre sorte de Biet. 220. premiere sorte. 221. blanches de Maire. 221.
Feugiere de Lery. 24.
Fico del inferno. 81.
Ficoides seu ficus Indica, &c. ejusque species. 192, 196, 197, 198, 230.
Ficus Indica, &c. ejusque species. 188, 189, 230. Indica tiliæ folio, &c. 95. arbor Americana, &c. 189. arboreſcens Bengalensis. ib. Americana latiori folio, &c. ib. Adami. 191. Indica quæ Muz ib. Indica fructu racemoso, &c. 192. Indica herba. ib. Indica major, &c. 193. Indica seu opuntia ejusque species. ib. 194, 195. infernalis. 39. Sirinamensis. 45. 4ª. seu ficuum specie, &c. 202. Nigritarum. ib. 5ª. seu ficui similis, &c. ib. 9ª, &c. 193. 11ª, &c. 194. 12ª, &c. 195. Indica major. 230.
Fiddle *Wood*. 170.
Figgs. 190. *of the* Indies. ib. Adams. ib.
Figtree. 188. *hollow, bearing Figs*, &c. 205.
Figo, 190.
Figuero d'Inferno. 38.
Figues melees par gros bouquets. 191. de l'Amerique. 193.
Figuier d'au vient un huile propre à purger. 45. d'Inde. 188, 193, 230. Admirable. 188. ayant la fueille, &c. 230. de Bouton. 230. le moindre. ib.
Fil y agulla. 118.
Fili teniſſimi glomus. ib.
Filicifolia seu polypodium tenuifolium, &c. 16.
Filix in pinnas tantum diviſa, &c. ejusque species, 17, 18, 19. non ramoſa, &c. ejusque species. 19, 20, 21, 22. ramoſa ejusque species. 22, 23, 24. Africana maxima polypodii facie. Herm. 15. paluſtris aurea foliis linguæ cervinæ. 16. exotica 9ª, &c. 15. non ramoſa scolopendrioides. 16. Scandens perpulchra Indica. 217.
Filum arboreum, &c. 118.
Fimpi. 228.
Fingrigo. 137.
Finocchio. 92.
Fiſtula paſtoris. 75.
Flammula seu atragene Zeylanica, &c. 222.
Flax. 118.
Fleur de la paſſion. 104. de S. Martin. 149.
Eſpece de *Fleur* de la paſſion. 223.
Flori Cardinalis ſive rapuntio affinis, &c. 59.

Flos.

Flos noctis. 56. passionis ejusque species. 104, 223. cancri. 121. Indicus pavoninus, &c. 149. S. Thomæ. 150. acidus. 162.
Flour *of the Moon.* 91. S. Jago. 149. *fence of* Barbados. ib. *Four a Clock.* 91.
Fœniculum aquaticum, &c. 75. vulgare, &c. 92.
Fœnum græcum, &c. 71.
Foglio diramato. 9.
Folliculus echinatus. 151.
Fontinalis lucens major. 48.
Forbesina, &c. 126.
Sorte de *Fougère* admirable. 22.
Fraxinella siliquosa. 80.
Fromage d'Hollande. 159.
Fromagier. 227.
Fructus 6^us. Jac. Gar. Clus. 41. cholagogus. ib. sub terra nascens. 73. Peruanus amygdaloides. ib. peregrinus 5^us. Clus. exot. lib. 2. cap. 29. ib. peregrini nucleus ib. squammosus pinus nucamentum, &c. 78. exoticus latus compressus, &c. 85. orbicularis lævis, &c. ib. nerii siliquæ figura. 120. Brasiliensis mespilo similis. 130. orbicularis venosus novem venis distinctus, &c. ib. peregrinus orbicularis, &c. 131. Orbicularis sulcis nervisque distinctus 9^us. &c. ib. Exoticus 2^us. Jac. Plat. Clus. ib. Malo aurantio similis, &c. ib. omnino rotundus, &c. 144. peregrinus tanquam torno elboratus, &c. ib. rotundus lævis quasi coronatus, &c. ib. peregrinus 6^us. Clus. ib. rotundus & orbicularis 5^us. C. B ib orbicularis lævis flavus, &c. ib. peregrinus prior Clus. ib. piro similes, &c. colore coccineo, &c. 150. tingens Orellanæ. 154. Guianæ Annotto, &c. ib. reticulato corio constans. 180. 1^us. Garet. in 2^a. tab. Clus. ib. angulis donatus 5^us, &c. ib. angulosus in gibbum extuberans, &c. ib. 2^us. Clus. not in Garc. &c. 181. peregrinus 1^us. Ejusd. ib. oblongus fuscus splendens, &c. ib. 16^us. Garet. 184. pyriformis, &c. 185. pyriformis 2^us, &c. 194. exoticus ficui similis 2^us, &c. 202. 1^us. Garth. Aratacou. 203. angulis donatus 3^us, &c. ib. minus cognita eorumque species. 214, 215. exoticus angulosus inæqualis, &c. 204. 3^us Simonis à Tovar, &c 220. orbicularis qui tornatus videtur. 225 exoticus Bonduch ib. reticulato corio. 228. exoticus strameniæ simulis. 232
Fruit *like green Apples burning* &c. 130. *much like Barberrys* 112. qui mange le fer. 78 comme pommes, &c. 129.
Frumentum Indicum, &c. 26. Turcicum. 28, 218. Typhinum. 28.

Frutex coralloideus. 1. Marinus elegantiſſimus. 3. marinus reticulatus. ib. innominatus 2us. Marcgr. lib. 2. cap. 15. 92. Indicus fructu è ſtyli apice egreſſo, &c. 97. Americana pyri foliis, &c. 106. innominatus 2us. Marcgr. lib. 2. cap. 13. 135. Innominatus 1us. Marcgr. lib. 2. cap. 13. 138. Innominatus ultimus Marcgr. lib. 2. cap. 15. 153. innominatus 5us. lib. 2. cap. 15. 173. ſenſibilis, &c. 152. baccifer Braſilienſis fructu racematim congeſto. 165. qui Taraſcis vocatur Cuhuraqua. 213. pavoninus ſive criſta pavonis. 149.
Frutices è ſalviæ ſylveſtris claſſe, &c. 163. quæ tincturam orellanam ferunt. 150.
Fucus marinus ejuſque ſpecies. 4, 5. capillaceo folio. 11.
Fungus ejuſque ſpecies. 8. lapideus ejuſque ſpecies. 2.
Fuſtick *Trees or Wood.* 128.

G.

GAbureiba. 167.
Gacirma. 128.
Gaguey. 189.
Galactoxylon ſeu arbor, &c. 136.
Galegæ affinis, &c. 149.
Gangilà. 60.
Garancia. 103.
Garoſano Indiano, &c. 155.
Garvancos. 72.
Garyophyllata herba Marcgr. 99.
Garyophyllon Plinii. 161.
Gayac. 186.
Gelſemini rubri alterum genus Cæſ. 58.
Gelſeminum Americanum. ib. Indicum hederaceum. 90. Indicum rubrum. 91.
Gengevo. 61.
Gengibre. ib.
Geniſta, &c. 140.
Geniſtæ affinis anonyma arbor, &c. 141.
Geniſtella. ib.
Gentianella flore cæruleo, &c. 52.
Gentianellæ ſpecies Bont. ib.
Gergelim. 59.
Gernotte. 221.
Ghandiroba. 85.
Gingembre. 60.
Ginger. ib. *wild.* ib.
Girgilim. 60.
Gjuca. 42, 219.
Gjugiolena. 60.
Gjunco Oloſcheno. 37. petroſo Ang. 3.
Gladiolus Indicus. 121.
Glaſto affinis. 142.
Glaſtum ſive anir. ib.
Glaucium. 109.
Globuli ſaponarii, &c. 185, 229.
Glycyrrhiza Indica, &c. 71.
Gnaphalium, &c. 125.
Goan. 134.
Golvaon. 120.

Gommier blanc. 215.
Gooſefoot. 50.
Goſſampine *Trees*. 156.
Goſſipium ejuſque ſpecies. 156, 157, 158, 159, 160, 227.
Gottoni. 158.
Goujanes. 230.
Gourds. 100.
Gouyaves. 199.
Goyavier. ib. 200, 230.
Goymon. 4.
Gramen ejuſque ſpecies. 29, 30, 31, 32, 33, 34, 35, 36, 37. aquaticum. 76. Serpentarium Zeylanicum. 218.
Granados. 201.
Granaet peeren. 199. pruymen. 200.
Granal. 116.
Grano Turco. 28.
Granum regium. 39. Indicum. 59.
Grapes. 171, 183.
Grape tree. 183.
Graſs, *of which is made cloathing*. 119. *Silk*. ib. *which they call* Yerva. ib.
Gratiolæ affinis, &c. 90.
Gravances. 72.
Grenade. 201.
Grenadille. 104.
Green-withe. 198.
Groſſulariæ fructu arbor, &c. ejuſque ſpecies. 164, 165.
Guabam. 203.
Guajaco viribus ſimilis, &c. 118. occiduo ſimilis arbor, &c. 138.
Guajacum. 186, 229.
Guajana. 198,
Guajeru. 184.
Guanabanus. 203.
Guanabo. ib.
Guananala. 200.
Guanes. 199.
Guapereiba. 155.
Guarerva oba, &c. 103.
Guayabas ejuſque ſpecies. 198, 199, 200.
Guayacan. 186, 229.
Guayava *Tree*, *and its kinds*. 199, 200, 201.
Guayaza radix. 43.
Guiabara. 183.
Guiaccos. 198.
Guiacum. 186.
Guiaves. 198.
Guiney *Corn*. 218. *of Sir* Anthony Shirley. 28.
Guiney *Wheat*. 28 *Hen-weed*. 64. *Peaſe*. 7. *Bean*. 71.
Guiraparіba. 140.
Guyanæ fructus ſquamoſus, &c. 231.
Gummi minus uſitatum 2^um^, &c. 188. 4^um^, &c. 193. pallidum aureumque. 215. Colliman, *or* Carriman. ib.
Gypſum quod coralloides cognominari poteſt. 1.

H.

HAbalnil Serap. 56.
Hajos. 54.
Hairi. 177, 228.
Halicacabum ſive Alkekengi Virginenſe. 110. peregrinum. ib.
Handir-alou. 189.

Harundo ſaccharina. 32.
Hartle radix 43
Havas purgativas 214.
Hedera terreſtris. 65
Hederæ foliis Guineenſis, &c. 85.
Hedyſarum ejuſque ſpecies. 73, 74.
Arbol del *Helecho*. 22.
Helichryſum ejuſque ſpecies. 125.
Helicteres. 97.
Heliotropii flore frutex, &c. 175.
Heliotropium ejuſque ſpecies. 93, 94, 95. Curaſſavicum, &c. 85. Americanum minus glabrum, &c. 222.
Helxine cyſſampelos. 57.
Hemionitidi affinis Americana epiphyllanthos, &c. 16. filix, &c. 18.
Hemionitis ejuſque ſpecies. 14, 15. maxima trifolia. Plum. 18.
Hemp *like unto Steel-hemp*. 119
Henequen. 118.
Hepatica fontana, &c. 13.
Heptatorium aquatile. 126.
Herb *dried which the* Floridians *uſe to ſmoke*, &c. 51. *on* Zocotora, *like unto* ſemper viva, &c. 115. *which they may make Thread of*. 119.
Herba folia habens pæoniæ maris. 43. S. Croce fœmina. 52. venenata in inſula Bermudez. Laet. 69. quæ paſſim in Braſilia naſcitur. 73. innominata ſive ſcoparia. Marcgr. 81. innominata caule portulacæ, 88. rotundo folio cui in medio eſt pediculus, &c. 93 & arbor 18ª. Yvire vocata C. B. 95. ſerratorum foliorum. 127. avelenata per le freccie. 130. è qua glaſtum, &c. 142. innominata 1ª. Marcgr. lib. 1. cap. 10. 149. mimoſa ejuſque ſpecies. 152, 153. mimoſa ſpuria. 226. Caſſa Americana, &c. 153. Goſſipifera, &c. 227.
Herbe rendant la mer trouble, &c. 4. preſque ſemblable à nos genevres, &c. ib. tra verde & Gialla, &c. ib. de la qual fanno gran munition, &c. 52. qui a une amitie ſecrette aver le ſoleil, &c. 94. au Muſc. 99. aux fleches. 122. qui porte le graine muſquee, &c. 223. don't on fait l'Indigo. 225. ſenſible. 227.
Herniaria, &c. 50.
Hetich racine blanche. 46. jaune. 53. inter coquendum aureum induens colorem. 54.
Hiaci. 182.
Hiboucouhou. 189.
Hibuero. 206.
Hicacos. 182.
Hieracium ejuſque ſpecies. 123. majus. 122.

Higueras de infierno. 40. de la India. 194.
Higuero. 206, 207.
Hinduanes. 101.
Hippogloſſo cognata Surinamenſis, &c. 217.
Hippomarathrum. 92.
Hippuris. 215.
Hiuca ſive Mizmaitl. Hernand. 63.
Hiucca. 43.
Hoaxacan. 186.
Hobos. 181.
Hockalenah. 60.
Hog *Doctor Tree.* 167.
Hog weed. 91.
Holm. 173.
Hololiuchi. 55.
Holoſchænos. 36.
Honig appell. 206.
Wild Hops. 65.
Horio. 181.
Hormino affinis &c. 65.
Horſetaile. 215.
Houatte. 159.
Hovos. 181.
Houx. 173.
Hoximo. 149.
Hoxocoquamoclit. 148.
Hucipochotl Huaxacenſis. 41.
Huitxiqua. 64.
Huitzpacotl de Guaxaca. 41.
Humatu. 59.
Humilis hedera. 65.
Humo con que ſe emborrachan. 52.
Hura. 214.
Hydropiper ejuſque ſpecies. 47, 48. pſeudo eupatorium fœmina Dod. 126.
Hyjucca. 42.
Hyoſciamus Peruvianus. 52.

I.

CUentas del *Jabon.* 184.
Jacare-catinga. 35.
Jacua-acanga. 94.
Jaee. 102.
Jajama. 78.
Jalappa. 91.
Jamacaru ejuſque ſpecies. 195, 196, 197.
Jamaica *Red peaſe.* 72. *Pepper.* 161. *Wall-nuts,* 214.
Jaracatia. 195, 197.
Jaroba. 207.
Jaruma. 45.
Jaſmin. 154. *Tree.* ib. *wild.* ib.
Jaſminum ejuſque ſpecies. 169. milleſolii folio. 58. Indicum alterum rubrum, &c. ib. Indicum rubrum. 91. Mexicanum, &c. ib. ſpinoſum Americanum, &c. 135. novum latifolium. 154.
Ibairiba. 135.
Ibametara. 182.
Iberis humilior, &c. 80.
Ibimani. 72.
Ibipitanga. 172.
Jecoraria ſeu hepatica fontana. 3.
Jeſſamine *Tree.* 154.
Jetaicica. 232.
Jetica. 54.
Jeticacica. 231.
Jetinguacu. 184.
Igera murri. 97.
Igniames, 46, 219.

Ilicum excreſcentia tertia, &c. 9.
Inajaguacu. 133.
Inajaguacuiba. 134.
Inani. 47.
Indiamas. ib.
Indian *Arrow-root.* 122.
Indicus melo. 101.
Indigo. 141, 225. *wild.* 142.
Indorum ferruminatrix. 195.
Inecou. 143.
Inga. 153.
Inhame. 46, 54.
Inimboy. 144.
Inota Inodien. 110.
Jobi. 181.
Eſpece de *Jonc.* &c. 35.
Jonc de ſenteur. ib.
Iraiba. 76.
Iris latifolia tuberoſa gingiber dicta, &c. 61.
Iron *Wood.* 137, 170.
Iſatis Indica foliis roriſmarini, &c. 142.
Iſieru valli panna. 19.
Iſopyrum. 110.
Iſora murri. 97.
Itubu. 127.
Iua. 108.
Juabeba. ib.
Jucca. 41. Americana filamentoſa. 119.
Jucubiis. 142.
Juglandi affinis, &c. 129.
Juglandis folio fruticoſa ſiliquoſa, &c. 153.
Juncus ejuſque ſpecies. 36, 37.
Juniper *wood.* 224.
Juniperus, &c. 128.
Jupicanga. 105.
Jurepeba. 107.
Jurjullaine. 60.
Jurumu. 101.
Jutay. 147.
Ixus. 168.
Izipo. 228.
Iztecpatli, de Tepexic. 149.

K.

KAda kandel. 156.
Kadanaku. 116.
Kagiu. 187.
Kaku valli. 69.
Kali, &c. 50.
Kanil-kandel. 156.
Kapa-mava. 188.
Kapa-tſiakka. 79.
Kapoc. 227.
Kappa-kelengu. 46.
Karata. 117.
Karata *a fruit.* 118.
Karaputa. ib.
Kara-tſiira. 88.
Karii kandel. 156.
Karinta-kali. 115.
Katſi-kelengu. 46.
Katu-bala. 121.
Katu-karu-walli. 137.
Katu paeru. 70.
Katu-tſietti-pu. 38.
Katu-uren. 96.
Kavas purgativas. 40.
Kayan. 139.
Kayebaka. 120.
Keiri, &c. 79.
Kellette. 183.
Kerbita. 118.
Kerva. 39.
Ketteſnar. 150.
Kiagiu. 187.

Kiki. 218.
Kocus. 134.
Kokos. 225.
Konni. 71.
Kotton. 158, 168.
Kouda pullu. 33.

L.

LAbrusca Virginiana. 172. per arbores serpens. 171.
Laburnum, &c. 139.
Lactuca marina. 6.
Laffa. 224.
Lagetto. 137.
Lana che colgono da certi arbori. 159.
Langoas. 121.
Lanifera arbor peregrina 157.
Lanigera arbor spinosa. 159.
Lapis astroites. 2. fungites cerebriformis. 217.
Lappula Bermudensis, &c. 92.
Latanier. 178.
Lathyris major. 39.
Laureles. 162.
Laureola, &c. 168.
Laurier aromatique. 162.
Laurifolia arbor ejusque species. 136, 137. Americana pomis capitis magnitudine. 207.
Lauro affinis arbor ejusque species. 137.
Lauro-cerasi foliis siliquosa fruticosa. 153.
Laurus ejusque species. 136.
Lazelaze. 224.
Legno aloe. 137. aromatico. 166.
Legumen trifolium sub terra, &c. 73.
Lemma Theophr. 11.
Lemons. 209.
Lens lacustris. 11. palustris. 10. phaseoloides maxima, &c. 220.
Lenticula palustris ejusque species. 10, 11. marina ejusque species. 4, 5.
Leontopodium Creticum aliud. 222.
Lepidium, &c. 79.
Letterhout. 213.
Leucoium, &c. 79.
Leucoxylum arbor, &c. 154.
Lichen. 13. arborum. 10. Dioscoridis majus. 13. marinus. 5.
Lichi. 231.
Lici. 204.
Licondo. 159.
Lienes qui portent les chataignes de mer. 68.
Ligna exotica eorumque species. 213.
Lignum flavum, &c. 128. buxi colorem imitans. 129. quod aloes esse dicunt. 136. vitæ. 186. sanctum. ib. 229. Indicum. 186. benedictum 187. Guajacum. 229. Campuccium. 232. *rorum.* 137. ebeni, &c. 140. aromaticum. 166.
Lilia candida. 115. rubra. ib.
Lilionarcissus Polyanthos, &c. ib.
Lilium Americanum puniceo flore, &c. ib.
White Lilly. ib. *red.* ib. *water.* 120.

Limas. 211, 231.
Lime. 208, 211. *Tree.* ib.
Limera, &c. 212.
Limo. 209. aquatica è novo Belgio Laet. 101.
Limon pusillus Calaber, &c. 212.
Limonia. 231. pusilla, &c. 212. malus Americana antidotalis. ib. succulenta. ib.
Limonio Ang. 75.
Limonis quoddam genus in Hispania, &c. 212.
Limonum sylvestrium arbor, &c. ib.
Linaria, &c. 59.
Lingua cervina longo lato, &c. 14.
Lino aquatico. 11.
Lini species. 118.
Wild Liquorice 71, 81.
Lithophyton marinum. 3.
Lithospermum arundinaceum, &c. 121.
Lobus cartilagineus. 69. peregrinus, &c. ib. cortice cartilagineo, &c. ib. oblongus aromaticus, &c. 70. aromaticus subfuscus. ib. 3us. seu cicer nigritarum. 73. echinatus ejusque species. 144. alius exoticus, &c. ib. echinodes è Brasilia, &c. 225. membraceus niger. Besl. 226.
Bastard Locust *Tree.* 165.
Loggwood. 213, 214.
Lonchitidi affinis arbor, &c. 16.
Lonchitis ejusque species. 15, 16.
Long *Pepper.* 44.
Loti Africanæ similis, &c. 138. arboris folio arbor ejusque species. 162, 163.
Loto pentaphyllo siliquoso villoso similis anonis, &c. 74.
Lotus. 153. Ægyptiaca. 62. Ægyptia Alp. Clus. 120.
Lubie endigi. 98.
Lucum. 26.
Lumyen. 205.
Lunaria ejusque species. 14.
Lupino Arabico. 80.
Lupinus 5us. seu peregrinus pentaphyllus. ib. Ægyptius. ib.
Lychnis, &c. 86. hirta minor, &c. 222.
Lycium ejusque species. 171, majus Americanum jasmini flore, &c. 135. Fingrigo dictum. 137.
Lycopersicum. 169.
Lys blancs. 115. rouges. ib. des Antilles. ib. autre sorte de Rochef. 224. troisiesme sorte Ej. ib.
Lysimachia lutea non papposa ejusque species. 85. Indica filicis oblongo folio, &c. 48. cœrulea galericulata, &c. 66.
Lysimachiæ purpureæ affinis, &c. 90.

M.

Macanillo. 129.
Macaw. 178.
Macoqwer. 207, 231.

Macouna. 68.
Macow. 177.
Mad *Apples*. 109.
Madera rallada. 43.
Maderam pulli. 147.
Mafoutra. 228.
Maguei. 117. prunorum. 118.
Maguey. 117.
Mahau & Mahault. 95, 223.
Mahiz. 26.
Mahot. 95.
Maiz. 27, 218.
Maizium torridum & callidum. 163.
Maix. 27.
Mala Guianenſia. 79. Æthiopica parva. 109. inſana. 180. inſana rotundiora. 109. granata, &c. 230. Nerantia. 209.
Malacociſſos. 65.
Malacka-pela. 199.
Mala polanda. 191.
Mali folio arbor ejuſque ſpecies. 139, 170. perſicæ foliis ejuſque ſpecies. 180.
Mallam-Toddali. 163.
Mallam Tſiulli. 73.
Malnommee. 82.
Malogranatum. 230.
Malo punicæ affinis arbor ejuſque ſpecies. 198, 199, 200. arantio ſimilis exotica, &c. 199.
Malva ejuſque ſpecies. 95, 96, 97. Curaſſavica carpini foliis, &c. 223.
Malorum Americanorum genus 2^um^, &c. 185. 3^um^, &c. 182. 4^um^, &c. 193.
Malum Perſicum. 209. Aſſyriacum ib. Heſpericum. ib. Citrium. 231. punicum Indicum, &c. 199.
Malus Perſica ejuſque ſpecies. 179, 180. punica ejuſque ſpecies. 201, 230. limonia. 210. arantia ejuſque ſpecies. 210, 211, 212. anarantia. 211. limonia 9^a^, &c. 212. limonia Sylveſtris, &c. ib. limonia 4^a^. ib. citria. 208.
Mamains. 228.
Mamea. 179.
Mamee. ib.
Baſtard Mamee. 186.
Mamee ſapota. 181.
Mamei. ib.
Mamey. ib.
Mamin ou momin. 230.
Mamoera ejuſque ſpecies. 202, 203.
Mancana ponconoſa. 129.
Mancanillo. ib.
Mancanillos de las avellanas, &c. 40.
Mancenilier. 129.
Mancinel *Apple*. 130.
Mancrout. 212.
Mandeoca, mandepore. 43.
Mandeocade. ib.
Mandeoch-parpie. ib.
Mandeoch pobier. ib.
Mandiiba. 42.
Mandorli per moneta. 134.
Mandovy. 72.
Mandues. 73.
Mangara. 47.
Mangara peuna. 63.
Mangaratia. 60.
Manghala arbor, &c. 225.
Manglares. 155.

Mangle ejuſque ſpecies. 155, 156.
Mangrove *Trees.* 95, 155. *Grape-tree.* 183.
Mangue ejuſque ſpecies. ib. 156.
Mangurie. 118.
Mani. 72.
Manjar blanco. 205.
Manicup. 42.
Manihot. 41.
Maniiba. 42, 43.
Manobi. 72, 221.
Manprito. 27.
Manſamillias. 130.
Mantionell. 129.
Manzanilla. 214.
Mapou. 227.
Maraca. 207, 231.
Marathrum. 92.
Maraviglia di ſpagna. 91.
Marinzenon. 109.
Mariſcus. 37.
Marrubuim Marcgr. 66.
Maſanga. 26.
Maſembala. 25.
Maſſa coralloides albicans, &c. 225.
Maſſinilia, &c. 131.
Maſtice. 167.
Maſtick *Tree.* 180.
Matapaſto. 148.
Matricariæ Achoavan dictæ ſimilis, &c. 127.
Matzatli. 78.
Maucaw *Tree.* 150.
Maurongans. 101.
Mawandres. 54.
Mays. 26.
Mazza di Congo. 26. Manprito. 27.
Mecapatlis Acatlinenſis. 55.
Mecapatli Mecatlanenſi admodum ſimilis, &c. 56.
Mecaxochitl. 45. 219.
Mechoacan. 55.
Medica malus. 108.
Meeru. 121.
Meglia. 26.
Melanomma & melanoxylon, &c. 135.
Melanzane. 108.
Melica. 25.
Meliſſæ ſpecies agreſtis. 64.
Melocactos. 198.
Melocarduus, &c. ib.
Melongena. 108.
Melo aquaticus, &c. 101. Indus. 102
Meloni Indico accedens, &c. ib.
Melo-pepo. 102.
Melons gros à merveille, &c. 101. d'eau. ib. *water.* ib. de Siam. 202. remplie d'une eau inſipide. 223.
Melt. 117.
Membra. 160.
Mengreliæ milium. 218.
Mentaſtrum, &c. 64.
Meſpilo ſimilis, &c. 131.
Meſpili quarum fructus noſtrates mole ſuperant. 206.
Meſpilus folio laurino, &c. ib.
Meſſaminus. 184.
Metl. 117. leniſſimum. 119.
Mexicana coralloides. 217.
Mexico *Seeds.* 218.
Mexocotl. 118.
Miagro dell Egitto. 60.
Miel nomme avati. 28.

Miglio Indico. 26. groſſo come peſelli. 27.
Mignol. 176.
Mil. 26, 218.
Milium ejuſque ſpecies. 25, 26. Indicum. 28.
Milk-wood. 136.
Great Mill. 28.
Millefolium aquaticum, &c. 75.
Millepieds. 229.
Millet ou bled de Turquie. 152.
Miltomamæ. 109.
Mimoſa ejuſque ſpecies. 152, 153. non ſpinoſa major Zeylanica. 74. Americana major pinnis acaciæ, &c. 227. arboreſcens Americana non ſpinoſa, &c. ib.
Mippi. 196.
Mirabilis Peru, &c. 91.
Mirabolani. 181.
Mizmaitl. 63.
Mizquitl Michuacanenſis. 151. Tzintzequam. ib.
Mocarix. 160.
Moetoe. 110.
Molago-mazam. 170.
Molucco *Nuts*. 225.
Momin ou Coroſol. 204. le plus petit. 205. *or Toddy-tree*. 178.
Momordica. 103.
Monazamal. 149.
Monophyllum Americanum, &c. 222.
Montagne. 215.
Monte. 226.
Flour of the Moon. 91.
Morus, &c. 128.
Moſch Arabum. 99.
Moſco marino fruticoſo. 3. marino ſecundo. 6.
Earth Moſs. 12. *ſomewhat longer than our Moſs*, &c. 77.
Mottapullu. 36.
Mouces. 190.
Moul-elavou. 159.
Mouricou. 143.
Mouſes. 190.
Mouſſe pour le calage, &c. 77.
Moxa. 127.
Moze. 191.
Mucuna. 68.
Muiva. 164.
Mu-kelengu. 47.
Mundubi. 72. d'Angola. 73. guaca. 40.
Munduy-guacu. ib.
Murucuja ejuſque ſpecies. 104.
Muſa ejuſque ſpecies. 189, 192.
Muſæ affinis altera. C. B. 192.
Muſcus arboreus ejuſque ſpecies. 9, 10. lapideus. 10. tegularum. ib. marinus ejuſque ſpecies. 6. terreſtris ejuſque ſpecies. 12. capillaris. 13. ſaxatilis vel lichen. 1. petræus, &c. ib. terreſtris repens 3^us. C. B. 118.
Muskwood. 137.
Mutaqueſunnauk. 194.
Myrobalanus ejuſque ſpecies. 181, 182.
Myrti folio arbor ejuſque ſpecies

ſpecies. 162. folio anguſto acuminato arbor racemoſa bacciſera, &c. 171.
Myrto affinis arbor, &c. 162.
Myrtus ejuſque ſpecies. 161, 162.

N.

NAi-corana. 69.
Nana. 78, 222.
Nana-pacoba. 191.
Napi Piſ. 47.
Naranjos. 210, 231.
Narciſſus, &c. 115.
Naſeberry. 206.
Naſturtii indici putata ſiliqua. J. B. 73.
Naſturtium aquaticum, &c. 79. Maritimum. Lugd. 81.
Nedel ambel. 121.
Neffles tres dangereux à manger. 127.
Negre *Root*. 47.
Negro country yam. 222.
Nehu. 223.
Nejem-elm-ſalib. 33.
Nelam mari. 73.
Nelen-tſiundi. 107.
Nenufar. 120.
Nepeta, &c. 65.
Nerii facie arbor. 154.
Nerio affinis arbor ejuſque ſpecies. 154, 155.
Nerium ejuſque ſpecies. 154
Nexho-utli. 49.
Nhambu-guacu. 38.
Nhamdu. 44.
Nhandi. ib.
Nhandi roba. 85.
Nicaragua *Wood*. 213.
Nicaraguæ pomum. 185.
Nickar *Tree*. 144.
Nicotiana major latifolia. C. B. 51, 219.
Nightſhade. 107.
Nil. 56.
Nill. 141.
Ninfea. 120.
Nir-carambu. 85.
Niſpero. 206.
Noce Indica. 225.
Nocheznopalli. 94.
Nochtli. 193.
Noci d'India. 225.
Nociväe arbores Nieremb. 129.
Noctli. 193.
Noix de medecine. 40. d'Inde. 133. medecinales. 218.
Nonochto. 88.
Nopalnocheztli. 94.
Nopalxoch-cuez-alticquiri. 216.
Notta. 151.
Notty. 150.
Novæ Hiſpaniæ planta quam Indi vocant Allaguey, &c. 118.
Nuces purgantes. 40.
Nuchtli & tuna, &c. 193.
Nucis amygdalinæ pene forma fructus, &c. 180.
Nucula Indica altera 176.
Nuculæ ſaponariæ. 185.
Nufar Ægyptium. 121.
Nummularia ejuſque ſpecies. 90.
Phyſick Nut. 40.
Nutact. 134.
Earth Nuts. 73. Indian. 133.
Fruit like a Sierra leona. 40.

Nux cathartica. 40. quæpiam. 72. Henden. 73. pinea. 79. juglans, &c. 128. Indica. 133. 225. Portoricensis, &c. 135. sive ossiculum Cypote. 181. exotica 1ª. seu Nuculæ saponariæ. 185.
Nymphæa ejusque species. 120, 121.
Nympheæ affinis. 121. minoris affinis, &c. ib.

O.

OBe. 184.
Ocimum, &c. 65.
Oetum Plin. albescens 46. flavescens. 53.
Offeque. 220.
Oghega. 182.
Oglio di tre virtù. 175.
Okindiger. 66.
Okra. 98.
Olcacatzan. 105.
Old man's Beard. 77.
Oliliuhqui. 55.
Ombou. 182.
Onbou. ib.
Onobrychis, &c. 73. annua Zeylanica. 74.
Ononis, &c. ib.
Opuntiæ cognata, &c. 195.
Opuntia ejusque species. 193, 194, 195. non spinosa minima, &c. 216. foliis longissimis triangularibus, &c. 230.
Oracantin. 128.
Oranges. 210.
Orbicularis fructus nervis distinctus, &c. 131.
Orchis, &c. 119.
Orecchivola. 8.
Orellana. 150.
Orenges. 210.
Origanum, &c. 65.
Orleana. 151.
Oroba. 172.
Orobi species. 70.
Orobus Brasilienfis flore loti, &c. 148.
Orock. 150.
Oryza. 24.
Ouroucou. 150.
Owiares. 46.
Owicambares. ib.
Owifouches. 47.
Owihares. 219.
Owimentes. 46.
Oxymalva. 99.
Oxyphænix. 147.
Oxys. 90.
Oil *of Palm-trees*. 175.
Oyster *green*. 6. *trees*. 155.
Ozegue. 182.

P.

PAco. 191.
Pacoba. 191.
Pacobucu. 192.
Pacocaatingæ 2ª. species. Marcgr. 61.
Pacoeira. 191, 192.
Pacona. 191.
Paco feroca. 61, 220.
Pacoury-euve. 191.
Paeru. 71.
Pagimirioba ejusque species. 148.
Pala. 191.
Paliuro affinis arbor ejusque species, 137, 138.

Palm-

Palm-tree *for Wine and cocos.* 133. *or wild Date-tree.* ib. *of* Salbank. ib. *on whose Leaves those of* Calecut *write.* 134. *of which are made Barks.* ib.
Palma prunifera ejusque species. 174, 175, 176, 177, 178, 179. Christi. 39. nucifera, &c. 132. elephantis, &c. 133, 225. humilis longis latisque foliis. 192. Indica. 134. sylvestris. 147. vinum poferens. 228. à chapelet. ib. espinosa. ib. vinosa. ib.
Palmacea aut arundinacea pinnata spinosa. 196.
Palmæ sanctæ similis, &c. 138. humiles papyraceæ. 184. species pumila quæ musas vocatos fructus fert. 192.
Palmas que llaman cocos. 225. dactyliferas, &c. 228.
Palme qui produise une noix, &c. 225.
Palmer *Tree.* 132.
Palmeto *Royal.* 176. *the less.* 177.
Palmiers. 174, 228.
Palmis affinis malus Persica maxima, &c. 179.
Palmiste. 176, 228. 2d. 177. epineux. 178. bastard. 179. autre sorte de Rochef. 228.
Palmitas. 175.
Palmites. 134, 228.
Palmiti. 176, 178.
Palmito. 179.
Palo Campeccio. 213. santo. 229. de las Indias. 186.
Paltifera. 185.
Palto. ib.
Palus Indiæ. 186.
Pamaqua Changuarica. 226.
Panaces Chironium. 92.
Panane. 191.
Pandi avanacu. 39.
Panja-panjala. 160.
Panicum, &c. 26. Americanum, &c. 25. sylvestre. 30.
Panna-palli. 18.
Pao de Sabaon. 185.
Papa. 202.
Papaia-maram. ib.
Papaver spinosum. 81.
Papaya ejusque species. 202, 203.
Papaye. 230.
Papayer. ib.
Papos. 202.
Pappawes. ib.
Papyrus & quæ pro papyro usurpatur 11a. C. B. 117. 7a. C. B. 134. 6a. C. B. 192.
Paquoeire. 191.
Para-panna-maravara. 20.
Pararo. 54.
Paretuvier. 155.
Parietaria, &c. 50.
Parrales. 171.
Parras salvajes. ib.
Parras sylvestres. ib.
Passiflora vesicaria, &c. 104.
Passifloræ affinis hederæ folio, &c. 85.
Pastel de Madagascar. 141.
Patales. 219.
Patatas. 54.
Patates rouges. ib.

Patecas, &c. 101.
Pati. 119.
Patmides. 177.
Anchove Pear. 179. Avocada. 186.
Peaſe *growing by the Sea-ſide.* 70. *Guiney.* ib. *ſeven years.* 66. *Jamaica.* 67. *Jamaica red.* 72. *like Nuts.* ib. *having pods on the roots.* 73. *Pigeon.* 140.
Peaſon *called wandos.* 139.
Pee-kandel. 156.
Pela. 200.
Pemmenaw. 118.
Penguins. ib.
Penis caninus, &c. 153.
Pennaches marines. 3.
Pentaphyllum peregrinum, &c. 80. ſiliquoſum, &c. ib.
Pepe lungo 44. aquatico. 47. di India, &c. 112.
Peplis, &c. 82.
Pepo maximus Indicus, &c. 101. arboreſcens. 202.
Pepones tam vaſtæ, &c. 100.
Pepper *and its kinds.* 111, 112, 113, 114. *long.* 44. *graſs.* 80. *ſweet-ſcented Jamaica.* 161.
Perecbenuc. 52.
Perexil Luſitanis Marcgr. 48.
Periclymenum rectum herbaceum, &c. 115. rectum ejuſque ſpecies. 163, 164.
Perim kaku valli. 68.
Perſea. 185.
Perſicæ ſimilis exotica 7ª. C. B. 200. 8ª. ib.
Perſicaria ejuſque ſpecies. 47, 48.
Peruviana alia aloes facie, &c. 76.
Pes anſerinus. 50.
Petatos. 54.
Petigma. 52.
Petroſelinum marinum. 48.
Petum. 51, 219.
Phaſeolo affinis arbor, &c. 144.
Phaſeolus ejuſque ſpecies. 66, 67, 68, 69, 70, 71, 72. arbor Indica, &c. 139. erectus incanis ſiliquis, &c. 140. Americanus vel Braſilianus 6us. ſive ſiliqua, &c. 142. echinatus. 226. ſpinoſus, &c. 143. Nigritarum. 221. Braſilienſis ib. ruber abrus. ib. Indicus hirſutus, &c. ib. novi orbis, &c. 220. alter magis exiguus coralliorum figura Baſil. 221.
Phleos mas. 76.
Phragmites Ætii. 75.
Phyllanthos planta Americana, &c. 16.
Phyllitidi ſcandenti affinis, &c. ejuſque ſpecies. 15. multifidæ affinis filix ſcandens. &c. 19.
Phyllitis ejuſque ſpecies. 14, 15. ramoſa trifida. 19.
Phyſick *Nut.* 40.
Phyteuodes Americanum, &c. 81.
Pierre qui peut etre calcinee. 217.
Pigeon *Peaſe.* 140.
Pigne. 78.
Pignoli. 40.
Pignon d'Inde. 40, 41.
Pila marina, &c. 6. marina velut

velut ex ampullis conſtans, &c. 7.
Piment. 111. de Biet. 224. qui ſemble du corail. ib.
Pimienta dos Indios. 44. *or* pimenta. 161. de Chapa. ib. de Tavaſco. 162. malaguetta. 112.
Pina. 78.
Pindalls. 73.
Pine. 78. *wild.* 77. *Apple.* 78.
Pinea Indica. ib.
Pineus nucleus Indicus. 40.
Pinhas de Braſil. 218.
Pinnones de purgar. 40.
Pino. 38.
Pinoguacu fœmina. 202. mas. 203.
Pinos. 78.
Pinus Indica occidentalis. 40. marina. 217.
Piper longum ejuſque ſpecies. 44,45. caudatum. 44. frutex Americanus, &c. ib. ex Florida. ib. ſive axi. 111. Indicum ejuſque ſpecies. 112, 113, 114. longum 10^um, &c. Greg. de Regio. 113. Calecuticum, &c. ib. Octavum, &c. Greg. de Reg. 114. Chiapæ. 161. Tavaſci. ib. longum Braſiliæ. 219.
Piratiminere. 213.
Piſa floridiſſimo rubro colore, &c. 70.
Piſum coccineum Americanum. 70. Americanum. ib. Indicum 2^um. ſeu minus coccineum. C. B. ib. virulentum Chinenſe. ib. 4^um. ſeu piſa Virg. C. B. 72. 10^um. ſive veſicarium, &c. 110. Cordatum ejuſque ſpecies. 110, 111. ochræ colore, &c. 144. Indicum ſive abrus. 221.
Piſtachiæ Indicæ fructus. ib.
Piſtache. 72.
Piſtana Magonis, &c. 76.
Pita. 118.
Pitahaia. 196.
Planes. 192.
Plant *or Tree, or neither*, &c. 172.
Planta marina retiformis. 3. ſaxea abrotonoides. 2. muſcoſa & plumoſa Guayanenſis, &c. 12. leguminoſa Braſiliana phaſeoli facie, &c. 71. bifolia humirepa, &c. 73. innominata 1^a. Marcgr. lib. 1. c. 6. p. 8. 75. Peruviana viſco ſimilis, &c. 76. rara plantagini, &c. 83. innominata caule portulacæ. Marcgr. lib. 1. cap. 18. p. 39. 88. inſtar aloes. 118. de qua moxa, &c. 127. fruticoſa ſcandens ex cujus caule fiunt ſcipiones, &c. 214. fruticoſa ſcandens cujus caulis loco chordæ, &c. ib.
Plantaginis aquaticæ folio anomala flore tripetalo, &c. 76.
Plantago ejuſque ſpecies. 83. aquatica. 75.
Plantain. 83. *great water.* 76.
Plantanos. 189.

Plantans. 189.
Plante dont les fueilles ſervent pour envelopper les cuiſſes & les jambes des hydropiques. 63. gueriſſante le mal des dents. 85.
Plantines. 190. *wild.* 121.
Plantula peregrina Cluſ. 44.
Platanos. 189.
Platanus. 2. ſeu arbor platani folio fructu peponis, &c. 202.
Plumbs. 182. *white.* ib. *yellow.* ib. *American.* ib. *black.* ib. *hogg.* ib. *maiden.* 184.
Plumb-tree. 182.
Pocayo Recch. 105.
Indian Pockwood. 187.
Pœonia Indica vocata Cam. 70.
Poincyllane. 149.
Poires Indiennes. 186.
Pois d'Angole. 140. premiere ſorte. 67. autre ſorte. 140. à faire gratter. 68, 69. qui rampe dans les ſables, &c. 70. Anglois. 72, 221. des Malagaſſes & Tapates, &c. 73. gros & plats blancs & rouges. 220.
Poiſoned-weed. 69.
Polygala Indica fruteſcens, &c. 142. Indica minor, &c. ib.
Polypodium ejuſque ſpecies. 15, 16. Indicum ſcolopendriæ facie 2^um. 18. Indicum ſcolopendriæ facie 1^um. 14. foliis linguæ cervinæ. ib. Monomotapenſe, &c. 217. ſcolopendriæ vel phyllitidis facie, &c. ib.
Polytric. 22.
Polytrichum aureum ejuſque ſpecies. 12. ſaxatile dentatum. 17.
Poma noxia. 129. paradiſi. 191.
Pome citrons. 208.
Pomerantz. 211.
Pomegranates. 201.
Pomi d'oro. 109.
Pomifera Braſilienſis cum pulpa molli polypyreno. 165. ſeu potius prunifera Indica nuce reniformi, &c. 187. Indica fructu conoide viridi. 205.
Pomme de Coton. 159. de ſavon. 185. de paradis. 190.
Pommes fort belles à voir qui ne valent rien, &c. 129. de mamin. 230.
Pompions. 101. *for Veſſels to carry water.* &c, 101.
Pomum Benz. 129. mirabile ſive Hieroſolymit. 103. amoris minus, &c. 109. aureum. ib. Nicaraguæ. 185. Adæ. 190. ſpinoſum opuntiatum. 198. arenoſum. 200. mellitum. 206.
Pomus ſive malum 12^um. ſeu arbor fructu melonis, &c. 202. ſive malum 9^um. ſeu Anone Ovied. &c. 204.
Ponnam-tagera. 149.
Poppoyes. 202.
Populus novi orbis, &c. 184. Americana. ib.
Porcellache. 88.
Poro, &c. 1.

Portulaca ejusque species. 87, 88.
Portulacæ affinis folio subrotundo, &c. 89. facie maritima, &c. 88.
Porus, &c. 1.
Potamogeiton aquis immersum, &c 48.
Potatoes. 53.
Potincoba Lusitanis pulgera. 48.
Pourpier. 87, 222.
Poysoned *Arrows*. 129.
Poyson *Wood* 137 *Berries*. 169.
Poyvre *long*. 44. d'Inde. 111.
Presilium citrinum, &c. 129.
Prickly *yellow Wood*. 138. *Pole*. 178. *Pears*. 193. *Withe*. 196. *Apple*. 204.
Prince wood. 155.
Pruna Corigiana. 182.
Prunella ejusque species. 65.
Prunes de Nicaragua. 172. d'Icaque. 182. de Momin. ib. de Monbain. ib. 229. de jaunes d'œuf. ib.
Prunifera vel nucifera, seu nucipruniferа arbor Americana, &c. 186. vel nucipruniferа fructu saponario, &c 185. racemosa folio alato, &c. 184.
Pruno affinis arbor ejusque species. 182. vel evonymo affinis arbor folio alato buxeo, &c. 186. similis exotica. 182.
Prunus ejusque species. 182, 183, 184, 185.
Pseudosesamum. 60. eupatorium fœmina. 126. hepatorium, &c. ib. china. 105. capsicum Dod. 108. ebenus. 140. apocyni genus quinquefolium, &c. 154. viburnum Americanum, &c. 164. santalum croceum. 213.
Puempeda. 12.
Pulegium ejusque species. 64.
Pulicaria mascula. 47. prior Dioscor. &c. ib.
Pulgera. 48.
Pulmonaria. 10.
Pumpelmus. 212.
Punica. 201.
Purslane. 87. *Horse*. 89.
Pustia paeru. 71.
Pusu. 116.
Pycielt. 52.
Pyman 1. especе. 111. 2. especе. 113.
Pyri facie Agnacat. 185.
Pyro similis exotica. ib. similis fructus in Virginea. C. B. 194. similis exotica 3ª. seu pyro similis fructus alter in nova Hispania. C. B. 169. affinis exotica 7ª. sive Guanavanifera. Jonst. 204.
Pyrum insanum. 108.
Pyrus Indica. 186.
Pytahaya. 196.

Q.

QUadrifolium, &c. 74.
Quamoclit. 58.
Quauhayohuatlis. 40.
Quauhayohuatli. 2, 146.
Quauhcamotli. 42.

Quauhtlalatzin. 214.
Quauhtlepatlis. 154.
Quauhtzapotl. 204.
Quauhxocotl. 99.
Queinapoua. 111.
Queinbeaucoup. 113.
Quercus marina Theophr. 217.
Quibucoquiancalala. 192.
Quillobo. 98.
Raiz de *Quina*. 223.
Quingombo. 98. prior ſive alcea muſchata, ib.
Quinquefolium ſiliquoſum. 80.
Quinquina. 225.
Quiquoaquianputo. 54.
Quiquoaquicongo. 46.
Quity. 185.
Quiya 1². 112. apua. ib. aqui. ib. uca. 113. cumari. 114.

R.

RAcine de la quelle ou fait la farine. 41, 43. particuliere aux Maldives groſſe comme la cuiſſe d'un homme. 47. noire de Maire. 219.
Radice cotte che nel ſapore ſon ſimile alle caſtagne. 53.
Radix qua piſces ſoporantur. 143. chinæ. 223. fruticoſa lutea glycyrhizæ ſimilis, &c. 214.
Raiſinier. 184.
Ranunculus aquaticus umbilicato folio, &c. 93.
Raphaniſtrum monoſpermum ſiliquoſum, &c. 81.
Rapum Americanum albeſcens. 46. flaveſcens. 53.
Rapunculo affinis anomala vaſculifera, &c. 59.
Rapunculus ejuſque ſpecies. 58.
Rapuntio affinis anomala, &c. 59.
Raquettes. 193, 195.
Red *Paint*. 150. *with which they of the River* Amazons *do uſe to anoint their Bodies*, &c. ib. *wood*. 214.
Reeds. 32.
Reſinæ earumque ſpecies. 215.
Rhaa. 228.
Rhamnus an potius lycium Fingrigo, &c. 137. myrtifolius ex inſula S. Chriſtoph. 144. foliis buxeis minimis confertim naſcentibus, &c. 216.
Rice 25.
Ricini fructu glabro arbor julifera, &c. 131.
Ricino affinis odorifera fruticoſa, &c. ejuſque ſpecies. 44.
Ricinus ejuſque ſpecies. 38, 39, 40, 41, 42, 43, 44. Americanus lacteſcens trilobato folio perennis, &c. 219.
Ricophora ejuſque ſpecies. 46, 47.
Rind *of a Tree which ties the penis in Canes*. 95.
Ris. 24.
Riſi. 25.
Roches Dutertre. 2.
Sea Rocket. 81.

Rockweed. 4.
Rocour *Tree.* 151.
Roots *above ground, having great and broad leaves wherein water remaineth*, &c. 76.
Sea Rose. 2.
Roseaux. 32, 218.
Spanish or wild Rosemary. 44.
Roucou. 150.
Rouncivals. 72.
Rubeta serpentia, &c. 173.
Rubi facie senticosa planta. 159.
Rubus foliis longioribus, &c. 173. exoticus. C. B. 159.
Ruta muraria ejusque species. 21.
Rutæ murariæ accedens, &c. ejusque species. 16.

S.

SAamouna. 159.
Fructus *Sabaon.* 185.
Sabdariffa. 98.
Sacaviro. 220.
Sacchari arundo. 32.
Wild Sage. 163.
Sagitta. 76.
Saint Jago flour. 149.
Salgazo 4.
Salicis folio lato splendente arbor, &c. 170.
Salix Brasilienſis 2ª. capitulifera Jonst. 135. Brasiliensis folliculifera Jonst 138. arbor folliculifera obtusis foliis, &c. 154.
Salsa do praya. 57.
Salvia major folio glauco, &c. 64. Barbadensibus dicta, &c. 163.
Sambucus Barbadensibus dicta. 165. parva. 148.
Sampier. 88. *another sort.* 50. *wild.* 94.
Sanamunda Africana. 168.
Sana sancta. 52.
Sandal. 137.
Sandali. 138. rubri semina. Cæs. 143.
Sandalos. 175.
Sangue di drago. 228.
Sanguis draconis. 179.
Santa maria *Leaves*, 45. Maria *Tree.* 180.
Saponariæ sphærulæ. 184.
Sapotes. 181.
Sappa. 206.
Sappatilla. ib.
Sappotilla. ib.
Sargasso 4.
Savanna *Flour.* 89.
Savine *Trees.* 128. Indian. 149.
Savintu. 199.
Savonettes. 229.
Saururus ejusque species. 44, 45.
Sayri. 52.
Scabiosa Jamaicensis hyssopifolia, &c. 64.
Scabiosæ affinis anomala sylvatica enulæ folio, &c. 127.
Scamonea con foglie piccole, &c. 56.
Scamonia rotundifolia, &c. 55.
Pro *Scamonia* ostensum Cæs. 56.

Scamonium minus Plinii 2um. Tab. 57.
Schina. 105.
La *Schine.* 223.
Schit-elu. 60.
Schovanna-adamboe. 57.
Schovanna-modela-muccu. 48.
Scinmeraka. 172.
Scirpus major. 37.
La *Scolopendre.* 16.
Scoparia. 81.
Scordium maritimum, &c. 66.
Scorodonia floribus ſpicatis purpuraſcentibus, &c. ib.
Scotch *Graſs.* 218.
Securidaca Ægyptiaca, &c. 149.
Seitaragi. 79.
Semina ex India recens allata mali aurantii colore tingentia. 226.
Sempervivens. 116.
Sempervivum marinum baccifertum Marcgr. 88. marinum. 116.
Sempſen. 60.
Sena vel ſenna ejuſque ſpecies. 148, 149, 150. tetraphylla, &c. 73.
Senacion. 79.
Senæ ſpuriæ aut aſpalatho affinis arbor ſiliquoſa, &c. 150.
Sene. 146.
Senecio ejuſque ſpecies. 124, 125. Canadenſis acris alba. Moriſ. 124.
Senoriæ. 192.
Senorins. ib.
Senſible *Tree.* 153.
Senſitive Sauvage. 150.
Serpentia rubeta mororum altricia. 173.
Seſamum. 59.
Sesban aniliferum Indicum, &c. 225.
Shackeri ſchora. 101.
Shaddock *Tree.* 212.
Sideritis ſpicata ſcrophulariæ folio, &c. 65.
Siliqua Turner. 113. thymiamatis odore. 70. Indica 2a. ſeu ſpinoſa Jonſt. 143. Indica, id eſt, Caſſia fiſtula, &c. 145. ſive Caſſia cathartica. 146. & Caſſia purgatrix. ib. Arabica quæ Tamarindus. C. B. 147. Tamarindorum. 226.
Siliquaſtrum ejuſque ſpecies. 112, 113, 114.
Siliquoſa & ſpinoſa trifolia arbor Indica, &c. 143. malabarica foliis bifidis, &c. 150.
Siliqula anguſta, &c. C. B. 142.
Silk. 159. graſſe. 119. Cotton. 159.
Silva de praya. 144.
Silver *wood.* 162.
Simmerouke. 172.
Sina. 224.
Sinapi foliis ſubrotundis, &c. 79.
Sinapiſtrum ejuſque ſpecies. 80.
Siſamum. 60.
Siſarum Peruvianum ſive Batata Indorum. 54.

Siſimbrium, &c. 79.
Slank. 5.
Smilaces Indicæ unciali longitudine, &c. 66.
Smilax vel potius convolvulus cœruleus. 56. hortenſis ſive dolichus ſive phaſeolus 3^us. ſeu ſimplex ſiliqua ſurſum rigente, &c. C. B. 72. aſpera fructu nigro, &c. 105. Virginiana ſpinis innocuis armata, &c. ib. aſpera 3^a. ſeu ſmilax aſpera Indiæ occidentalis. C. B. 220.
Sofera. 148.
Solanifolia 3^a. ſeu ſolanum Mexicanum flore magno. C. B. 91.
Solani fructu fruticoſa foliis laurinis, &c. 173.
Solanum racemoſum Americanum ejuſque ſpecies. 84, 85. Magnum rubrum, &c. ib. bacciferum Americanum fructu corymboſo. 91. Indicum rubrum. ib. Mexicanum, &c. ib. bacciferum ejuſque ſpecies. 106, 107, 108. pomiferum ejuſque ſpecies. 109, 119. veſicarium, &c. 110, 111. peregrinum. 111. 4^um Trag. 50. fœtidum pomo ſpinoſo, &c. 59. læthale fructu rubro, &c. 60. capſicum dictum ejuſque ſpecies. 112, 113, 114. mordens, &c. 114. pomiferum Americanum non ſpinoſum, &c. 224.
Solatrum minus Cæſ. 107.
Soldanella ejuſque ſpecies. 57.
Sonchus ejuſque ſpecies. 122, 123.
Sonzes. 220.
Soortſack parvum. 204.
Sope *Berries*. 185.
Sophera. 148.
Sorgum. 25.
Sorrel, *the juice whereof is carried in a gourd*, &c. 99. French. ib.
Souirſafa. 223.
Sowbane. 50.
Sowreſope. 204.
Sowthiſtle. 122.
Spaniſh *Elder*. 45. *Roſemary*. 44. *Arbor Vine or Woodbind*. 55. *Carnations*. 149. *Elm*. 155.
Sparthum. 140.
Spartium, &c. ib.
Spatha. 175.
Speculum Veneris, &c. 59.
Spicy piemento. 161.
Spignard. 64.
Spina, papaver ſpinoſum. 82. ex Guiana. 177.
Spinachia Americana tuberoſa, &c. 54.
Spireæ congener, &c. 139.
Spirit *leaf*. 52.
Splachnos. 9.
Split. 75.
Spongia ejuſque ſpecies. 6, 7.
Spongiæ genus rariſſimum. 217.
Spuma maris Cæſ. 7.
Stæchadi citrinæ alteri inodoræ Lobelii affinis, &c. 125.

Stæchas citrina ſylveſtrior. 125.
Star *Stones*. 2.
Stellaria aquatica. 75.
Stinco. 39.
Stipites ſpinoſi haſtæ altitudine. 179.
Stockviſhout. 213.
Stœbe fœmina. 76.
Stramonia, &c. 59.
Stramonii 3ª. ſpecies. ib.
Stratiotes Ægyptia. 11. Haialem-maovi. ib.
Strobylus Peruvianus. 78. ſive nux pinea. 79.
Strychnodendron. 108.
Subſtantia lapidea fruticem albi corallii repræſentans, &c. 217.
Succus 10ᵘˢ. Cluſ. 151. atro-rubeſcens inodorus, &c. ib. rubro colore inficiens, &c. ib.
Sugar *Canes*. 31.
Supple *Jacks*. 214.
Surinam *Peaſe*. 72.
Suſimane. 59.
Sweet *Weed*. 81. *Wood*. 136. *ſcented Pepper*. 161. ſop. 205. *Apple*. ib.
Syringa laurifolia, &c. 169.

T.

TAbaco. 51, 219.
Tabernaculo. 215.
Taborucu. ib.
Tacamahacca foliis non crenatis. 167.
Tacomaree. 32.
Tacori. 118.
Tagera. 148.
Tajaoba. 62, 2ª. 63.
Taicombalahe. 222.
Tamarazecla. 147.
Tamarind *Tree*. ib.
Tamarindorum fructus. 226.
Wild Tamarinds. 151.
Tamarindus. 147. Americana ſiliquis brevibus, &c. 226.
Tancapaz. 23.
Tapia. 205.
Tapyracoynana. 146.
Tareriaya. 80.
Tareroqui. 148.
Tartagos. 40.
Tata-iiba. 128.
Tatayouba. ib.
Taxomocoquamoclit. 149.
Taya. 62.
Tayaouaſſou. ib.
Tecomates. 207.
Tenga. 133.
Tepetlauchxochitl. 119.
Tepezentli. 89.
Tepocan. 163.
Terebinthus ejuſque ſpecies. 167.
Tereta-pullu. 33.
Terra ſimile al cinabro, &c. 150.
Tetlatia. 136.
Tetranguriæ. 102.
Tetypoteiba. 90.
Tetzihuactlis. 197.
Teucroides, &c. 64.
Teuxochitl. 82.
Thamarindus. 147.
Tharay. 152.
Thatch. 79.
Weſt India Thea. 90.

Thecomates. 207.
Therapidio. 6.
Thiouts. 227.
Thomæa arbor, &c. 150.
Thora-paerou. 140.
Thuia. 186.
Thymelæa ejuſque ſpecies. 168.
Thymelææ facie frutex maritimus, &c. 135.
Tilia, &c. 135.
Tiliæ affinis laurifolia, &c. 136.
Tincondoquiancacala. 192.
Tithymalus ejuſque ſpecies. 82, 83. arbor Americana mali medicæ fol. &c. 137.
Tlacoxiloxochitl. 149.
Tlaolli ſeu mairium. 29.
Tlapatl. 59.
Tlaquilin. 91.
Tlatlancuaye. 44.
Tlilxochitl. 70, 221.
Tobacco. 51.
Toccon herba Braſiliana, &c. 118.
Tocizquiuh. 163.
Tockahough. 43.
Tockawhough. 62.
Toddie *Tree*. 134, 178.
Tomahuactlocopatli. 60.
Tomates. 109.
Tomatl. 110.
Tomato *Berry*. ib.
Tomento moſco o conſerva. 11.
Tomentum quoddam ſubtiliſſimum Kapoc vocatum. 227.
Torchwood. 197.
Tornabona. 52.
Totoloctli. 171.
Toucon. 118.
Toucon uve. 178.
Tozquitlapilxochitl. 121.
Travellers *Joy*. 84.
Trees *bearing venemous Apples*, &c. 129. *having ſtore of Oyſters*, &c. 155. *whoſe Dew ſcalds*. 130. *whoſe inner Rind makes Mantles*. 137. *whoſe Bark is made into Cloaths*. ib. *whoſe inner Rind makes Cloaths*. ib. *growing by the water-ſide with the Stalks hung full of Oyſters*. 155. *whereon the* Tivitivas *live in Winter*. 159. *very great and broad*. ib. *whereof is made Canoas*. 160. *whereon groweth fine bombaſt*. ib. *growing in a number of Roots, which deſcend from the Branches*, &c. 188. *growing on the Hills of* Dominica *delighting ſo much with equality and multiplication*, &c. ib.
Tremate. 124.
Tribuli qui aculeos ferunt oblongos inſtar digiti humani, &c. 117.
Tribulus terreſtris, &c. 90.
Trichomanes ejuſque ſpecies. 17.
Trifoliata Portoricenſis planta capreolata, &c. 106.
Trifolii ſpica crithmum, &c. 48.
Trifolium Americanum ſpicatum. 73. bituminoſum, &c. 74, 221. Aſphalteum. 74.

74. acetoſum corniculatum. 90. acetoſum flore flavo. 222.
Trionum 98.
Triticum Indicum. 28.
Bactrianum. ib.
Tritricahuatzon. 127.
Trogete. 186.
Trompes d'Elephant. 193.
Bois de *Trompette*. 45.
Patates eſpece de *Truffe*. 54.
Trumpet-reed. 33. *Tree*. 46.
Tſangou-manghits. 217.
Tſetti-mandarum. 149.
Tſiam-pullu. 34.
Tſiela. 189.
Tſinaw. 105.
Tſuria cranti. 58.
Tubacka. 51.
Tuinamtiiba. 143.
Tumba-codi-veli. 91.
Tunales. 193, 194.
Tunas. ib.
Tupara. 122.
Tupeiçava. 81.
Turkiſh *Grain*. 28.
Turks *Heads*. 198.
Typha. 37.
Tzicatzontecomatl. 64.
Tzintzequam. 151.
Tzopilotlzontecomatl, ſeu caput auræ. 181.

V.

VAandzou. 221.
Valerianella ejuſque ſpecies. 91.
Valli-panna. 19.
Valli-ſchorigenam. 38.
Vallia-capo molago. 114.
Varvatte. 225.
Vaſtchima. 227.
Vaynillas. 70.
Vecia Africana. 221.
Vella. 80.
Velvet Leaf. 85.
Velutta-mandaru. 150.
Velutta modela-muccu. 48.
Vencu. 231.
Venku. ib.
Vepres ita aculeati ut iter ad ſalinas, &c. 196.
Verbaſci folio arbor, &c. ejuſque ſpecies. 139.
Verbena ejuſque ſpecies. 64. ſupina Dioſcoridis Trag. 126. Americana fruteſcens, &c. 220. nodiflora, &c. 215.
Verbenæ aut ſcorodoniæ affinis anomala, &c. 64.
Verbenaca recta 126.
Verbeſina, &c. ib.
Vero. 39.
Veronica ejuſque ſpecies. 81.
Vervain. 64.
Veſicaria marina ejuſque ſpecies. 7. repens. 110. ſeconda. ib. peregrina. ib. nigra. 111. Indica. ib.
Viburnum, &c. ejuſque ſpecies. 163.
Vicia Africana. 70, 221.
Vides de la Iſla Eſpannola. 171.
Viga. 151.
Vignes ſauvages, &c. 172.
Vilucchio cœruleo. 56. con foglie d'altea. 57.
Spaniſh arbor *Vine*. 55.
Vines. 171.

Viola Peruviana. 91.
Violæ folio baccifera, &c. 115. folio Malabarica. ib.
Viorna. 84.
Virga aurea Americana fruteſcens glabra, &c. 106. Virginiana irſuta, &c. 124. aurea major ſive herba &c. 125.
Viſci modo arboribus Indicis adnaſcens. 76.
Viſcum ejuſque ſpecies. 168. Caryophylloides ejuſque ſpecies. 76, 77. Peruvianum, &c. 76. Indicum aliud. ib. radice bulboſa ejuſque ſpecies. 119. delphinii flore, &c. 120. arboreum flore albo ſpecioſo. ib. 5am. ſeu arbor viſcifera, &c. 136.
Vitalba. 84.
Vites ſylveſtres. 171.
Viti ſelvatiche. ib.
Viticella. 103.
Vitis ſylveſtris Trag. 84. nigra. ib. fructu minore, &c. 171. Vinifera ſylveſtris, &c. ib. ſylveſtris Indica, &c. 183.
Ulinga. 111.
Ulva. 5.
Umbilicus Veneris paluſtris, 93.
Unguis cati, &c. 152.
Ungula caballina aquatica. 120.
Voachits. 228.
Voafoutra. ib.
Voamanghe. 223.
Voamene. 221.
Voangha. 231.
Voaniou. 225.
Voaromani. 230.
Voaſara. 231.
Voaſecats. ib.
Voatalalac. 226.
Voatave. 223.
Volubilis nigra ejuſque ſpecies. 46.
Volvulus cœruleus. 56.
Uppee. 122.
Uppowoc. 51.
Uracou. 150.
Urapo. 178.
Uren. 96.
Urtica ejuſque ſpecies. 38.
Urticæ folio anomala flore pentapetalo, &c. 90.
Urucu. 150, 226.
Urumbeba. 195.
Uſnea. 9.
Uva een. 101.
Uva lupina. 167.
Uvas ſylveſtres. 171.
Uuba & Tacomareé. 32.
Uvero. 183.
Uvifera arbor occidentalis, &c. 184.

W.

WAllnuts *of Jamaica.* 214.
Wandos. 139.
Warapoli. 19.
Water-lilly. 120. *Hemp agrimony.* 126. *With.* 172, *Apple.* 205.
Weeds *of the Sea.* 4.
Weſt-India thea. 90.
Wheat, Indian. 28. Sarrazen. ib. Turkiſh. ib.

Whitewood. 154.
Wiapaſſa. 61.
Wickonzowr. 72.
Wine *of Palmtree.* 175.
Winter-bark. 166.
Another ſort of Withes, &c. 188.
Wood *with which* Indians *take Fiſh.* 143.
Woods *and their kinds.* 213.
Woodbind, Spaniſh 55. *Sea.* 70.
Wild Wormwood. 127.
Wunder-bawm. 39.

X.

XAlxochotl ſeu pomum arenoſum ejuſque ſpecies. 200.
Xicarras. 207.
Xilon. 157.
Xitomamæ. 110.
Xiuhquilitl Pitzahac ſeu anir, 142.
Xocoxochitl ſeu piper Tavaſci 161.
Xylociſte arbor, &c. 155.

Y.

YAhutia. 62.
Yams. 46. Negro *Country.* 219.
Yaram-macaru. 197.
Yaruma. 45.
Yata. 204.
Yayama. 78.
Ycaos. 229.
Yeams. 46.
Yerva que parecia prado. 4. que con el ſumo de ſu rayz remedia la ponſonna, &c. 122. con que tiran, &c. 129.
Yeteuch. 53.
Yllamatzapotli. 205.
Ynchic. 72, 73.
Yri. 176.
Ytzecuinpatli. 38, 127.
Yucca. 41, 219. foliis filamentoſis. 119.
Yuccæfolia folio in longiſſimum filum abeunte. ib.
Yvire. 95.
Yuri. 176.
Yxcaxihuitl. 157.
Yztaccihuatlis. 123.
Yztaclalamatl. 140.
Yztacpatlis. 149.

Z.

ZAbi. 42.
Zaburro. 26.
Zamouna. 159.
Zanthoxylon, &c. 138.
Zapotes. 181.
Zerzeline. 59.
Zingiber. 60.
Zinziber ejuſque ſpecies. 60, 61. flore albo Swert. 220.
Zuccha, &c. 100.
Zuccharo. 32.
Zucche perforate con pietre, &c. 207.

FINIS.